

499-290

01/30/2004

1/4

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 499-290	2. EPA Product Manager Linda Arrington	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Whitmire PT 565 WB Pyrethrum Insect Focger	PM# Acting PM 10	
5. Name and Address of Applicant (Include ZIP Code) Whitmire Micro-Gen Research Laboratories Inc 3568 Tree Court Industrial Blvd St Louis MO 63122-6682 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below. Final printed labels in response to Agency letter dated _____

Resubmission in response to Agency letter dated _____ "Me Too" Application.

Notification - Explain below. Other - Explain below.

NOTIFICATION
JAN 30 2004

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 165.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container

5. Location of Label Directions

6. Manner in Which Label is Affixed to Product
 Lithograph Paper glued Stenciled Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Dana Thomas	Title Manager, Product Registrations	Telephone No. (Include Area Code) (636) 861-4223
---------------------	---	---

Certification
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment, or both under applicable law.

2. Signature <i>Dana M Thomas</i>	3. Title Manager, Product Registrations	6. Date Application Received (Stamped)
4. Typed Name Dana M. Thomas	5. Date January 9, 2004	

ANTS, BOOKLICE, CENTIPEDES, CLOVER MITES, CRICKETS, MILLIPEDES, ROACHES, SILVERFISH, SOWBUGS, AND SPIDERS: Apply as a Crack and Crevice treatment into cracks and crevices...

For treatment of void areas such as attics, crawl spaces, and basements, calculate the volume of the void and apply as a space treatment...

BED BUGS: Take bed apart and treat cracks and crevices in bed frame and headboard. Treat mattresses and box springs, especially in the folds...

CARPET BEETLES (In Residences): Apply as a Crack and Crevice treatment into cracks and crevices near the source of the infestation.

CLOTHES MOTHS: Locate source of infestation in a wardrobe, closet, and crevices and perform a Space Treatment...

FOR EXPOSED ADULT AND LARVAL STAGES OF CARPET BEETLES, CIGARETTE BEETLES, CONFUSED FLOUR BEETLES, DRUG STORE BEETLES, GRAIN MITES, GRANARY WEEVILS, RED FLOUR BEETLES, RICE WEEVILS, AND SAWTOOTHED GRAIN BEETLES: Apply as a Crack and Crevice treatment into cracks and crevices...

ANGOUIMOIS GRAIN MOTHS, CHOCOLATE MOTHS, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS: Direct into all parts of room, especially areas of food processing equipment...


FLEAS IN BUILDINGS: Hold product 36" above the floor and direct toward base and lower walls at a rate of 10 seconds per 1,000 cu. ft. of space...

TICKS: Holding container 36" above the floor, direct fog into cracks and crevices in pet beds and resting quarters. Treat adjacent areas of carpet, floor coverings, baseboards and edges of carpet and floor coverings...

OUTDOOR TREATMENTS: GROUND APPLICATION (Flies, Gnats and Mosquitoes): Treat open areas near buildings and in campgrounds. Earth application where wind speed is five (5) MPH or less. Apply at a rate of 1/2 ounce per thousand square feet. Apply in wide swaths across areas to be treated...

MUD DAUBER AND WASP NESTS: Apply as a Crack and Crevice treatment into cracks and crevices and their nests from approximately 18 inches. Contact with the insecticide away from fog. Applications should be made in late evening or at night...

Contains no CFCs or other ozone depleting substances. Meets all federal regulations prohibing CFC propellants in aerosols.



A PRESCRIPTION TREATMENT brand insecticide from Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court, Independence, MO 64602. St. Louis, MO 63112. www.whitmire.com

© 2003 Whitmire Micro-Gen Research Laboratories, Inc. PT 565 WB - Container Label 12/03/03



WHITMIRE PT 565 WB PYRETHRUM INSECT FOGGER

(Alternate Brand Name(s):) (Whitmire PT 565 XLO Pyrethrum Insect Fogger) (Whitmire PT 505 XLO Pyrethrum Contact Insecticide) (Whitmire PT 565 XLO Inspector Contact Insecticide) (Prescription Treatment brand 565 Plus XLO Formula 2)

KILLS: Angoumois Grain Moths, Ants, Bed Bugs, Booklice, Carpet Beetles, Centipedes, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Drug Store Beetles, Fleas, Flies, Fruit Flies, Gnats, Grain Mites, Granary Weevils, Horn Flies, House Flies, Indian Meal Moths, Mediterranean Flour Moths, Millipedes, Mosquitoes, Mud Daubers, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Sowbugs, Spiders, Stable Flies, Ticks and Wasps.

FOR USE IN AND AROUND: Apartments, Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Motels, Nursing Homes, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Warehouses, and other Commercial and Industrial Buildings.

† See special instructions for these sites under Directions for Use

ACTIVE INGREDIENT: Pyrethrins 0.5%, Piperonyl Butoxide, Technical* 1.0%, n-Octyl Bicyclohexane Dicarbormide 1.0%

OTHER INGREDIENTS: 97.5% *Equivalent to 0.8% (Butylcarbitolyl[6-Propyl]piperonyl) Ether and 0.2% related compounds TOTAL: 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID: IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-3320 for emergency medical treatment information. See side panel for additional precautionary statements

EPA Reg. No. 499-290 • EPA Est. No. 499-MO-1

NET WEIGHT: 1 lb., 4 oz. (20 oz.) WHITMIRE MICRO-GEN RESEARCH LABORATORIES INC. 800-777-8570

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Irritant if swallowed or absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. NOTICE TO APPLICATOR: In order to avoid any unpleasant spraying of the nose and throat when dispersing the product in confined areas of water, the longed exposure to spray mist occurs with a sufficient amount of water in an organic vapor flow through the nozzle.

ENVIRONMENTAL HAZARDS This product is toxic to fish. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS Extremely Flammable. Contents under pressure. Heat may cause fire, sparks, and heated surfaces. Do not puncture or incinerate containers. Keep to temperatures above 130°F. May cause lancing.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

- 1 IN HOSPITALS AND NURSING HOMES: Do not apply the product in hospital rooms while occupied or in any rooms occupied by the elderly or infirm. Apply according to specific directions for pests to be treated. Patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation. 1 FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS: Apply according to specific directions for pests to be treated. When applying a space treatment in food handling areas, the food handling operation should be shut down. Floors should be mopped or swept during treatment. In food processing areas, all utensils, shelving, etc. where food will be handled should be covered or removed before treatment. All equipment should be washed with an effective cleaning compound followed by a potable water rinse prior to use. Control crack and crevice application for insecticide application is not applicable at all times except in factories, especially in food processing plants as directed below. 1 FEDERALLY INSPECTED MEAT AND POULTRY PLANTS: Apply according to specific directions for pests to be treated. Areas where the product is applied during processing area is not in operation. Floors should be removed if covered during treatment. After a Space Treatment, all food processing surfaces and equipment should be thoroughly washed with an effective cleaning compound followed by a potable water rinse. All meat and poultry products should be held in the treated area until the product has been removed from the food product is placed in the area. 1 SCHOOLS: Do not apply to classrooms when in use. 1 PLANES: Do not apply in aircraft cabins. Do not spray on plastic, painted, or varnished surfaces of aircraft and other electronic equipment such as radios, televisions, instruments, etc. Do not use this product on electrical equipment where there is exposed wiring or electrical connections. Do not use on short circuits and shock hazard. Product should only be used when temperature is above 60°F. Do not use in passenger aircraft. Do not use in passenger aircraft with a temperature above 60°F in flight.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a cool area away from heat or open flame. PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product according to the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly full, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions.

HOW TO USE WHITMIRE MICRO-GEN INJECTION SYSTEM

CRACK AND CREVICE APPLICATION: Use Whitmire PT 565 PLUS XLO with the supplied actuator and injection tubes or other Whitmire equipment. Inject PT 565 PLUS XLO into cracks and crevices of void spaces where insects may be occurring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Apply product for one second. For tight crevices, move injector tip along cracks while treating at the rate of three (3) foot feet per second. For tight crevices, move injector tip along at one meter foot per second.

For all area equipment voids calculate the void's cubic area and treat at the rate of five to ten seconds per three cubic feet. Several holes may be required for void running voids.

SPACE TREATMENT: Calculate the cubic footage to be treated and apply at the dosage rate specified below for the pests to be treated. To be treated, treat before reoccupying.

INDOOR TREATMENTS

FLYING INSECTS (Cluster Flies, Flies, Fruit Flies, Gnats, Mosquitoes, Small Flying Moths): Apply as a space treatment. Close all windows and doors and direct fog upward at a rate of 1 to 3 seconds per 1,000 cu. ft. of space in all locations. Keep area closed for 15 min. Open and ventilate before reoccupying. Treatment may be repeated daily if necessary. CLUSTER FLIES, CLOVER MITES, WASPS AND BEES INSIDE STRUCTURAL VOIDS: For treatment of these pests, apply as a Crack and Crevice treatment into cracks and crevices. Do not use in areas where there is exposed wiring or electrical connections. Do not use on short circuits and shock hazard. Treatment may be repeated daily if necessary.

NOTIFICATION JAN 30 2004



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.

January 9, 2004

314
JAN 30 2004

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

RE: NOTIFICATION TO REVISE DISPOSAL INSTRUCTIONS PER PR NOTICE 2001-6

Whitmire PT 565 WB Pyrethrum Insect Fogger, EPA Reg. No. 499-290
Avert Prescription Treatment 310, EPA Reg. No. 499-294
Whitmire Wasp Freeze Wasp and Hornet Killer, EPA Reg. No. 499-362
Whitmire PT 370 Ascend Fire Ant Bait, EPA Reg. No. 499-370
Whitmire PT 240 Perma-Dust Insecticide, EPA Reg. No. 499-384
Whitmire TC 104, EPA Reg. No. 499-404
Avert Prescription Treatment TC 93A, EPA Reg. No. 499-406
Avert Prescription Treatment TC 93B, EPA Reg. No. 499-410
Whitmire TC 164, EPA Reg. No. 499-444
Micro-Gen Ant Reactor, EPA Reg. No. 499-459
Whitmire Avert TC 181, EPA Reg. No. 499-467
Whitmire Micro-Gen TC 229, EPA Reg. No. 499-491
Whitmire Micro-Gen TC 228, EPA Reg. No. 499-492
TC 234, EPA Reg. No. 499-496
Prescription Treatment brand 224B Residual Insecticide, EPA Reg. No. 499-501

Dear Sir/Madam:

Enclosed in support of this action is a completed application and one copy revised labeling for each of the referenced products. The disposal statement has been revised to be consistent with PR Notice 2001-6.

These notifications are consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of these products. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if these notifications are not consistent with the guidance or PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, these products may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Document Processing Desk (NOTIF), EPA
January 9, 2004
Page 2

Also enclosed is a self-addressed, "No Postage Necessary" postcard that, when filled out, would indicate the status of this notification. Please take a moment to fill in the appropriate information and drop it in the mail for our records. Your assistance in this regard is certainly appreciated.

Thank you for your assistance in this matter. Please don't hesitate to contact me at (636) 861-4223 or, via electronic mail at dana.thomas@jwp.com, should you have any questions or require additional information concerning this action.

Sincerely,

WHITMIRE MICRO-GEN RESEARCH LABORATORIES INC.

Dana M. Thomas

Dana M. Thomas
Manager, Product Registrations

Encl.

