

Reg # 499-292

PM-19

171



PT* 279 Engage™ Residual Crack & Crevice* Injection System

FOR USE WITH SYSTEM III*

Whitmire

PT* 279 Engage™

Residual Crack and Crevice* Injection System

Label No. 18-0270 6/91

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use in feed processing areas in feed handling establishments (Example: livestock feed processing.)

HOW TO USE WHITMIRE CRACK AND CREVICE* INJECTION EQUIPMENT

Whitmire PT* 279 Engage™ is for use only with the supplied actuator and injection tubes or other Whitmire equipment. PT* 279 Engage™ is to be injected only into cracks and crevices or void space where insects may be harboring, living and breeding. Place injector tip 1/2" into cracks, crevices, holes and other small openings. Release approximately one-second spray per spot. For a serious infestation, place spots approximately 12" apart. For light infestation or for preventative treatment, place spots approximately 3 feet apart. In long running cracks, move injector tip along the crack while spraying at the rate of one linear foot per second. For heavy infestations move injector tip along at three linear feet per second. For inaccessible close-up voids calculate the voids cubic area and treat at rate of five to ten seconds per three cubic feet. Several holes may be required in long-running voids. Repeat as necessary.

CRAWLING INSECTS: Cockroaches, dermestids, scorpions, spiders, ticks, earwigs, crickets, sawflies, millipedes, centipedes: Inject into cracks and crevices and void spaces where insects may be harboring at the selected dosage. These may include, but are not limited to, openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves and cabinets. Repeat as necessary.

Booklice and Silverfish: Inject cracks and crevices associated with baseboards, door frames, bookcases and other harborage sites. Repeat as necessary.

Ants: Inject cracks and crevices and voids where ants may be traveling and/or harboring, including but not limited to around doors, window frames and other structural cracks and crevices.

Grain weevils, flour beetles, chocolate moths, drugstore beetles (in exposed adult and larvae stages), and hibernating stages of boxelder bugs, elmleaf beetles, cluster flies and clover mites: Inject cracks and crevices and/or voids where these insects may be harboring or hibernating. Infested areas include, but are not limited to, cracks and crevices in cabinets and pantries, voids around window and door frames, and under siding. Repeat as necessary.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing, canning, bottling, wrapping, boxing, preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas, when food is exposed and facility is in operation, also would be considered a food area. Apply prescribed amounts of insecticide directly into cracks and crevices or voids using injection tube or Whitmire equipment in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where insects hide. Care should be taken to avoid depositing the product into exposed surfaces or introducing the

material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children and pets.

CONTAINER DISPOSAL: Do not puncture or incinerate. Replace cap and discard in trash. Do not reuse empty container.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Do not get in eyes, on skin, or on clothing. Harmful if swallowed or absorbed through the skin. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Avoid contamination of food, utensils, and food preparation areas. Should illness occur, get prompt medical aid. To Physician: Atropine sulfate is antidotal.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, telephones, etc.

LIMITATION OF LIABILITY

Manufacturer warrants that this product conforms to the chemical description on the label. Buyer assumes all risks of use in handling which are at variance in any way with the directions on the label. MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. DAMAGES CAUSED BY THIS PRODUCT ARE LIMITED TO REPLACEMENT OF THE PRODUCT OR RETURN OF THE PURCHASE PRICE.

A Prescription Treatment* Insecticide from
Whitmire Research Laboratories, Inc.
3568 Tree Court Ind. Blvd.
St. Louis, Missouri 63122
Copyright 1991

KILLS: Ants, Beetles, Booklice, Boxelder Bugs, Centipedes, Chocolate Moths, Clover Mites, Cluster Flies, Cockroaches, Crickets, Dermestids, Drugstore Beetles, Earwigs, Elmleaf Beetles, Flour Beetles, Grain Weevils, Millipedes, Scorpions, Silverfish, Sowbugs, Spiders and Ticks.

For use, but not limited to: food storage areas, homes, hospitals, hotels, meat packing and food processing plants, motels, nursing homes, restaurants and other food handling establishments, schools, supermarkets, transportation equipment (buses, boats, ships, trains, planes), utilities, warehouses and other commercial buildings.

ACTIVE INGREDIENT:

Chlorpyrifos (O,O-Diethyl O-3,5,6-Trichloro-2-Pyridyl) Phosphorothioate) 0.5%

INERT INGREDIENTS: 99.5%

EPA REG. NO. 499-292

EPA EST. NO. 499-MO-1

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric Lavage is indicated. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove patient to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush with plenty of water. Get medical attention immediately. **NOTE TO PHYSICIAN:** If symptoms of cholinesterase inhibition are present atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

See side panel for additional precautionary statements

NET WEIGHT: 20 oz.

MAY 1991

