



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

November 1, 2002

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Dana M. Thomas
Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis, MO 63122-6682

Subject: Avert Prescription Treatment 310, EPA Reg. # 499-294
label amendment submitted 8/2/02
accepted

Dear Ms. Thomas:

This amendment revises the first aid section; adds pests, sites, and directions for use inadvertently dropped in an earlier label; et al.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is ACCEPTED provided that you submit two (2) copies of your final printed labeling prior to releasing your product for shipment.

If the above provisions are not complied with the registration will be subject to cancellation in accordance with FIFRA Section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A copy of your label stamped "accepted" is enclosed for your records.

Sincerely yours,

A handwritten signature in black ink, appearing to be "TCH".

Thomas C. Harris
Insecticide / Rodenticide Branch
Registration Division (7505C)
Office of Pesticide Programs
harris.thomas@epa.gov
(703) 308-9423

enclosure

2 7 4

ACCEPTED

NOV 1 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

499-294

AVERT[®]

Prescription Treatment 310

KILLS: Cockroaches (including carbamate, organo-phosphate, organochlorine and pyrethroid resistant strains). See enclosed labeling for additional pests.

FOR USE IN: Garages, Homes, and the non-food/feed areas of Hospitals and Nursing Homes (non-occupied patient areas), Hotels, Motels, Schools¹⁾, Transportation Equipment (Buses, Boats, Ships, Trains, Planes²⁾, Utilities, Warehouses, and other Commercial and Industrial buildings.

1 Do not use in aircraft cabins.
2 Do not apply to classrooms when in use.

ACTIVE INGREDIENT:	
Abamectin [®] B1	0.050%
Related Compounds	0.004%
OTHER INGREDIENTS: 99.946%	
*Patent #4,678,774	
TOTAL: 100.000%	

EPA Reg. No. 499-294 • EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See enclosed labeling for additional Precautionary Statements

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

See enclosed labeling for complete Directions for Use.

NET WEIGHT: 1.06 oz. (30 g)

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd
St. Louis MO 63122-6682
www.wmrg.com
© 2002 Whitmire Micro-Gen

P1 310 - Container Label (inches)

Version 4.0A (Rev. 7/02)

Prescription Treatment 310

AVERT[®]



WHITMIRE MICRO-GEN

AVERT[®]

Prescription Treatment[®] 310

- Crack & Crevice[®] Bait.
- Kills Cockroaches.
- Contains approximately 200 bait placements.

KILLS:

Ants, Booklice, Carpet Beetles, Cockroaches (including carbamate, organophosphate, organochlorine and pyrethroid resistant strains), Crickets, Drugstore Beetles, Earwigs, Flour Beetles, Grain Weevils, Pillbugs and Sowbugs.

FOR USE IN:

Garages, Homes, and the non-food/feed areas of Hospitals and Nursing Homes (non-occupied patient areas), Hotels, Motels, Schools[†], Transportation Equipment (Buses, Boats, Ships, Trains, Planes[†]), Utilities, Warehouses, and other commercial and industrial buildings.

[†] Do not use in aircraft cabins.

[†] Do not apply to classrooms when in use.

ACTIVE INGREDIENT:

Abamectin* B1: 0.050%
 Related Compounds: 0.004%

OTHER INGREDIENTS: 99.946%

* US Patent #4,678,744

TOTAL: 100.000%

EPA Reg. No. 499-294 EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See below for additional Precautionary Statements.

PRECAUTIONARY STATEMENTS

FIRST AID

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-800-225-3320 for emergency medical treatment information.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not allow to contact skin, eyes or clothing. If contact occurs, wash skin with soap and warm water, or eyes with clean water.

Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before re-use.

Do not apply where children (or domestic animals) are likely to come in frequent contact with treated areas. Any powder visible after application is complete should be brushed into cracks or crevices or removed. No generalized dusting should be done in household areas accessible to children or pets.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment areas.



WHITMIRE MICRO-GEN
 RESEARCH LABORATORIES, INC.
 800-777-8570

4 8 4



AVERT® Prescription Treatment® 310

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

IMPORTANT NOTICE

- Do not apply to humans, animals, clothing or bedding.
- Do not use on or contaminate fruit, vegetables or other food or feed crops.
- Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.
- Do not use in aircraft cabins.
- Do not dispense this product with power dusters in confined areas (i.e. attics, hot water heater closets, furnace rooms, etc.) in the presence of open flames, such as pilot lights.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a tightly closed container in a cool, dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not re-use empty container. Wrap container and put in trash.

GENERAL INSTRUCTIONS

PT® 310 is intended for application with the provided hand duster to hiding and runway areas and those places where pests are found. Apply insecticide directly into cracks and crevices. Apply lightly and uniformly to infested areas. Pay particular attention to cracks and crevices; service ducts; false floors and ceilings; wall voids; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets, refrigerators and sinks; around window and door frames; and in attics and crawl spaces.

The amount to be applied will vary with the site. Concentrate treatment at insect activity sites. For light infestations, a minimum of 4 - 6 bait points is recommended per 100 sq. feet of treatment area. For heavy infestations, a minimum of 12 - 24 bait points is recommended per 100 sq. feet of treatment area. Repeat treatment as necessary to maintain adequate control.

Do not use in the food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food/feed is

exposed. (Serving areas are considered areas where prepared foods are served, such as dining rooms, but exclude areas where foods may be produced or held.) In the home, all food processing surfaces and utensils in the treatment area must be covered or surfaces washed following treatment. Cover exposed food/feed in the treatment area or remove from premises.

Examples of non-food areas in food/feed handling establishments are garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, garages, mop closets, and storage (after canning and bottling).

INDOOR TREATMENTS

COCKROACHES, ANTS AND CRICKETS: Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices and hidden surfaces around sinks and storage areas, behind baseboards, around doors and windows, behind and under cabinets, stoves, behind refrigerators and in attics and crawl spaces.

EARWIGS, PILLBUGS AND SOWBUGS: Apply in cracks and crevices around doors and windows and other places where these pests may enter premises. Treat voids and other enclosed locations where these pests are found.

PANTRY PESTS - Including Drugstore Beetles (exposed adult and larva stages), Flour Beetles and Grain Weevils: Remove all food and shelving paper before treatment. Treat cracks and crevices and/or voids where these insects may be harboring or hibernating. Infested areas include, but are not limited to, cracks and crevices in cabinets, pantries and wall voids. Repeat at one week if necessary. Cover shelves with shelving paper after treatment. Destroy infested food packages.

CARPET BEETLES - Including Black, Furniture and Varied: Apply to cracks and crevices where these insects are found.

AIRCRAFT CARGO AREAS: May only be used in cargo areas of aircraft; do not use in aircraft cabins. Apply baits in suspected and infested cockroach areas. Place a bait placement in areas between elements of construction. Use 12 - 24 bait placements per 100 sq. feet.

OUTDOOR TREATMENTS

Use for control of ants, cockroaches, crickets, earwigs, ground beetles, pillbugs and sowbugs. Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces and other areas where pests hide, such as tree holes and cracks in fences.

A PRESCRIPTION TREATMENT® brand Insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wmmg.com

© 2002 Whitmire Micro-Gen Research Laboratories, Inc.