

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
499-299

DATE OF ISSUANCE
March 1, 1989

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

TERM OF ISSUANCE

Until Reregistration

NAME OF PESTICIDE PRODUCT

Whiteware PT 270 WDO Dursban

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

┌

┐

└

┘

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

2. Make the labeling changes listed below before you release the product for shipment:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the labeling changes listed below before you release the product for shipment:

- a. Add the phrase "EPA Registration No. 499-299."
- b. Add to your directions for control or termite the following statements:

The purpose of an application of PT 270 is to kill workers or winged reproductive termites which may be present in the treated chamber and spaces at the time of treatment and to impart a temporary resistance at these places to termite attack which may aid, in some part, in the prevention of immediate reinfestation

ATTACHMENT IS APPLICABLE

BEST AVAILABLE COPY

SIGNATURE OF APPROVING OFFICIAL

Dennis H. Edwards

DATE

3/1/89

by termites. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but merely a supplement treatment.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Dennis H. Edwards, Jr.
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

3/6

2/8/88

FRONT PANEL:

Whitmore
PT® 270 WDO
Dursban®

Residual
Crack & Crevice
Injection System

KILLS: Ants, Booklice, Boxelder Bugs, Carpenter Ants, Carpenter Bees, Centipedes, Chocolate Moths, Clover Mites, Cluster Flies, Cockroaches, Crickets, Drug Store Beetles, Earwigs, Elmleaf Beetles, Flour Beetles, Grain Weevils, Millipedes, Silverfish, Sowbugs, Spiders, Termites, Ticks, Wood Infesting Borers and Beetles and Wood Wasps.

For use in food storage areas, homes, hospitals, hotels, meat packing and food processing plants (inedible areas), motels, nursing homes, restaurant and other food handling establishments, supermarkets, transportation equipment (buses, boats, ships, trains, planes) and utilities.

ACTIVE INGREDIENTS:

Chlorpyrifos (0,0-Diethyl 0-(3,5,6-Trichloro-2-Pyridyl) Phosphorothioate)** 0.500Z

INERT INGREDIENTS: 99.500Z

*DURSBAN is Reg. TM of The Dow Chemical Company

EPA Reg. No. 499-

EPA Est. No. 499-M0-1

~~RECEIVED~~
~~AGRICULTURE~~
~~MARKET AREA~~

MAR - 1 1989

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, by the pesticide registered under EPA Reg. No. 499-299

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting or give anything by mouth to an unconscious person. Gastric lavage is indicated. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF ON EYES: Flush eyes with plenty of water. Get medical attention immediately.

NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

See side panel for additional precautionary statements

NET WEIGHT:

SIDE PANEL:

4
6

Whitmire PT 270 WDO Dursban
Residual
CRACK AND CREVICE INJECTION USE ONLY
PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May cause eye irritation. Harmful if swallowed or inhaled. May be absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using and before smoking or eating.

Avoid contamination of food, utensils, and food preparation surfaces.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Apply this product only as specified on the label. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

Do not spray directly into any electronic equipment such as radios, televisions, computers, etc.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOW TO USE WHITMIRE CRACK AND CREVICE INJECTION SYSTEM: Whitmire PT 270 WDO is for use only with the supplied actuator and injection tubes or other Whitmire equipment. PT 270 WDO is to be injected only into cracks and crevices or void space where insects may be harboring, living and breeding. Place injector tip 1/2" into cracks and crevices, holes and other small openings. Release approximately one-second spray per spot. For a serious infestation, place spots approximately 12" apart. For light infestation or for preventative treatment, place spots approximately three feet apart. In long running cracks, move injector tip along the crack while spraying at the rate of one linear foot per second. For heavy infestations move injector tip along at three linear feet per second. For inaccessible closed voids calculate the voids cubic area and treat at rate of five to ten seconds per three cubic feet. Several holes may be required in long-running voids. Repeat as necessary.

Crawling Insects: Centipedes, Cockroaches, Crickets, Dermestids, Earwigs, Millipedes, Scorpions, Sowbugs, Spiders and Ticks: Inject into cracks and crevices and void spaces where insects may be harboring at the selected dosage. These may include, but are not limited to, openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, meter boxes and man holes. Repeat as necessary.

Booklice & Silverfish: Inject into cracks and crevices associated with baseboards, door frames, bookcases and other harborage sites. Repeat as necessary.

SIDE PANEL (cont.):

Ants: Inject cracks and crevice and voids where ant may be traveling and/or harboring, including but not limited to around doors, window frames, behind electric switches and outlets and other structural cracks and crevices.

Grain weevils, flour beetles, chocoiate moths, drugstore beetles (in exposed adult and larva stages) and hibernating stages of boxelder bugs, elmleaf beetles, cluster flies and clover mites: Inject cracks and crevices and/or voids where these insects may be harboring or hibernating. Infested areas include but are not limited to cracks and crevices in cabinets and pantries, wall voids, around window and door frames, under siding and in machinery. Repeat as necessary.

Localized treatment of wood-infesting insects: Beetles and borers (such as the following families: Anobiidae, Bostrichidae, Buprestidae, Cerambycidae, Lyctidae, Oedemeridae, Sesiidae), carpenter ants, carpenter bees, termites and wood wasps: Locat? suspected infestation and/or insect tunnels and cavities. Inject 5 to 10 seconds of spray into insect tunnels, gallery and inaccessible closed voids. In infested sites, pilot holes should be drilled eight to ten inches apart to insure thorough insecticide gallery treatment. Make sure not to contact electrical wiring, plumbing, etc. when drilling and never use Whitmire metal wood injectors where electrical shock could occur. Use Whitmire standard plastic void injector if there is danger of electrical contact. For carpenter bees seal entrance openings with small pieces of stainless steel wool after application.

IMPORTED FIRE ANTS: To treat mounds use the Whitmire soil injector. To maximize spray distribution insert injector into the mound full length if possible. Inject the mound at 3-6 sites at a rate of 5-10 seconds spray per site. For very large mounds (over 36" diameter) increase the number of injection sites. Space injection sites in a circular pattern on the mound surface with one site in the center. To quiet active ants on mound surface, sweep surface with spray from a distance of 18 inches. For best results, apply in cool weather, 65-80°F, or in early morning or late evening hours. Treat new mounds as they appear.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which food is held, processed, prepared or served.



SIDE PANEL (cont.):

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY:

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply prescribed amounts of insecticide directly into cracks and crevices or voids using injection tube or Whitmire equipment in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food, food utensils or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD-HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Replace cap and discard container in trash, sanitary landfill or by other approved state and local procedures. Do not incinerate or puncture.

Copyright, 1986
Whitmire Research Laboratories, Inc.
St. Louis, Missouri