US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460

NOTICE OF PESTICIDE: FREGISTRATION REGISTRATION

(Under the Federal Insecticide, Fungicide. and Rodenticide Act, as amended)

EGISTRATION NO.

499-322

TERM OF ISSUANCE

Until Reregistration

Thirding to read the Programme of the

NAME AND FODRESS OF REGISTRANT (Include ZIP code)

 Γ

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement of approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered

Of John Cores

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

PA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXH

LeMoster 6/4/90

e. Revise the Environmental Hazards statements as follows:

This posticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwasters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to allow it to drift to blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

- f. On the side panel, second paragraph, add the word "feed" to the following sentences:
 - "in the food/feed areas..."
 - "of food/feed handling establishments..."
 - "where food/feed is commercially prepared..."
 - "cover exposed food/feed or..."
- g. Use in food handling establishments can imply use in U.S. Department of Agriculture (USDA) Meat and Poultry Plants. Therefore, either add the statement "Not for Use in USDA Meat and Poultry Plants" or submit an application to USDA requesting use in these areas. If granted, you can then indicate on the label that the product can be used in these areas.
- 3. We note that a one year storage stability study for this product is in progress and that it will be submitted when completed but no later than twelve months from the date of this notice.
- 4. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures

ACCEPTED
with COMMENTS
in EPA Letter Dated:

Whitmire
AvertTM
PT® 300
Pressurized Bait



Under the Federal Insecucita, I'm girido, and Rodenfield, amonded, for the peak, registered under EPA Re

Residual
Crack & Crevice Bait
Injection System

V14-322
KILLS: Ants, Booklice, Carpet Beetles, Cockroaches, Crickets, Drug Store Beetles,
Earwigs, Flour Beetles, Grain Weevils, Pillbugs and Sowbugs.

For use in garages, homes, and the nonfood/feed areas of hospitals (non-patient areas), hotels, motels, nursing homes (non-patient areas), transportation equipment (buses, boats, ships, trains, planes), utilities, warehouses and other commercial and industrial buildings.

Not for use in USDA Meat and Poultry Plants

ACTIVE INGRETIENTS:

EPA Reg. No. 499-XXX

EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATESTE OF PRACTICAL TREATMENT

IF SWALLOWER: Cair - ... is or Poison Control Center immediately. Give 1 or 2 *leases of water and immalately induce vomiting by gently touching back of inroat with finger or amminister syrup of Thecac. Do not give anything by mouth to an unconstious person.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. Seek medical attention if irritation persists.

IF ON EYES: Flush eyes with plenty of water. Get medical attention immediately

See side panel for additional precautionary statements

NET WEIGHT: 16 oz.



SIDE PANEL:

Whitmire
AvertTM
PT® 300
Residual
CRACK AND CREVICE INJECTION USE ONLY
PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or inhaled. May be absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using and before smoking or eating. Avoid contamination of food, utensils, and food preparation surfaces.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Apply this product only as specified on the label. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray directly into any electronic equipment such as radios, televisions, computers, etc. Do not spray where electrical short circuits might result, such as wall outlets, conduits, etc.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOW TO USE WHITMIRE CRACK AND CREVICE INJECTION SYSTEM: Whitmire PT® 300 is for use only with the supplied actuator and injection tubes. PT® 300 is to be injected only into cracks and crevices or void space where insects may be harboring, living and breeding. Concentrate treatment at insect activity sites. For light infestations, a minimum of 4 - 6 bait points is recommended per 100 sq. feet of treatment area. For heavy infestations, a minimum of 12 - 24 bait points is recommended per 100 sq. feet of treatment area. Place injector tip 1/2° into cracks and crevices, holes and other small openings. Release spray for approximately one-second per spot. For inaccessible closed voids calculate the voids cubic area and treat at rate of one to three seconds per three cubic feet. Several holes may be required in long-running voids. Repeat as necessary:

Do not use in the food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but exclude areas where foods may be produced or held. In the home, all food processing surfaces and utencils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

SIDE PANEL (cont.):

Crawling Insects: Carpet Beetles, Cockroaches (Will also kill carbamate, organophosphate and organochlorine resistant strains). Crickets, Earwigs, Sowbugs: Inject the recommended dosage into cracks and crevices and void spaces where insects may be harboring. These may include, but are not limited to, openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, meter boxes and man holes. Repeat as necessary.

Booklice: Inject into cracks and crevices associated with baseboards, door frames, bookcases and other harborage sites. Repeat as necessary.

Ants: Inject cracks and crevice and voids where ants may be traveling and/or harboring, including but not limited to around doors, window frames, behind electric switches and outlets (care should be taken to avoid placing material on exposed wiring) and other structural cracks and crevices.

Pantry Pests: Drugstore beetles (in exposed adult and larva stages), Flour beetles, Grain weevils: Remove all focd and shelving paper before treatment. Cover shelves with shelving paper after treatment. Infested food packages should be destroyed. Inject cracks and crevi'es and/or voids where these insects may be harboring or hibernating. Infested areas include but are not limited to cracks and crevices in cabinets, pantries, and wall voids. Repeat as necessary.

OUTDOOR USE: Use for control of ants, cockroaches, crickets, earwigs, ground beetles, pillbugs, and sowbugs. Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces and other areas where pests hide, such as tree holes and cracks in fences.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Not for Storage in and Around the Home.

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Replace cap and discard container in trash, sanitary landfill or by other approved state and local procedures. Do not incinerate or puncture.

LIMITATION OF LIABILITY

Manufacturer warrants that this product conforms to the chemical description on the label. Buyer assumes all risks of use in hundling which are at variance in any way with the directions on the label. MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. DAMAGES CAUSED BY THIS PRODUCT ARE LIMITED TO REPLACEMENT OF THE PRODUCT OR CETURN OF THE PURCHASE PRICE.

Copyright, 1988
Whitmire Research Laboratories, Inc.
6t Louis, Missouri