

APR 21 1992

315-5-110-118
 173

Mr. Michael G. Sarli
 Whitmire Research Laboratories, Inc.
 3568 Tree Court
 St. Louis, MO 63122-6620

Dear Mr. Sarli:

Subject: Amendment - Alternate Confidential Statement of Formula
 (CSF) and Change in Brand Name
 Whitmire Avert PT 300 Pressurized Bait
 EPA File Symbol 499-322
 Your Submission Dated December 20, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. Add a footnote to the inert ingredients indicating
 *Contains petroleum distillates.
2. Add "Do not puncture or incinerate to the disposal statement.
3. Change "exposed food" to "Exposed food/feed should be covered or removed."

Submit five copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca
 Product Manager (13)
 Insecticide-Rodenticide Branch
 Registration Division (H7505C)

Enclosure

CONCURRENCES

SYMBOL							
SURNAME	TML						
DATE	3/16/92						

RESEARCH LABORATORIES, INC.
 3668 TREE COURT INDUSTRIAL BOULEVARD / SAINT LOUIS, MISSOURI 63122



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
HOW TO USE WHITMAN'S CRACK AND CREVICE INJECTION SYSTEM: Whitman's PT® 300 is for use only with the supplied activator and injection tubes. PT® 300 is to be injected only into cracks and crevices or void space where insects may be harboring, living and breeding. Concentrate treatment at insect activity sites. For light infestations, a minimum of 4 - 6 bait points is recommended per 100 sq feet of treatment area. For heavy infestations, a minimum of 12 - 24 bait points is recommended per 100 sq feet of treatment area. Place injector tip 1/2" into cracks and crevices, holes and other small openings. Release spray for approximately one second per spot. For inaccessible closed voids calculate the voids cubic area and treat at a rate of one to three seconds per three cubic feet. Several holes may be required in long running voids. Repeat as necessary.

Do not use in the food feed areas of food feed handling establishments, restaurants or other areas where food feed is commercially prepared or processed. Do not use in serving areas while food feed is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but exclude areas where foods may be produced or held in the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Non food feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, boiler rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Crawling Insects: Cockroaches (including carpenter, german, brown banded and smoky brown resistant strains); Inject the recommended dosage into cracks and crevices and void spaces where insects may be harboring. This may include, but are not limited to, openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, meter boxes and manholes. Repeat as necessary.

OUTDOOR USE: Use for control of cockroaches. Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces and other areas where pests hide, such as tree holes and cracks in fences.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Not for storage in and around the home.
STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Replace cap and discard container in trash, sanitary landfill or by other approved state and local procedures. Do not incinerate or perforate.

**PRECAUTIONARY STATEMENT
 HAZARDS TO HUMANS AND
 DOMESTIC ANIMALS**

CAUTION: Irritant if swallowed or inhaled. May be absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using and before smoking or eating. Avoid contamination of food, utensils, and food preparation surfaces. For spot treatment only. Do not use as a space spray. Do not allow children or pets in treated areas until surfaces are dry.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning or disposal of equipment washwaters.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperature above 130 F may cause bursting. Do not spray directly into any electronic equipment such as radios, televisions, computers, etc. Do not spray where electrical short circuits might result, such as wall outlets, conduits, etc.

LIMITATION OF LIABILITY

Manufacturer warrants that this product conforms to the chemical description on the label. Buyer assumes all risks of use in handling which are in variance in any way with the directions on the label. MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. DAMAGES CAUSED BY THIS PRODUCT ARE LIMITED TO REPLACEMENT OF THE PRODUCT OR RETURN OF THE PURCHASE PRICE.

A Prescription Treatment® insecticide from
 Whitman's Research Laboratories, Inc.
 3668 Tree Court Ind. Blvd
 St. Louis, Missouri 63122

Whitman's

AVERT
 PRESCRIPTION TREATMENT 300

CRACK AND CREVICE® BAIT

KILLS: Cockroaches

For use in Garages, Homes, and the non food feed areas of Hospitals, Nursing Homes (non patient areas), Hotels, Motels, Transportation (Buses, Boats, Ships, Trains, Planes), Unions, Warehouses, and commercial and industrial buildings.
 Not for use in USDA Inspected Meat and Poultry Plants.

ACTIVE INGREDIENT:

Abaemectin B1 (A mixture of avermectins containing 90% avermectin B1, 5% demethyl avermectin A1a and 20% avermectin B1b (5.0 demethyl 2-methylpropyl 25 (1-methyl-2-hydroxy) avermectin A1a))

INERT INGREDIENTS:

EPA REG. NO. 499-322 EPA EST. NO. 499-MO-1
KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Immediately induce vomiting by touching back of throat with finger or administer syrup of ipecac. Do not anything by mouth to an unconscious person.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water. Seek medical attention if irritation persists.

IF ON EYES: Flush eyes with plenty of water. Get medical attention immediately.

See side panel for additional precautionary statements.

NET WEIGHT: 8 oz.

BEST AVAILABLE COPY

Under the
 Fungicide,
 as amended
 registered

APR

10 8