

499-322

02/17/2005

1/4

FRONT PANEL

v6.0.4 (rev. 2/11/05)

**Whitmire
AVERT®
PT® 300 Pressurized Spray**

ALTERNATE BRAND NAME(S):

- 1) PRESCRIPTION TREATMENT® brand AVERT® Pressurized Cockroach Bait Formula 1
- 2) Whitmire AVERT® PRESCRIPTION TREATMENT® 300 Crack and Crevice® Bait

KILLS:

Ants, Booklice, Carpet Beetles, Cockroaches (including carbamate, organophosphate, organochlorine and pyrethroid resistant strains), Crickets, Drug Store Beetles, Earwigs, Flour Beetles, Grain Weevils, Pillbugs and Sowbugs.

FOR USE IN:

Apartments, Campgrounds, Garages, Food Storage Areas, Homes, Hospitals and Nursing Homes (non-occupied patient areas), Hotels, Meat Packing and Food Processing Plants, Motels, Resorts, Restaurants and other Food Handling Establishments, Schools†, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes††), Utilities, Warehouses, and other Commercial and Industrial Buildings.

† Do not apply to classrooms when in use.

†† Do not use in aircraft cabin or cockpit.

ACTIVE INGREDIENT:

Abamectin B10.01%

OTHER INGREDIENTS:99.99%

Contains petroleum distillate. TOTAL: 100.00%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See side panel for additional Precautionary Statements.

EPA Reg. No. 499-322 • EPA Est. No. 499-MO-1

NET WEIGHT: 8 oz.



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
800-777-8570

ACCEPTED
FEB 17 2005

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
499-322

PRECAUTIONARY STATEMENTS**FIRST AID**

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-800-225-3320 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long sleeved shirt and long pants, socks, shoes, and chemical-resistant gloves (such as barrier laminate, nitrile rubber, neoprene rubber, or viton). Wear protective eyewear. Wash thoroughly after using and before eating, drinking, chewing gum or using tobacco.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting. Do not spray directly into any electronic equipment such as radios, televisions, computers, etc. Do not spray where electrical short circuits might result, such as wall outlets, conduits, etc.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

USE RESTRICTIONS

- Apply to cracks and crevices and voids only. Do not use as an open space spray.
- Do not use on or contaminate fruit, vegetables or other food or feed crops.
- Do not apply to humans, animals, clothing or bedding.
- Do not allow children or pets in treated areas until surfaces are dry.
- Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.
- Do not use in aircraft cabin or cockpit.

HOW TO USE WHITMIRE MICRO-GEN CRACK AND CREVICE® INJECTION SYSTEM

Whitmire Avert PT 300 Pressurized Spray is for use only with the supplied actuator and injection tubes. Avert PT 300 Pressurized Spray is to be injected only into cracks and crevices or void space where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately one half to one second of product. Concentrate treatment at insect activity sites. For light infestations, a minimum of 4-6 bait points is recommended per 100 sq. feet of treatment area. For

SIDE PANEL

v6.0.4 (rev. 2/11/05)

heavy infestations, a minimum of 12-24 bait points is recommended per 100 sq. feet of treatment area. For inaccessible voids drill small holes and inject Avert PT 300 Pressurized Spray. During follow-up visits, inspect bait placements and reapply when necessary.

INDOOR USE

CARPET BEETLES, COCKROACHES (including carbamate, organophosphate, organochlorine and pyrethroid resistant strains), CRICKETS, EARWIGS AND SOWBUGS: Inject the recommended dosage into cracks and crevices and void spaces where insects may be harboring. These may include, but are not limited to, openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, meter boxes and man holes.

BOOKLICE: Inject into cracks and crevices associated with baseboards, door frames, bookcases and other harborage sites.

ANTS: Inject cracks, crevices and voids where ants may be traveling and/or harboring, including, but not limited to, around doors and window frames, behind electric switches and outlets (care should be taken to avoid placing material on exposed wiring) and other structural cracks and crevices.

DRUGSTORE BEETLES (In exposed adult and larva stages), FLOUR BEETLES AND GRAIN WEEVILS: Remove all food and shelving paper before treatment. Cover shelves with shelving paper after treatment. Infested food packages should be destroyed. Inject cracks and crevices and/or voids where these insects may be harboring or hibernating. Infested areas may include, but are not limited to, cracks and crevices in cabinets, pantries, and wall voids.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS

(Food handling establishments are places other than private residences in which food is held, processed, prepared or served.)

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE AND VOID TREATMENT ONLY: Food areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) would also be considered a food area. Apply into cracks and crevices associated with wall voids, pieces of equipment, stainless steel tables, drains, storage equipment, and dining tables. Also apply between elements of construction. During follow-up visits, inspect bait placements and reapply when necessary. Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.

OUTDOOR USE

ANTS, COCKROACHES, CRICKETS, EARWIGS, PILLBUGS AND SOWBUGS: Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and in crawl spaces and other areas where pests hide, such as tree holes and cracks in fences.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product according to the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly filled, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions.

SIDE PANEL

v6.0.4 (rev. 2/11/05)

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit the use of CFC propellants in aerosols.



A PRESCRIPTION TREATMENT® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.

3568 Tree Court Industrial Blvd.

St. Louis MO 63122-6682

www.wmmg.com

© 2005 Whitmire Micro-Gen Research Laboratories, Inc.