ACCEPTED

JUL 19 1990

Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 499-327

6/25/88

PU16
499-327
Pg.1of3

Whitmire
PT® 243
Boric Acid Bait

ACTIVE INGREDIENTS:

Boric Acid 50.0%

INERT INGREDIENTS: 50.0%

EPA Reg. No. 499- EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Immediatly contact physician or Poison Control Center. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting ro give anything by mouth to an unconscious person.
IF IN EYES: Flush with plenty of water. Get medical attention if irritaiton persists.

NET WT.

Side Panel:

BEST AVAILABLE COPY

Whitmire
PT® 243
Boric Acid Bait

PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STIR WELL BEFORE USING

To control all common type house cockroaches: Apply the paste liberally under and behind refrigerators, stove sink, dishwasher, washing machines and dryer, tubs; into openings around drains sewers, manholes, water pipes and electrical conduits; in cracks and crevices along baseboards and in corners of cabinets, cupboards, and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then apply liberally into each corner of the drawer wells.

Reapply the same as above at least once a year. Any paste visible after application must be scraped into cracks and crevices or removed. Apply in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs.

DIRECTIONS FOR APPLYING IN NEW CONSTRUCTION TO CONTROL COCKROACHES: When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, apply the paste liberally.

This product may be used in homes, restaurants, and other food and feed handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, industrial plants, theaters, ships, boats, trains, yachts, camps, mobile homes, buses, zoos, kennels, military bases, libraries, utilities.

CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food or feed is held, processed, prepared or served.

FOOD AREA - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packing (Canning, wrapping, boxing) preparing, edible waste storage and enclosed processing systems such as mills, dairies, bakeries, restaurants or anywhere food or feed is stored, processed, prepared or served. Serving areas (when food is exposed and facility is in operation) also would be considered a food area. Apply in small amounts directly into cracks and

Side Panel (cont.):

crevices using suitable equipment capable of applying insecticide directly into cracks and crevices in points between different elements of construction, between equipment and floors, openings leading to void and hollow spaces in walls, equipment legs and bases, conduits, motor housing, where cockroaches hide.

Care should be taken to avoid depositing the product onto exposed food and feed processing, preparation and serving surfaces, or introducing the material into food and or feed processing surfaces to avoid contamination.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AND FEED AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

SERVING AREAS - Facilities where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards, under elements of construction into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS: include garbage rooms, laboratories, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

STORAGE AND DISPOSAL

STORAGE: Store in original container away from heat.
DISPOSAL: Do not use empty container. Wrap and place in trash collection.

Copyright, 1988
Whitmire Research Laboratories, Inc.
St. Louis, MO 63122

BEST AVAILABLE COPY