

Reg # 499-339

PM-10

181

1/30/91

ACCEPTED

JAN 4 1980

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 11525-21

P/P
WASP & HORNET SPRAY

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION**

Long spray pattern up to 10 feet aids in reaching nests.
KILLS: Hornets, Wasps, Yellow Jackets.

Active Ingredients:

- * [Resmethrin (5-(phenylmethyl)-3-furanyl) methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate 0.150% w/w
- Related compounds 0.020%
- Aromatic petroleum hydrocarbons 0.199%

INERT INGREDIENTS: 99.631%

* Cis/trans isomers ratio: max 30% [\pm] cis and min. 70% [\pm] trans.
† U.S. Patent No. 3,465,007

KEEP OUT OF REACH OF CHILDREN

Avoid contamination of food and feedstuff.

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed. Do not induce vomiting. Call physician immediately
- If On Skin. Wash with plenty of soap and water.
- If In Eyes. Flush eyes with plenty of water for at least 15 minutes

SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS.

Made by: **Peterson/Pullian, Inc.**
Danville, Illinois 61832

EPA Reg. No. 11525-21-499-339
EPA Est. 11525 IL-1

NET CONTENTS

Not Reviewed. Registrant claims to be in compliance with

Avoid contact with eyes, skin or clothing. In case of contact immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not induce vomiting. Call physician immediately.

PHYSICAL OR CHEMICAL HAZARD 3

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 120°F may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

For outdoor use. Can also be used in attics, warehouses and other storage area where foods and feedstuffs are not exposed.

For Outdoor Use: Application should be made in late evening when hornets, wasps and yellow jackets are at rest. Hold can upright, remove cap. Point valve opening away from face. With wind at back, aim at nests in trees, bushes, under leaves, chimneys, cracks or crevices, etc.

For Indoor Use: Point valve opening away from face. Aim directly at nests of hornets, wasps and yellow jackets under rafters, etc. Do not spray in areas where foods and feedstuffs are exposed or handled.

Thoroughly saturate nest with spray, contacting as many insects as possible. To prevent insects from falling on skin and clothes, do not stand directly under nest. Best results can be obtained if nest is sprayed in late evening when most insects are at rest. If reinfestation occurs, repeat treatment.

STORAGE AND DISPOSAL

STORAGE - Store at temperatures below 120°F. Keep away from heat or open flame.

DISPOSAL - Do not reuse empty container. Wrap container and put in trash collection.