

PRECUTIONARY STATEMENTS
HAZARDS TO HUMANS

CAUTION

Avoid contact with eyes, skin or clothing. In case of contact immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists. Harmful if swallowed. Do not induce vomiting. Call physician immediately.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 120°F may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. IN THE HOME Remove or cover exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

STORAGE - Store at temperatures below 120°F. Keep away from heat or open flame.
DISPOSAL - Do not reuse empty container. Wrap container and put in trash collection.
KILLS House flies, mosquitoes, gnats, wasps, roaches, earwigs, spiders, centipedes, ants, deerflies and horseflies.
SPIDERS: Direct short burst of spray on spiders and repeat as necessary.
EARWIGS: Spray directly on earwigs in crevices and other hiding places on outdoor porches, patio floor and doorway entrances. Repeat as necessary.

Reg # 499-347

PM-10

P/P INSECTICIDE NO. 36

181

1/30/91

FOR USE IN HOUSEHOLD AND NON-FOOD AREAS OF INDUSTRIAL PLANTS

ACTIVE INGREDIENTS:

Resmethrin [5 (phenylmethyl) 3 furanyl methyl 2, 2 dimethyl 3 (2-methyl 1 propenyl) cyclopropanecarboxylate	0.200%
Related compounds	0.028%
11d trans Allethrin (allyl homolog of Cinerin)	0.400%
Related compounds	0.030%

INERT INGREDIENTS 99.3427
TOTAL 100.000%

*Cis/trans isomers ratio: max 30% (±) cis and min. 70% trans.
†Resmethrin, SBP 1382®
‡Bioallethrin

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting. Call physician immediately.
If On Skin: Wash with plenty of soap and water.
If In Eyes: Flush eyes with plenty of water for at least 15 minutes.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg No. ~~11525-37~~ 499-347
EPA Est. No. 11525 IL-1

NET CONTENTS

ACCEPTED
JUN 28 1979
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the product registered under EPA Reg No. 11525-37

BEST AVAILABLE COPY

KILLS FLIES, MOSQUITOES, AND GNATS: Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.
KILLS WASPS and HORNETS: Space spray. Before applying close all doors, windows and ventilator openings. In unfinished attics and crawl spaces where direct sprays cannot reach pests, point nozzle upward and fill the area with mist at the rate of 35 seconds per 1,000 cu. ft. of space. Leave treated area immediately after application is complete, closing off area for at least 1/2 hour. Ventilate area when treatment is complete. Repeat as necessary.
KILLS CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes. Spray thoroughly into cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible as a contact spray. Repeat application as necessary.
ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.
OUTDOORS - REDUCE ANNOYANCE FROM FLYING INSECTS AROUND PICNICS AND RECREATIONAL AREAS, HOMES, INDUSTRIAL PLANTS: Kill mosquitoes, gnats (midges), house flies, deerflies, horseflies and flying moths (millers) by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 sec. per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.
NUISANCE PESTS - ON OR ENTERING BUILDINGS: WASPS AND HORNETS, Direct Spray: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.
IMPORTANT: Sweep up all dead insects and deposit these sweepings into a closed garbage container within two hours after each treatment.