

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry place away from heat or open flame.
PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility. Unused product may be disposed of by securely wrapping original container in several layers of newspaper and discard in trash.

CONTAINER DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling is not available, wrap the container and discard in the trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes, on skin, or on clothing. Wear goggles, face shield, or safety glasses. Harmful if swallowed. Harmful if absorbed through skin.

PERSONAL PROTECTIVE EQUIPMENT: Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

APPLICATORS AND OTHER HANDLERS MUST WEAR: Long-sleeved shirt and long pants, chemical-resistant gloves, such as Barrier laminate \geq 14 mils or Butyl rubber \geq 14 mils or Nitrile rubber \geq 14 mils or Neoprene rubber \geq 14 mils or PVC \geq 14 mils or Viton \geq 14 mils, shoes plus socks, protective eyewear, chemical-resistant headgear for overhead exposure, and a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, P, HE prefilter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard. This product contains a highly flammable liquid. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

ADDITIONAL PRECAUTIONS: Contents of container must be at room temperature before use. Therefore, cans must be stored at room temperature (65°F) for 24 hours before application. Make sure spray is unobstructed above units by foliage or other physical objects in order to obtain maximum distribution of fog.

Contains no CFCs of other ozone depleting substances.
Federal regulations prohibit CFC propellants in aerosols



A Prescription Treatment® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wmrg.com

© 2001 Whitmire Micro-Gen Research Laboratories, Inc.

499-369

11/08/2001

1/1

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Not for use in or around the home.

PREAPPLICATION DIRECTIONS: For best results, apply during early evening when foliage is dry and temperature is between 65°-85°F. Do not place cans within 10 horizontal feet of any ignition source such as pilot lights, other open flames, or running electrical appliances that cycle off and on. Shut off all exhaust fans and close all windows, doors and ventilators. Greenhouse must be ventilated according to the requirements of the Worker Protection Standard (40 CFR §170.110 (c)) before re-entry.

TOTAL RELEASE DOSAGE: Use one 1 lb. can per 3,000 square feet, in situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 1 lb. can for 1,500 - 3,000 square feet. For smaller greenhouses between 1,500 - 3,000 square feet, use one 1 lb. can. Do not use in greenhouses smaller than 1,500 square feet.

TO ACTIVATE CANS: Start with can farthest away from exit door. Activate each can by pressing tab down and locking it. Leave the greenhouse at once. The entire contents will release automatically.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, Chemical-resistant gloves such as Barrier laminate \geq 14 mils or Butyl rubber \geq 14 mils or Nitrile rubber \geq 14 mils or Neoprene rubber \geq 14 mils or PVC \geq 14 mils or Viton \geq 14 mils, shoes plus socks, and protective eyewear. Chemical-resistant headgear for overhead exposure.

FOR USE INDOORS ON ORNAMENTAL AND FLOWERING PLANTS SUCH AS:

Bedding plants (such as): impatiens, marigolds, petunias, geraniums, and garden mums.

Cut flowers (such as): roses, chrysanthemums, carnations, snapdragons, and orchids.

Flowering hanging baskets (such as): fuchsia, lantana, New Guinea impatiens, ivy, and geraniums.

Foliage (such as): Boston fern, dracaena, ficus, schefflera, and philodendron.

Potted flowering plants (such as): poinsettia, chrysanthemums, florist's azaleas, lilies, African violets, geraniums, hibiscus, kalanchoes, and begonias.

Ornamentals (such as): azalea, barberry, coloneaster, euonymus, holly, juniper, oak pine, rhododendron, roses, spiraea, spruce, viburnum and yew. Do not apply to fruits and vegetables. Do not apply to American Elm, Flowering Crabapple, Sugar Maple, and Cottonwood, as foliage injury may occur.

This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Unintentional consequences such as crop injury or ineffectiveness may result because of certain environmental or growing conditions, manner of use or application, and insect resistance. Therefore, before treating a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application.

PLANT SAFETY NOTICE: Good greenhouse management must override the use of this product when any conditions might be created by tightly closing greenhouses that would harm plant foliage or flowers. Example: Creation of high temperatures or humidity conditions. Do not use this product in greenhouses with unvented or reflective gas heating systems or when open combustion exists.

Whitmire

PT 1310

Total Release Insecticide

Aerosol Generator

FOR USE IN: Commercial Greenhouses

MAY BE USED ON: Bedding Plants, Cut Flowers, Flowering Hanging Baskets, Foliage, Potted Flowering Plants and Ornamentals.

KILLS: Aphids, Cabbage Loopers, Cankerworms, Fall Webworms, Fungus Gnats, Lacebugs, Leafminers, Leafrollers, Lygus Bugs, Mealybugs, Scale, Spider Mites, Tent Caterpillars, Thrips and Whiteflies.

ACTIVE INGREDIENT:

Acephate 3.0%

OTHER INGREDIENTS: 97.0%

This product is an organophosphate. TOTAL: 100.0%

EPA Reg. No. 499-369 EPA Est. No. 499-MQ-1

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

IF IN EYES: Flush with plenty of water. Get medical attention.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage may be indicated if material was taken internally. DO NOT INDUCE VOMITING: vomiting may cause aspiration pneumonia.

IF INHALED: Remove patients to fresh air. Apply artificial respiration if breathing has stopped.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

See side panel for additional precautionary statements.

NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

NET WEIGHT: 1 LB.



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES INC.
800-777-8570

ACCEPTED

NOV 8 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 499-369