


CONDITIONS OF SALE AND WARRANTY

Rohm and Haas Company warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. ROHM AND HAAS MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Rohm and Haas and Seller. Risks such as crop injury, ineffectiveness or other unintended consequences resulting from, but not limited to, weather or soil conditions, presence of other materials, disease, pests, drift to other crops or property or failure to follow label directions will be assumed by the Buyer or User. IN NO CASE WILL ROHM AND HAAS OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE HANDLING, STORAGE OR USE OF THIS PRODUCT.

JAH:val
0628g
08/24/92



PM 10 499-375

13 18 5

19 MAY 1993

Whitmire Research Laboratories Inc.
3568 Tree Court Industrial Boulevard
St. Louis, MO 63122

Attn: Michael G. Sarli

Subject: Whitmire PT 2100 Preclude IGR Insect Growth Regulator
EPA Registration No. 499-375
Application dated February 24 1993

) Dear Mr. Sarli:

The proposed amendment to the registration of the product cited above under The Federal Insecticide, Fungicide, and Rodenticide Act changing the brandname to "Whitemire PT 2100 Preclude IGR Insect Growth Regulator" is acceptable.

Note that this acceptance of your label does not relieve you of your obligation to comply with the Worker Protection Standard. If any of your products are covered by this standard, you are required to submit, and receive the Agency's approval by April 21, 1994, a revised label reflecting the required label statements of 40 CFR 156, published in the FEDERAL REGISTER on August 21, 1992 (57 FR 38102). Further guidance will be issued. According to 40 CFR 156, subpart K, "No product to which this subpart applies shall be distributed or sold without amended labeling by any registrant after April 21, 1994. Please call 1-800-777-2185 if you have any labeling questions regarding the Worker Protection Standard.

Sincerely,

RK

Rita Kumar
Acting Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)

[Handwritten mark]

235

6/1/92

Whitmire
PT[®] 2100
Preclude[™]IGR
Insect Growth Regulator

RECOMMENDED FOR COMMERCIAL USE ONLY

For Use In: Greenhouses

Kills: Aphids, Scale and Whiteflies.

May be used on: Bedding Plants, Cut Flowers, Flowering Hanging Baskets, Foliage, Potted Flowering Plants and Ornamentals

ACTIVE INGREDIENTS:

Fenoxycarb [Ethyl (2-(4-phenoxyphenoxy) ethyl) carbamate] . 0.6%

INERT INGREDIENTS: 99.4%

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

EPA Reg. No. 499-375

EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Do not give anything by mouth to an unconscious person.

IF INHALED: Remove person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing. Wash skin with plenty of soap and water. Get medical attention.

NOTE TO PHYSICIAN: Gastric lavage may be indicated due to aspiration pneumonia hazard.

See side panel for additional precautionary statements.

Net Wt. 1 lb.

ACCEPTED
with COMMENTS
in EPA Letter Dated

19 MAY 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
499-375

BEST AVAILABLE COPY

315

Whitmire
PT^o 2100 PrecludeTMIGR
Insect Growth Regulator

FOR USE INDOORS ON, BUT NOT LIMITED TO:

Bedding plants (such as): impatiens, marigolds, petunias, geraniums, and garden mums.

Cut flowers (such as): roses, chrysanthemums, carnations, snapdragons, and orchids.

Flowering hanging baskets (such as): fuchsia, lantana, New Guinea impatiens, ivy, and geraniums.

Foliage (such as): Boston fern, dracaena, ficus, schefflera, and philodendron.

Potted flowering plants (such as): poinsettia, chrysanthemums, florist's azaleas, lilies, African violets, geraniums, hibiscus, kalanchoes, and begonias.

Ornamental (such as): azalea, barberry, cotoneaster, euonymus, holly, ilex, juniper, oak, pine, rhododendron, roses, spiraea, spruce, viburnum and yew.

DIRECTIONS FOR USE

Additional Precautions: Contents of container must be at room temperature before use.

Therefore, cans must be stored at room temperature (above 65°F) for 24 hours before application. Make sure spray is unobstructed above units by foliage or other physical objects in order to obtain maximum distribution of fog.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For Use In Greenhouses

Greenhouse Preapplication Directions: For best results, apply during early evening when foliage is dry and temperature is between 60°-80°F. Shut off all exhaust fans and close all windows, doors and ventilators. Keep greenhouse closed for four hours, preferably overnight, following treatment. All human occupants and pets should be removed before treatment. Greenhouse should be ventilated before reentry.

TOTAL RELEASE DIRECTIONS

PT^o 2100 contains an insect growth regulator. Initially two applications should be made one week apart. Additional applications should be applied at two week intervals as long as immature insects are present or adult egg laying is expected.

Use one 1 lb. can per 3,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 1 lb. can for 1,500 - 3,000 square feet. For smaller greenhouses between 1,500 - 3,000 square feet, use one 1 lb. can. Refer to supplemental label for additional application directions.

BEST AVAILABLE COPY

435
SPECIAL NOTE: Good greenhouse management must overrule the use of this product when any conditions might be created by tightly closing greenhouses that would harm plant foliage or flowers. Example: Creation of high temperatures or humidity conditions. Do not use this product in greenhouses with unvented or defective gas heating systems or when open combustion exists.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid inhalation of spray mist. Wash thoroughly after using and before smoking or eating. Do not contaminate water, food, food stuffs or feed. Remove all pets. Cover fish tanks or remove. Do not remain in treated area and ventilate area after treatment is completed for 30 minutes.

Causes moderate eye injury. Avoid contact with skin, eyes, or clothing.

NOTICE TO APPLICATOR: When using this product or when early reentry is necessary, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water when disposing of equipment wash waters. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS: Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Unintentional consequences such as crop injury or ineffectiveness may result because of certain environmental or growing conditions, manner of use or application, and insect resistance. Therefore, before treating a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application.

BEST AVAILABLE COPY