STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal STORAGE: Store in a cool dry place away from heat or open flame. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap the container and discard in the trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, causes irreversible eye damage. Due to corro-sive nature, may be harmful or fatal if swallowed. Do not get in eyes. Avoid contact with skin or clothing. Wear goggles or face shield while handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not contaminate water, food, food stuffs or feed. Remove all pets. Cover fish tanks or remove. Do not remain in treated area and ventilate area after treatment is completed for 30 minutes

PERSONAL PROTECTIVE EQUIPMENT: Some materials that are chemical-resistant to this product are fisted below. If you want more options, follow the instructions for Category C on an EPA chemical resistance category selection chart.

APPLICATORS AND OTHER HANDLERS MUST WEAR: Longsleeved shirt and parits, chemical-resistant gloves, such as Barrier iarri-inate or Butyl rubber ≥ 14 mils or Nitrite rubber ≥ 14 mils or Neoprene nobber ≥ 14 mils or Polyvinyl chloride (PVC) ≥ 14 mils, or Vilon washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users Should:

- · Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet
- Remove clothing immediately if pesticide gets inside. Then wash
- thoroughly and put on clean clothing.
 Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thorough the control of th oughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. Keep out of lakes, streams or ponds. Do not contaminate water when dispos-ing of equipment wash waters. Apply this product only as specified on this labe

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from neat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This prodct contains a highly flammable ingredient. It may cause a fire or explo-sion if η 1 properly. Follow the "Directions for Use" on this label



Highly Flammable Ingredient Ingrediente Atamente Inflamable

ADDITIONAL PRECAUTIONS: Contents of container must be al com temperature before use. Therefore, cans must be stored at room emperature (above 65°F) for 24 hours before application. Make sure pray is unobstructed above units by foliage or other physical objects n order to obtain maximum distribution of fog.

Contains no CFCs or other ozone depleting subtances. Federal regulations prohibit CFC propetlants n aerosols



A Prescription Treatment® brand Insecticide from: Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd St Louis MO 63122-6682 www.wmmg.com © 1999 Whitmire Micro-Gen Research Laboratories, Inc.

Whitmire

Total Release Insecticide

Contains Talstar* Insecticide

FOR COMMERCIAL USE ONLY. NOT FOR RESIDENTIAL USE.

FOR USE IN: Greenhouses

KILLS: Aphids, Armyworms, Bagworms, Caterpillars, Fungus Gnats, Mealybugs, Omnivorous Leafrollers, Plant Bugs, Scale, Thrips, Mites, and Whiteflies.

MAY BE USED ON: Bedding Plants, Cut Flowers, Flowering Hanging Baskets, Foliage, Potted Flowering *Plants and Ornamentals.

ACTIVE INGREDIENTS:

Bitenthrin

*Talstar - Registered TM of FMC Corporation.

EPA Reg. No. 499-376 EPA Est. No. 499-MO-1 KEEP OUT OF REACH OF CHILDREN PELIGRO DANGER

Si usted no etiende la etiquea, busque a aigiun para que se la explique a usted en detaile. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

IF IN EYES: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol. Get medical attention

IF INHALED: Remove person to fresh air, If not breathing, give artificial respiration, preferably mouth to mouth.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional precautionary statements.

NET WEIGHT: 1 LB.



WHITMIRE MICRO-GEN RESEARCH LABORATORIES INC. 800-777-8570

ACCEPTED AUG 3 1 1999

Under the Federal Insocilcide, Fungicide, and Rodonticible act as amended, for the positions registered saddy 99-376

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PROD-UCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Apply product when pest (or plant damage typical of an indicated pest) is seen. Make 1-3 applications per week depending on the severity of the infestations. Do not re-apply product within 48 hours of a previous application.

PREAPPLICATION DIRECTIONS: For best results, apply during early evening when foliage is dry and temperature is between 60°-80°F. Shut off all exhaust fans and close all windows, doors and ventilators. Do not place cans within 10 horizontal feet of any ignition source such as pilot lights, other open flames, or running electrical appliances that cycle off and on. Keep greenhouse closed for four hours, preferably overnight. following treatment. All human occupants and pels must be removed before treatment. Greenhouse must be ventilated according to the requirements of the Worker Protection Standard before re-entry.

TOTAL RELEASE DOSAGE: Use one 1 lb. can per 3,000 square feet In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 1 lb. can tor 1,500 - 3,000 square feet. For smaller greenhouses between 1,500 -3,000 square feet, use one 1 lb. can.

TO ACTIVATE CANS: Start with can farthest away from exit door. Activate each can by pressing tab down and locking it. Leave greenhouse at once. The entire contents will release automatically.

AGRICULTURAL USE REQUIREMENTS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide régulation.

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers in tarms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralis, Chemical-resistant gloves, such as Barrier laminate or Butyl rubber ≥ 14 mils or Nitrile rubber ≥ 14 mils or Neoprene rubber ≥ 14 mils or Polyvinyl chloride (PVC) ≥ 14 mils or Viton ≥ 14 mils, shoes plus socks and protective eyewear.

FOR USE IN GREENHOUSES ON:

Bedding plants (such as); impatiens, manigolds, petunias, geraniums, and garden mums

Cut flowers (such as): roses, chrysanthemums, carnations, snap-

dragons, and orchids.

Flowering hangling baskets (such as): fuchsia, lantana, New Guinea impatiens, ivy, and geraniums.

Foliage (such as): Boston fern, dracaena, ficus, schefflera, and

philodendron.

Potted flowering plants (such as): poinsetta, chrysanthemums. florists azaleas, lilies, African violets, geraniums, hibiscus, kalanchoes. and beconias

Ornamentals (such as): azalea, barberry, cotoneaster, euonymus. holly, juniper, oak, pine, rhododendron, roses, spiraea, spruce, vibur-

This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Unintentional consequences such as crop injury or ineffectiveness may result because of certain environmental or growing cunditions, ir anner of use or applica-tion, and insect resistance. Therefore, perore treating a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application.

PLANT SAFETY NOTICE: Good greenhouse management must overrule the use of this product when any conditions might be created by tightly clusing green, ouses that would harm plant foliage or flowers Example: Creation of high temperatures or hurnfully conditions. Do not use this product in greenhouses with unvented or defective gas heating systems or when open combustion exists