

Form Approved. OMB No. 2070-0060

1h

s.


United States Environmental Protecti Washington, DC 20			ion Agency Ame		Registrat Amendm Other		OPP Identifier Number		
Application for Pesticide - Section I									
1. Company/Product Number			2. EPA 1	Product Manager		3. Proposed Classification			
499-385					- [None	Restricted		
4. Company/Product (Name) PT 239 Tri-Die Insecticide			PM#						
5. Name and Address of Applicant (Include ZIP Code) Whitmire Micro-Gen Research Laboratories Inc. 3568 Tree Court Industrial Blvd. St. Louis, MO 63122-6682			6. Expedited Raveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No						
			Section - I	ct Name		2 8 7(105		
Amendment - Explain below. Final printed labels in repsonse to Resubmission in response to Agency letter dated Me Too" Application. X Notification - Explain below.									
					······		<u> </u>		
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Relocation of "Precautionary Statement" and Removal of "Commercial Use Only" Statement. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the CSF of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.									
			Section - II	1					
1. Material This Product Will	Be Packaged in:								
Child-Resistant Peckeging	g Unit Packaging		Water Soluble Packaging 2. Type of Co						
Yes	Yes		Yes			Metal Plastic			
, No	No		No No			Glass			
 Certification must be submitted 	If "Yes" Unit Packaging wgt.	No. per conteiner	if "Yes" Package wgt	No. per container	Other (Specify)				
3. Location of Not Contents I		4. Size(s) Reta	il Container	5. Lo	cation of Labe	Directio	ns		
Label C	ontainer Affixed to Product	Lithogr Paper (Stencil	aph Jued	Other					
		Stencil	Section - IV						
1. Contact Point <i>(Complete :</i>	items directly helow 4	or identification		··	esserv to orre	are this	application 1		
			Title	computer, in Heg	·····		1 .	Area Codel	
Patricia A Hodge			Registration Specialist		elephone No. (Include Area Code)				
Certification 6. Date Application I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. 8. Date Application I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both upder applicable law. 6. Date Application									
2. signature Tatucia a Harge			Registration Specialist						
4. Typed Name Patricia A Hodge			10/3/2005			 ,			

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

Please read instructions on reverse before completing form.

NOTIFICATION

UCT 2 8 2005



Whitmire PT® 239 TRI-DIE Insecticide

[ALTERNATE BRAND NAME: "Prescription Treatment brand TRI-DIE Pressurized Silica + Pyrethrin Dust Formula 1"]

KILLS:

Ants, Bedbugs, Beetles, Booklice, Boxelder Bugs, Cadelles, Centipedes, Cheese Mites, Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Dermestids, Drugstore Beetles, Earwigs, Elmleaf Beetles, Firebrats, Flat Grain Beetles, Fleas, Grain Mites, Grain Weevils, Granary Weevils, Ground Beetles, Indian Meal Moths, Lice, Mealworms, Millipedes, Pillbugs, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Scorpions, Silverfish, Sowbugs, Spiders, Termites, Ticks, Trogodermas and Yellow Mealworms.

FOR USE IN AND AROUND:

Apartments, Homes, Hospitals*, Hotels, Food Storage Areas, Meat Packing Plants, Food Processing Plants, Motels, Nursing Homes*, Restaurants and Other Food Handling Establishments, Schools**, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains) and Warehouses and Other Commercial and Industrial Buildings.

- * Do not apply in hospital or nursing home rooms while occupied or in any rooms occupied by the elderty or infirm. Remove patients prior to treatment. Ventilate room for two hours before returning patients to room.
- ** Do not apply to classrooms when in use.

ACTIVE INGREDIENTS:

Pyrethrins		0.6%
Piperonyl Butoxide, Technical*	····· · · · · · · · · · · · · · · · ·	4.8%
Amorphous Silica Dioxide		8.0%
OTHER INGREDIENTS;		
* Equivalent to 3.84% (butylcarbityl)(6-propylpiperonyl) ether and 0.96% related compounds.		
Contains petroleum distillate.		

KEEP OUT OF REACH OF CHILDREN WARNING

See side panel for additional Precautionary Statements.


EPA Reg. No. 499-385 • EPA Est. No. 499-MO-1

NET WEIGHT:



WHITMIRE MICRO-GEN

RESEARCH LABORATORIES, INC. 800-777-8570



FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person,

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-800-225-3320 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes skin irritation. Do not get on skin or on clothing. Causes substantial but temporary eye injury. Wear protective eyewear (goggles, face shield or glasses). Do not get in eyes, on skin or on clothing. Harmful if absorbed through skin. Harmful if inhaled. Avoid breathing spray dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. In hospitals, remove patients prior to treatment. Ventilate area for two hours prior to returning patients. NOTICE TO OPERATOR: In order to avoid any unpleasant drying of the nose and throat when dispensing PT 239 Tn-Die in confined areas or when prolonged exposure to spray mist occurs, wear a pesticide dust respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute of Occupational Safety and Health (NIOSH) under the provisions of 30 CFR Part II.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Apply this product only as specified on the label. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

SHAKE WELL BEFORE USING

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. Shake well before use. For best results, use in upright position only.

Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, telephones, etc. where the powdery residue may foul or short electric contacts and circuits.

HOW TO USE THE WHITMIRE MICRO-GEN CRACK AND CREVICE® INJECTION SYSTEM

Use Whitmire PT 239 Tri-Die with the supplied actuator and injection tubes or other Whitmire Micro-Gen equipment. Inject PT 239 Tri-Die into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately one second of product. Move injector tip along cracks while treating at the rate of three linear feet per second. For closed voids calculate the void's cubic area and treat at the rate of three to five seconds per three cubic feet. For closed void areas drill small access holes. Several holes may be required in long-running voids. This product can leave a white residue. This residue can normally be removed with a damp cloth or sponge.

INDOOR TREATMENTS

CENTIPEDES, COCKROACHES, CRICKETS, DERMESTIDS, EARWIGS, MILLIPEDES, SCORPIONS, SOWBUGS AND SPIDERS: Inject with the prescribed dosage into cracks and crevices and void spaces where insects may be harboring. These

may include, but are not limited to, openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, sewer, floor drains and meter boxes.

For treatment of these pests in inaccessible voids (wall voids, equipment voids, attics, crawl spaces, and manholes where human contact with treated surfaces will be minimal), calculate void horizontal surface area and treat at a rate of one second per square foot.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS

Food handling establishments are places other than private residences in which food is held, processed, prepared or served. In supermarkets, restaurants, meat packing and other food handling establishments, cover or remove all food and foodstuffs prior to treatment. All benches, shelving, food processing surfaces and utensils should be covered or removed, or thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use.

FOOD AREAS - Application limited to Crack & Crevice Treatment Only: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area. Apply directly into cracks and crevices and void areas using injection tube in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Store in a cool dry place away from heat or an open flame.

PESTICIDE DISPOSAL: Wastes resulting from uses of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product in accordance with the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly full, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



PT 239 v2.4-09/0

A Prescription Treatment® brand insecticide from: Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 www.wmmg.com © 2005 Whitmire Micro-Gen Research Laboratories, Inc.

Whitmire PT® 239 TRI-DIE Insecticide

[ALTERNATE BRAND NAME: "Prescription Treatment brand TRI-DIE Pressurized Silica + Pyrethrin Dust Formula 1"]

KILLS:

• •

Ants, Bedbugs, Beetles, Booklice, Boxelder Bugs, Cadelles, Centipedes, Cheese Mites, Chocolate Moths, Cigarette Beetles, Clover Mites, Cluster F ies, Cockroaches, Confused Flour Beetles, Crickets, Dark Mealworms, Dermestids, Drugstore Beetles, Earwigs, Elmleaf Beetles, Firebrats, Flat Grain Beetles, Fleas, Grain Mites, Grain Weevils, Granary Weevils, Ground Beetles, Indian Meal Moths, Lice, Mealworms, Millipedes, Pillbugs, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Scorpions, Silverfish, Sowbugs, Spiders, Termites, Ticks, Trogodermas and Yellow Mealworms.

FOR USE IN AND AROUND:

Apartments, Homes, Hospitals*, Hotels, Food Storage Areas, Meat Packing Plants, Food Processing Plants, Motels, Nursing Homes*, Restaurants and Other Food Handling Establishments, Schools**, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains) and Warehouses and Other Commercial and Industrial Buildings.

- * Do not apply in hospital or nursing home rooms while occupied or in any rooms occupied by the elderly or infirm. Remove patients prior to treatment. Ventilate room for two hours before returning patients to room.
- ** Do not apply to classrooms when in use.

ACTIVE INGREDIENTS:

Pyrethrins	0.6%
Piperonyl Butoxide, Technical*	
Amorphous Silica Dioxide	8.0%
OTHER INGREDIENTS:	
* Equivalent to 3.84% (butylcarbityl)(6-propylpiperonyl) ether and 0.96% related compounds.	TOTAL: 100.0%
Contains petroleum distillate.	

KEEP OUT OF REACH OF CHILDREN WARNING

See page 2 for additional Precautionary Statements.

EPA Reg. No. 499-385 • EPA Est. No. 499-MO-1

NET WEIGHT:

800-777-8570



WHITMIRE MICRO-GEN RESEARCH LABORATORIES, INC.

Page 4 of 7

[COMPLETE LABEL - Pg 2]

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-800-225-3320 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes skin irritation. Do not get on skin or on clothing. Causes substantial but temporary eye injury. Wear protective eyewear (goggles, face shield or glasses). Do not get in eyes, on skin or on clothing. Harmful if absorbed through skin, Harmful if inhaled Avoid breathing spray dust. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. In hospitals, remove patients prior to treatment. Ventilate area for two hours prior to returning patients. NOTICE TO OPERATOR: In order to avoid any unpleasant drying of the nose and throat when dispensing PT 239 Tri-Die in confined areas or when prolonged exposure to spray mist occurs, wear a pesticide dust respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute of Occupational Safety and Health (NIOSH) under the provisions of 30 CFR Part II.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Apply this product only as specified on the label. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

SHAKE WELL BEFORE USING

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. Shake well before use. For best results, use in upright position only,

Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, telephones, etc. where the powdery residue may foul or short electric contacts and circuits. in hospitals, remove patients prior to treatment. Ventilate area for two hours prior to returning patients.

HOW TO USE THE WHITMIRE MICRO-GEN CRACK AND CREVICE® INJECTION SYSTEM

Use Whitmire PT 239 Tri-Die with the supplied actuator and injection tubes or other Whitmire Micro-Gen equipment. Inject PT 239 Tri-Die into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately one second of product. Move injector tip along cracks while treating at the rate of three linear feet per second. For closed voids calculate the void's cubic area and treat at the rate of three to five seconds per three cubic feet. For closed void areas drill small access holes. Several holes may be required in long-running voids. This product can leave a white residue. This residue can normally be removed with a damp cloth or sponge.

[COMPLETE LABEL - Pg 3]

INDOOR TREATMENTS

CENTIPEDES, COCKROACHES, CRICKETS, DERMESTIDS, EARWIGS, MILLIPEDES, SCORPIONS, SOWBUGS AND SPIDERS: Inject with the prescribed dosage into cracks and crevices and void spaces where insects may be harboring. These may include, but are not limited to, openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, sewer, floor drains and meter boxes.

For treatment of these pests in inaccessible voids (wall voids, equipment voids, attics, crawl spaces, and manholes where human contact with treated surfaces will be minimal), calculate void horizontal surface area and treat at a rate of one second per square foot.

BOOKLICE, SILVERFISH, FIREBRATS: Treat cracks and crevices in baseboards, door frames, bookcases and other storage areas. Treat wall and other voids where insects may be harboring.

For treatment of these pests in inaccessible voids (wall voids, equipment voids, attics, crawl spaces, and manholes where human contact with treated surfaces will be minimal), calculate void horizontal surface area and treat at a rate of one second per square foot.

ANTS: Inject cracks, crevices and voids where ants may be traveling and/or harboring, including, but not limited to, around doors, window frames, wall voids and other structural cracks and crevices and void areas.

FLEAS, LICE AND TICKS: Treat pet bedding, floor and floor coverings and all areas where pests may inhabit at the rate of one-second per 10 square feet. Treat cracks and crevices behind moldings, shelving, baseboards, pipe openings, and all other cracks. Repeat application when effectiveness diminishes.

NOTICE: PT 239 has been tested on several types of carpet, fabric and other household furnishings without adverse affects. Because of the wide variety of floor types and finishes, treat a small inconspicuous area before treating the entire area. Avoid contact with antique finishes.

BEDBUGS: Take bed apart and treat cracks, joints and interior of framework. Mattresses and box springs should be treated especially tufts, folds, and edges. Picture frames, moldings and all cracks and crevices in the room should also be treated. Do not use in hospital patient quarters.

STORED PRODUCT PESTS (Adult and Larval Stages): For treatment of Cadelles, Cheese Mites, Chocolate Moths, Cigarette Beetles, Confused Flour Beetles, Dark Mealworms, Drugstore Beetles, Flat Grain Beetles, Grain Mites, Grain Weevils, Granary Weevils, Indian Meal Moth, Mealworms, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Trogodermas and Yellow Mealworms, inject into cracks and crevices and/or voids where these insects may be harboring. Infested areas may include, but are not limited to, cracks and crevices in cabinets, pantries, wall voids and in machinery.

TERMITES: Spot treatment for localized infestation. Probe to locate galleries, drill holes and inject at the rate of 5-10 seconds per hole into the active galleries and void areas. The purpose of such treatment is to kill workers or winged forms which may be present in the treated galleries at the time of treatment and to impart a temporary resistance at these places to attack which may aid in the prevention of immediate reinfestation. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but merely a supplement.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS

Food handling establishments are places other than private residences in which food is held, processed, prepared or served. In supermarkets, restaurants, meat packing and other food handling establishments, cover or remove all food and foodstuffs prior to treatment. All benches, shelving, food processing surfaces and utensils should be covered or removed, or thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use.

FOOD AREAS - Application limited to Crack & Crevice Treatment Only: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area. Apply directly into cracks and crevices and void areas using injection tube in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

[COMPLETE LABEL - Pg 4]

INDOOR AND OUTDOOR TREATMENTS

CARPENTER ANTS: Locate source of infestation or areas of suspected activity. Inject 5-10 seconds of product into insect tunnels and cavities. Treat points of entry or exits from voids such as around doors, windows and siding. **BOXELDER BUGS, CLOVER MITES, CLUSTER FLIES AND ELMLEAF BEETLES:** Inject cracks and crevices and/or voids where these insects may be harboring or hibernating. Infested areas include, but are not limited to, cracks and crevices, behind siding, wall voids, around window and door frames.

OUTDOOR TREATMENTS

ANTS, CENTIPEDES, CLOVER MITES, COCKROACHES, CRICKETS, EARWIGS, GROUND BEETLES, MILLIPEDES, PILLBUGS, SCORPIONS, SOWBUGS AND SPIDERS: Treat cracks around doors, windows, under siding and voids at foundation level, beneath guards on loading docks, into cracks in foundations and floors and in other places where these pests may enter building.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Store in a cool dry place away from heat or an open flame.

PESTICIDE DISPOSAL: Wastes resulting from uses of this product may be disposed of on site or at an approved waste disposal facility.


CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product in accordance with the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly full, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



PT 239 v2.4 - 9/

A Prescription Treatment® brand insecticide from: Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 www.wmmg.com © 2005 Whitmire Micro-Gen Research Laboratories, Inc.



October 3, 2005

RE: NOTIFICATION per PR notice 98-10 of Movement of Precautionary Statement and Removal of Commercial use statement. PT 239 Tri-Die Insecticide EPA Reg. No: 499-385

Dear Sir or Madam:

Enclosed in support of above action is a completed application and two (2) copies revised labeling [one copy has been highlighted (new or revised text only) for easy reference] for the referenced product.

- ✓ Relocation of "Precautionary Statement" to its preferred location before "Hazards to Humans"
- ✓ Removal of Statement from label "For Pest Control Operators and Commercial Use Only"

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notices 83-1, 84-1, 98-10 and 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Also enclosed is a self-addressed, "No Postage Necessary" postcard that, when filled out, would indicate the status of this notification. Please take a moment to fill in the appropriate information and drop it in the mail for our records. Your assistance in this regard is certainly appreciated.

Thank you for your assistance in the review and approval process. Please don't hesitate to contact me at (636) 861-4272 or, via electronic mail, at patricia.hodge@wmmg.com, should you have any questions or require additional information.

Best Regards,

WHIFMIRE MICRO-GEN RESEARCH LABORATORIES, INC

ncià

Patricia Hodge Whitmire Micro-Gen Research Laboratories, Inc. patricia.hodge@wmmg.com

encl.

3568 Tree Court Industrial Boulevard St. Louis, MO 63122-6682 800-777-8570 • FAX 636-225-3739 *www.wmmg.com*