28 JUN 1993

Whitmire Research Laboratories, Inc. 3568 Tree Court Industrial Boulevard St. Louis, MO 63122

Attn: Michael G. Sarli

Subject: Whitmire PT 1200 Resmethrin Total

Release Insecticide

EPA Registration No. 499-387 Application dated April 8, 1993

Dear Mr. Sarli:

The proposed amendment to the registration of the product cited above under The Federal Insecticide, Fungicide, And Rodenticide Act changing the name of the product to "Whitmire PT 1200 Resmethrin Total Release Insecticide" is acceptable. A stamped copy of the draft label is enclosed for your records. Submit two copies of the finished label before the product is released for shipment under this revised label.

Note that this acceptance of your label does not relieve you of your obligation to comply with the Worker Protection Standard. If any of your products are covered by this standard, you are required to submit, and receive the Agency's approval by April 21, 1994, of a revised label reflecting the required label statements as outlined in PR Notice 93-7. According to 40 CFR 156, subpart K, specifically Section 156.200(c)(3): "No product to which this subpart applies shall be distributed or sold without amended labeling by any registrant after April 21, 1994.

Sincerely,

RE

Rita Kumar Acting Product Manager 10 Insecticide & Rodenticide Branch Registration Division (H7505C)

CONCURRENCES		
SYMBOL M7505C		
BIRNAME) Tamono		
DATE 6/16/73		
EDA Form 1220-1A (1/90)	Printed on Recurled Pages	OFFICIAL FILE COPY

Whitmire PT 1200 Resmethrin Total Release Insecticide

2 A JUN 1993
Under the Paderal Inscatches
Fragicials, and Redendates
as Series and Redendates
as an analysis of the provinces
as a provinces of the provinces
as a provinces of the provinces
as a provinces of the provinces of the provinces
as a provinces of the provi

5/15/92

RECOMMENDED FOR COMMERCIAL USE ONLY

For Use In: Garden Centers and Greenhouses

KILLS: Ants, Aphids, Armyworms, Beetles (Leaf Beetles, Mexican Bean Beetles, Weevils), Boxelder Bugs, Cankerworms, Caterpillars (Inchworms, Leafrollers, Rose Slugs), Centipedes, Citrus Insects, Cockroaches, Crickets, Firebrats, Fungus Gnats, Lacebugs, Leafhoppers, Mealybugs, Millipedes, Mosquitoes, Plant Bugs, Scale, Sow Bugs, Spiders, Thrips, and Whiteflies.

MAY BE USED ON: Bedding Plants, Cut Flowers, Flowering Hanging Baskets, Foliage, Potted Flowering Plants'and Ornamentals

ACTIVE INGREDIENTS:

*Resmethrin [5-(Phenylmethyl)-3-furanyl] methyl	2,2-dimethyl-3-
(2-methyl-1-propenyl) cyclopropane carboxylate	1.0%

*Cis/Trans isomers ratio: max 30% (+/-) cis and min. 70% (+/-) trans

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

EPA Reg. No. 499-387

EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage may be indicated. NOT INDUCE VOMITING, vomiting may cause aspiration pneumonia.

IF INHALED: Remove person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. Get medical attention.

See side panel for additional precautionary statements.

Net Wt. 1 lb.

Whitmire PT 1200 Resmethrin Total Release Insecticide

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For Use In Greenhouses

Greenhouse Preapplication Directions: For best results, apply during early evening when foliage is dry and temperature is between 60'-80'F. Shut off all exhaust fans and close all windows, doors and ventilators. Keep greenhouse closed for four hours, preferably overnight, following treatment. All human occupants and pets should be removed before treatment. Greenhouse should be ventilated before reentry.

TOTAL RELEASE DIRECTIONS

Use one 1 lb. can per 3,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 1 lb. can for 1,500 - 3,000 square feet. For smaller greenhouses between 1,500 - 3,000 square feet, use one 1 lb. can. Refer to supplemental label for additional applications directions.

FOR USE INDOORS ON, BUT NOT LIMITED TO:

Bedding plants (such as): impatiens, marigolds, petunias,

geraniums, and garden mums.

Cut flowers (such as): roses, chrysanthemums, carnations,

snapdragons, and orchids.

Flowering hanging baskets (such as): fuchsia, lantana, New Guinea impatiens, ivy, and geraniums.

Foliage (such as): Boston fern, dracaena, ficus, schefflera, and

philodendron. Potted flowering plants (such as): poinsettia, chrysanthemums, 'lorist's azaleas, lilies, African violets, geraniums, hibiscus,

kalanchoes, and begonias. Ornamentals (such as): azalea, barberry, cotoneaster, euonymic, holly, ilex, juniper, oak, pine, rhododendron, roses, spiraea. spruce, viburnum and yew.

SPECIAL NOTE: Good greenhouse management must overrule the use of this product when any conditions might be created by tightly closing greenhouses that would harm plant foliage or flowers.'. Example: Creation of high temperatures or humidity conditions. Do not use this product in greenhouses with unvented or defective gas heating systems or when open combustion exists.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a cool dry place away from heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Replace cap and discard empty container in trash, sanitary landfill or by other approved state and local procedures. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye injury. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Harmful if swallowed, inhaled, or absorbed through skin. Avoid inhalation of spray mist. Wash thoroughly after using and before smoking or eating. Do not contaminate water, food, food stuffs or feed. Remove all pets. Cover fish tanks or remove. Do not remain in treated area and ventilate area after treatment is completed for 30 minutes.

NOTICE TO APPLICATOR: When using this product or when early reentry is necessary, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water when disposing of equipment wash waters. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Keep away from heat, sparks, and open flame. Do not punct re or incinerate container. Exposure to temperatures above 130°F may cause bursting.

ADDITIONAL PRECAUTIONS: Contents of container must be at room temperature before use. Therefore, cans must be stored at from temperature (above 65 F) for 24 hours before application. Make sure spray is unobstructed above units by foliage or other: physical objects in order to obtain maximum distribution of fog.

This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Unintentional consequences such as crop injury or ineffectiveness may result because of certain environmental or growing conditions, manner of use or application, and insect resistance. Therefore, before treating a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application.

LIMITATION OF LIABILITY

Manufacturer warrants that this product conforms to the chemical description on the label. Buyer assumes all risks of use in handling which are at variance in any way with the directions on the label. MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. DAMAGES CAUSED BY THIS PRODUCT ARE LIMITED TO REPLACEMENT OF THE PRODUCT OR RETURN OF THE PURCHASE PRICE.

A Prescription Treatment Brand Insecticide from:
Whitmire Research Laboratories, Inc.
3568 Tree Court Ind. Blvd.
St. Louis, MO 63122
Copyright, 1993