F4A PM 10 40

499-404

Page 177

Please read instructions on reverse before completing form.	Form Approx	od. OMB No. 2070-000	30. Approval expires 05-31-98	
United States	Γ	Registration	OPP Identifier Number	
			040070	
Washington, DC 20	1480 T	Amendment	249972	
	<u> </u>	CX Other Notifi	cation Man	
Applicati	on for Pesticide - Secti	on I		
1. Company/Product Number	2. EPA Product Manag	2. EPA Product Manager 3. Proposed Classification		
499–404	R. Keigwin	R. Keigwin		
4. Company/Product (Name)	PM#	<u> </u>	XX None Restricted	
Whitmire TC-104	10			
5. Name and Address of Applicant (Include ZIP Code)	6. Expedited Revie	w. In accordance wi	th FIFRA Section 3(c)(3)	
Whitmire Micro-Gen research laboratorie	3, 1	similar or identical in	composition and labeling	
3568 Tree Court Ind. Blvd.	to:	•		
St. Louis, MO 63122	EPA Reg. No			
Check if this is a new address	Product Name	·		
N. C.	Section - II			
Amendment - Explain below.	Final printed	abels in response to		
[<u> </u>	Agency letter	•	· · · · · · · · · · · · · · · · · · ·	
Resubmission in response to Agency letter dated	Me Too" Ar	plication. NOT	IFICATION	
Notification - Explain below.	Other - Expla	in below.	• *	
TAN	<u> </u>	<i>No</i> v	7 1998	
Explanation: Use additional page(s) if necessary. (For section	on i and Section II.)	-	•	
	w Manager 1			
FYI Notification: Re-affix		ed trademark of	the McLaughlin	
Gormley	King Co."	NOTIFICA	TION	
مؤلم با	,	575° 5	575 ¢ 1	
	Section - IH			
1. Material This Product Will Be Packaged in:	// /			
Child-Resistant Packaging Unit Packaging	Water Soluble Packaging	2. Type of Contain	3er	
Yes Yes	Yes Yes	XXXX Meta		
	1 	Plast		
XX No XX No	XX No	Glass	and the second of the second o	
* Certification must If "Yes" No. per ontainer	if "Yes" No. per Package wgt container		r (Specify)	
be submitted				
3. Location of Net Contents Information 4. Size(s) R	etail Container	Location of Label Directors On Label	ctions	
X Label Container 2, 4, 6	6, 8, 12 & 16 oz.		ompanying product	
	ograph or glued clied			
and the second of the second o	Section - IV			
1. Contact Point (Complete Items directly below for Identification	tion of individual to be contacted, it		* **	
Name	Title	Teleph	one [lő. (include Arez Code)	
Mary Ellen Summers	Registration Specia	alist (3	314) 225-5371	
Certific	ation	- ' , 4 ' , '	6. Date Application	
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.				
I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.				
	10 744			
2. Signature Mary Allen Jummer	3. Title		i i i	
March Sam Annuales	Registration Spec	cialist-	i e e	
4. Typed Name	5. Date			
		•	1 4 4 5 1 2 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Mary Ellen Summers	11/1/90	0	1	

Whitmire TC 104

Total Release Fogger for Fleas with Insect Growth Regulator

Kills Adult & Preadult Fleas. Prevents Reinfestation for 7 Months

ACTIVE INGREDIENTS: Pyriproxyfen [2-(1-Methyl-2-(4-phenoxyphenoxy) ethoxy) pyridine] Pyrethrins		0.100%
N-octyl bicycloheptene dicarboximide*		. 0.050%
Permethrin [(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroether dimethylcyclopropanecarboxylate]** Related Compounds	nyl)2,2-	. 0.400% . 0.035%
INERT INGREDIENTS:		99.015%
*MGK 264 Insecticide Synergist **Cis-trans isomers ratio: Max. 55% (+ or -) cis and Min. 45% (+ or -) trans		ICATION
MGK is a registered trademark of McLaughlin Gormley King Co.	Nov	7, 1996

KEEP OUT OF REACH OF CHILDREN CAUTION STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists. IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists. IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

NET CONTENTS:

Manufactured by:

EPA Reg. No. 499-404

EPA Est. No. 499-MC

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

ENVIRONMENTAL HAZARDS.

Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do no puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Extremely flammable.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

This product will kill Ants, Cockroaches, Crickets, Fleas, Houseflies, Mosquitoes, Rice Weevils, Saw-Toothed Grain Beetles, Small Flying Moths and Ticks. It will also prevent preadult fleas from developing into the adult biting stage up to 7 months (210 days).

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Control Ticks and Fleas: Old bedding should be removed and replaced with fresh, clean bedding after treatment. Pets should be treated with a registered product for flea and tick control in conjunction with this treatment.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

TC 104 Alternate Directions

KILLS: Active flea infestations and prevents infestations from developing. Prevents Reinfestation for 7 Months

FOR USE IN: Apartments, Automobiles, Homes, Hospitals, Hotels, Kennels, Motels, Offices, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Warehouses, Utilities, Veterinary Clinics and Other Commercial and Industrial Buildings.

ACTIVE INGREDIENTS:

O PA BASIS TO CASE	0.40007
2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.100%
Pyrethrins	0.050%
*N-octyl bicycloheptene dicarboximide	0.400%
Permethrin {**(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl)2,2-	-
dimethylcyclopropanecarboxylate	0.400%
Related Compounds	0.035%
INERT INGREDIENTS:	99.015%

^{**}Cis-trans isomers ratio: Max. 55% (+ or -) cis and Min, 45% (+ or -) trans

KEEP OUT OF REACH OF CHILDREN CAUTION STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately.
IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

NET CONTENTS:

EPA Reg. No. 499-404

EPA Est. No. 499-MO-1

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

GENERAL INFORMATION

SHAKE WELL BEFORE USE

TC 104 kills fleas and prevents flea infestations for a full season. Adult fleas may be seen in the treated areas when brought in on infested animals or when adults emerge from pupal cases, however a population will not develop in the treated area.

In transportation equipment, certain plastics may be whitened or dulled. Apply only to carpets and cloth upholstered areas, or test an inconspicuous area before treating.

DIRECTIONS FOR USE

It is a violation to use this product in a manner inconsistent with its labeling.

Use TC 104 at the rate of 16 oz. for upto 2,100 sq. ft. (8 oz. for upto 1,000 sq. ft). Carpeted areas may be vacuumed before treatment and after treatment has dried. Treat infested areas or areas which could be infested; these include rugs, carpets, upholstered furniture, pet beds and pet resting areas. Hold can at arms length and direct spray toward the area to be treated. Use a sweeping motion to apply product and back away from treated area while holding the can 36 inches away from the surface being treated. Area of 80 - 100 sq. ft. can be treated in approximately 10 seconds with TC 104. When treating upholstered furniture, treat under cushions and areas where flea development occurs.

Cover aquariums and fish bowls and remove birds from area prior to treating. Treated areas should be vacated during application. EXCEPT FOR APPLICATOR DO NOT PERMIT HUMANS OR PETS TO CONTACT TREATED SURFACES UNTIL THE SPRAY HAS DRIED. Do not treat pets with this product.

NOTICE: TC 104 has been tested on several types of carpet, fabric and other household furnishings without adverse affects. In a few instances waxed surfaces have been whitened or dulled. Holding the can 36 inches away from the target surface normally prevents any whitening from occurring. Because of the wide variety of floor types and finishes, treat a small inconspicuous before treating the entire area. Avoid contact with antique finishes.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Do not apply directly to water or to areas where surface water is present or to inter tidal areas below the mean high water mark. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do no puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Extremely flammable.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children. PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Replace cap and discard container in trash, sanitary landfill or by other approved state and local procedures. Do not incinerate or puncture.

A Prescription Treatment brand insecticide from Whitmire Research Laboratories, Inc.

- '3568 Tree Court Ind. Blvd.

St. Louis, Missouri 63122

Copyright, 1996