

TC 104 - Basic Label (Total Release) V7 0.2 6/02

is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE) if recycling is not available, wrap the container and discard in the trash.

This product will kill Ants, Cockroaches, Crickets, Fleas, Houseflies, Mosquitoes, Rice Weevils, Saw-Toothed Grain Beetles, Small Flying Moths and Ticks. It will also prevent pre-adult fleas from developing into the adult biting stage up to 7 months (210 days). [ALTERNATE LANGUAGE: ...up to 4 months (120 days)]

Cover exposed food, dishes and food handling equipment. Open cabinets and doors in area to be treated. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. [ALTERNATE LANGUAGE: Use one (5 oz.) unit for each 5,000 cubic feet of unobstructed area.] Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller. Instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycles off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

TO CONTROL TICKS AND FLEAS: Old bedding should be removed and replaced with fresh, clean bedding after treatment. Pets should be treated with a registered product for flea and tick control in conjunction with this treatment.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



A PRESCRIPTION TREATMENT® brand insecticide from: Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 www.wmrg.com

© 2002 Whitmire Micro-Gen Research Laboratories, Inc.

* Nylar and MGK - Reg. TM of McLaughlin Gormley King, Inc.



[ALTERNATE BRAND NAME(s): Prescription Treatment brand Ultracide Flea Killer and Insect Growth Regulator Prescription Treatment brand Ultracide Pressurized Flea IGR & Adulticide Formula 1]

Total Release Fogger for Fleas with Nylar® Insect Growth Regulator

- Prevents Reinfestation for 7 Months
• Egg-stop formula provides months of protection by stopping eggs from ever developing-into biting fleas.
• One 6 oz. can treats up to 6,000 cubic feet.

KILLS: Adult & Pre-adult Fleas. Kills fleas plus kills hatching eggs for up to 4 months.

FOR USE IN: Apartments, Homes, Hotels, Kennels and Veterinary Clinics.

ACTIVE INGREDIENTS:

Table with 2 columns: Ingredient Name and Percentage. Includes Pyriproxyfen (0.100%), Pyrethrins (0.050%), N-octyl bicycloheptene dicarboximide† (0.400%), Permethrin (0.400%), and Related Compounds (0.035%).

OTHER INGREDIENTS: 99.015%

† MGK® 264, Insecticide Synergist (Cis-trans isomers ratio: Max. 55% ± cis and Min. 45% ± trans) TOTAL: 100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional Precautionary Statements.

EPA Reg. No. 499-404 EPA Est. No. 499-MO-1

NET WEIGHT:



WHITMIRE MICRO-GEN RESEARCH LABORATORIES, INC. 800-777-8570

PRECAUTIONARY STATEMENTS

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-800-225-3320 for emergency medical treatment information.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed. Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient, it may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
Ingredientes Altamente Inflamables

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame. CONTAINER DISPOSAL: This container may be recycled in the low but growing number of communities where steel aerosol can recycling

ACCEPTED

JAN 29 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 499-404

[BASIC LABEL]

GENERAL INFORMATION

TC 104 kills fleas and prevents flea infestations for a full season. Adult fleas may be seen in the treated areas when brought in on infested animals or when adults emerge from pupal cases; however, a population will not develop in the treated area.

In transportation equipment, certain plastics may be whitened or dulled. Apply only to carpets and cloth upholstered areas, or test an inconspicuous area before treating.

DIRECTIONS

Use TC 104 at the rate of 20 oz. for up to 2,625 sq. ft. (10 oz. for up to 1,300 sq. ft). Carpeted areas may be vacuumed before treatment and after treatment has dried. Treat infested areas or areas which could be infested; these include rugs, carpets, upholstered furniture, pet beds and pet resting areas. Hold can at arms length and direct spray toward the area to be treated. Use a sweeping motion to apply product and back away from treated area while holding the can 36 inches away from the surface being treated. An area of 80 - 100 sq. ft. can be treated in approximately 10 seconds with TC 104. When treating upholstered furniture, treat under cushions and areas where flea development occurs.

Cover aquariums and fish bowls and remove birds from a room prior to treating. Treated areas should be vacated during application. EXCEPT FOR APPLICATOR, DO NOT PERMIT HUMANS OR PETS TO CONTACT TREATED SURFACES UNTIL THE SPRAY HAS DRIED. Do not treat pets with this product.

NOTICE: TC 104 has been tested on several types of carpet, fabric and other household furnishings without adverse affects. In a few instances, waxed surfaces have been whitened or dulled. Holding the can 36 inches away from the target surface normally prevents any whitening from occurring. Because of the wide variety of floor types and finishes, treat a small inconspicuous area before treating the entire area. Avoid contact with antique finishes.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



A PRESCRIPTION TREATMENT® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wmrg.com

© 2002 Whitmire Micro-Gen Research Laboratories, Inc.

* Nylar and MGK - Reg. TM of McLaughlin Gormley King, Inc.



[ALTERNATE BRAND NAME(s):

Prescription Treatment brand Ultracide Flea Killer and Insect Growth Regulator

Prescription Treatment brand Ultracide Pressurized Flea IGR & Adulticide Formula 1]

Contains Nylar® Insect Growth Regulator

KILLS:

Active flea infestations and prevents infestations from developing. Prevents re-infestation for 7 months.

FOR USE IN AND AROUND:

Apartments, Automobiles, Homes, Hospitals, Hotels, Kennels, Motels, Offices, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks), Warehouses, Utilities, Veterinary Clinics and Other Commercial and Industrial Buildings.

ACTIVE INGREDIENT:

Pyriproxyfen:	0.100%
Pyrethrins:	0.050%
N-octyl bicycloheptene dicarboximide:	0.400%
Permethrin:	0.400%
Related Compounds:	0.035%

OTHER INGREDIENTS: 99.015%

† MGK® 264, Insecticide Synergist (Cis-trans isomers ratio: Max. 55% ± cis and Min. 45% ± trans) TOTAL: 100.000%

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements

EPA Reg. No. 499-404 • EPA Est. No. 499-MO-1

NET WEIGHT: 1 lb., 4 oz. (20 oz.)



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES INC.
800-777-8570

[ALTERNATE LABEL]

232
PRECAUTIONARY STATEMENTS

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-800-225-3320 for emergency medical treatment information.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed, inhaled or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS

Extremely flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

SHAKE WELL BEFORE USE

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling is not available, wrap the container and discard in the trash.

