

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States  
Environmental Protection Agency  
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 499-406	2. EPA Product Manager John Hebert	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Avert Prescription Treatment TC 93A	PM# Team 4B	
5. Name and Address of Applicant (Include ZIP Code) Whitmire Micro-gen Research Laboratories Inc 3568 Tree Court Industrial Blvd St Louis MO 63122-6682 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

NOTIFICATION  
JAN 30 2004

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 165.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container	Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Dana Thomas	Title Manager, Product Registrations	Telephone No. (Include Area Code) (636) 861-4223
2. Signature <i>Dana M. Thomas</i>		3. Title Manager, Product Registrations
4. Typed Name Dana M. Thomas		5. Date January 9, 2004
<p align="center"><b>Certification</b></p> <p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</p>		6. Date Application Received  (Stamped)

2/7

NOTIFICATION  
JAN 30 2004

**Whitmire Micro-Gen**

# AVERT™

**Prescription Treatment® TC 93A**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

See supplemental label for complete directions for use.

EPA Reg. No. 499-406  
EPA Est. No. 499-MG-1  
EPA Est. No. 65335-R1-1  
(see supplemental label number)

**A PRESCRIPTION TREATMENT® brand insecticide from:**  
Whitmire Micro-Gen  
Research Laboratories, Inc.  
3963 Hill Plant Industry Blvd  
St. Louis, MO 63122-6682  
www.whitmire.com  
1-800-4

**ACTIVE INGREDIENT:**  
Alfentrafluthrin 91 0.05%

**OTHER INGREDIENTS:** 99.95%

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See supplemental label for additional precautionary statements.

**NET WEIGHT:**

**WHITMIRE MICRO-GEN**  
RESEARCH LABORATORIES, INC.  
800-777-0570

EPA Reg. No. 499-406

EPA Est. No. 499-MG-1

empty reservoir has been completely drained. To fill the reservoir depress the trigger of the Dock 'n Gun™ until the reservoir is filled to protect it at eye level from the ground. Remove the trigger reservoir and unscrew the Dock 'n Gun™ from the piston can. Clean excess product from the Dock 'n Gun™ following use.

**APPLICATION RATES - ALL USES:** For light infestations of Cockroaches, 4-6 bait points are recommended per 100 sq. ft. of treatment area. For heavy infestations of Cockroaches, 12-34 bait points are recommended per 100 sq. ft. of treatment area. Each bait point should contain about 0.25 to 0.50 grams of product. A sack approximately 3 inches in diameter holds approximately 0.25 grams of product while a sack approximately 6 inches in diameter holds 0.50 grams of product.

**FOR ANTS:** Place several bait points as close as possible to the site of activity or suspected activity.

See additional label for complete Directions to Use.

**STORAGE & DISPOSAL**

Do not puncture or incinerate. Do not contaminate water, food or food by storage or disposal.

**STORAGE:** Store in a cool, dry area away from heat or open flame and inaccessible to children.

**PESTICIDE DISPOSAL:** Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Do not puncture or incinerate! Empty container by using the product according to the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partially filled, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions.

**A PRESCRIPTION TREATMENT® brand insecticide from:**  
Whitmire Micro-Gen Research Laboratories, Inc.  
3556 Tree Court Industrial Blvd.  
St. Louis, MO 63122  
www.wmrg.com  
© 2004 Whitmire Micro-Gen Research Laboratories, Inc.  
All other trademarks are the property of their respective owners.



**Whitmire Micro-Gen**

# AVERT®

**Prescription Treatment® TC 93A Bait**

**CONTROLS:** Contains the active ingredient organochlorine and pyrethrin. Use of this bait not limited to a listed application. Do not use in areas where the bait may be ingested by humans, children, or pets.

**FOR USE IN AND AROUND:** Buildings include: Apartments, Hotels, Hospitals and Retirement Homes, Schools, Processing Plants, Motels, Restaurants, Establishments, Stores, and Offices. Pests include: Cockroaches, Ants, and Fleas.

**ACTIVE INGREDIENT:** Atrazine B1

**OTHER INGREDIENTS:** Inert

EPA Reg. No. 499-406 EPA Est. No. 743-001-A

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See label for additional directions.

NET WT:

**WHITMIRE MICRO-GEN**  
RESEARCH LABORATORIES, INC.  
800-777-6570

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION:** Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before re-use.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 150°F may cause bursting. Do not treat directly into any electronic equipment such as radios, televisions, computers, etc. Do not treat where a electrical short circuits might result.


**DIRECTIONS FOR USE**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

**GENERAL USE DIRECTIONS:** Whitmire Micro-Gen Avert® Prescription Treatment® TC 93A Bait is for use in controlling cockroaches indoors and outdoors. Use suitable equipment capable of application into cracks and crevices, void spaces and other locations where insects may be harboring, living and breeding. Concentrate the bait placements as individual spots or a bead at insect activity sites.

**PRECAUTIONS:**  
Do not use on or contaminate fruit, vegetables or other food or food crops.  
Do not apply to humans, animals, clothing or bedding.  
Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.  
To prevent staining, exposed bait should be cleaned up immediately with a damp cloth or sponge.

**FILLING RESERVOIRS USING THE WHITMIRE MICRO-GEN DOCK 'N GUN™:** This piston can may also be used to fill empty 30-gram reservoirs of Whitmire Micro-Gen Avert® Prescription Treatment® brand TC 93A Bait (EPA Reg. No. 499-406) or Whitmire Micro-Gen Avert® Prescription Treatment® TC 93B Bait (EPA Reg. No. 499-410). To fill the reservoir, first snap the handle of the Dock 'n Gun™ securely onto the top of the piston can and then attach the empty reservoir by screwing it onto the trigger (ever). Care should be taken not to depress the trigger of the Dock 'n Gun™ until the



Whitmire Micro-Gen  
**AVERT**<sup>®</sup>

**PRESCRIPTION TREATMENT IC 93A**

Whitmire Micro-Gen Avert<sup>®</sup> Prescription Treatment<sup>®</sup> IC 93A is a slow acting insect gel bait. Control of an ant colony may take several weeks. For best results placement of the bait should be into or near the insect colony.

**CONTROLS:** Cockroaches (including carbamate, organophosphate, organochlorine and pyrethroid resistant strains) and Ants (including, but not limited to, acrobat, allegheny, argentine, bigheaded, carpenter, corn field, crazy, fire, ghost, harvester, little black, odorous house, pavement, pharaoh, pyramid).

**FOR USE IN AND AROUND:** Commercial, Industrial and Residential Buildings including Apartments, Garages, Food Storage Areas, Homes, Hospitals and Nursing Homes, Hotels, Meat Packing and Food Processing Plants, Motels, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains and Planes) and Warehouses.

**ACTIVE INGREDIENT:**

Abamectin B1 ..... 0.05%

**OTHER INGREDIENTS:** ..... 99.95%

TOTAL: 100.00%

EPA Reg. No. 499-406 EPA Est. No. 499-MO-1

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See page 2 for additional Precautionary Statements.

**A PRESCRIPTION TREATMENT<sup>®</sup> brand insecticide from:**

Whitmire Micro-Gen Research Laboratories, Inc.  
3508 Treco Court Industrial Blvd.  
St. Louis MO 63122-6682  
www.wmrg.com

© 2004 Whitmire Micro-Gen Research Laboratories, Inc.



**WHITMIRE MICRO-GEN**  
RESEARCH LABORATORIES INC.  
800-777-8570

4/1



# Avert® Prescription Treatment® TC 93A

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before re use.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

### PHYSICAL OR CHEMICAL HAZARDS

Do not treat directly into any electronic equipment such as radios, televisions, computers, etc. Do not treat where electrical short circuits might result.

**PISTON CANS:** Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

## DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

**GENERAL USE DIRECTIONS:** Whitmire Micro-Gen Avert® Prescription Treatment® TC 93A is for use in controlling cockroaches indoors and outdoors. Use suitable equipment capable of application into cracks and crevices, void spaces and other locations where insects may be harboring, living and breeding. Concentrate the bait placements as individual spots or a bead at insect activity sites.

### PRECAUTIONS:

- Do not use on or contaminate fruit, vegetables or other food or feed crops.
- Do not apply to humans, animals, clothing or bedding.
- Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.
- To prevent staining, exposed bait should be cleaned up immediately with a damp cloth or sponge.

**FILLING RESERVOIRS USING THE WHITMIRE MICRO-GEN DOCK 'N GUN™:** The 120 gram and 300 gram piston cans of Whitmire Micro-Gen Avert® Prescription Treatment® TC 93A may

also be used to fill empty 30-gram reservoirs of Whitmire Micro-Gen Avert® Prescription Treatment® TC 93A (EPA Reg. No. 499-406) or Whitmire Micro-Gen Avert® Prescription Treatment® TC 93B (EPA Reg. No. 499-410). To fill the reservoir, first snap the handle of the Dock 'n Gun™ securely onto the top of the piston can and then attach the empty reservoir by screwing it onto the trigger (lever). Care should be taken not to depress the trigger of the Dock 'n Gun™ until the empty reservoir has been completely attached. To fill the reservoir, depress the trigger of the Dock 'n Gun™ until the reservoir is filled to approximately one inch from the end. Remove the filled reservoir and uncouple the Dock 'n Gun™ from the piston can. Clean excess product from the Dock 'n Gun™ following use.

**APPLICATION RATES - ALL USES:** For light infestations of Cockroaches, 4 - 6 bait points are recommended per 100 sq. ft. of treatment area. For heavy infestations of Cockroaches, 12 - 24 bait points are recommended per 100 sq. ft. of treatment area. Each bait point should equal about 0.25 to 0.50 grams of product. A spot approximately 3 mm or 1/8 inch in diameter equals 0.25 grams of product, while a spot approximately 6 mm or 1/4 inch in diameter equals 0.50 grams of product.

**FOR ANTS:** Place several bait points as close as possible to the site of actual or suspected activity.

### APPLICATION IN ALL EXCEPT FOOD/FEEED HANDLING AREAS OF FOOD/FEEED HANDLING ESTABLISHMENTS

For treatment in residential and the non-food/non-feed areas of institutional, warehousing and commercial establishments, place bait into cracks and crevices; holes; pipe chases; undersides of furniture; under drain plates; in or under trash containers; hidden surfaces around sinks and storage areas; behind baseboards; around doors and windows; inside, behind and under cabinets, drawers and shelving; under and behind appliances such as stoves and refrigerators; and in attics and crawl spaces. Also apply in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases and crawl spaces where insects hide. During follow-up visits, inspect bait placements and re-apply when necessary. Care should be taken to avoid depositing the product onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface. This product may also be used in food/feed areas of food/feed handling establishments as outlined below.

Non-food/feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

### APPLICATIONS IN FOOD/FEEED AREAS OF FOOD/FEEED HANDLING ESTABLISHMENTS

Application within food/feed areas of food/feed handling establishments is limited to Crack and Crevice® treatment only. Apply TC 93A directly into cracks and crevices. Apply small amounts of gel (up to 0.50 gram) per point. Do not apply bait to areas where food utensils or food processing surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait may be removed by washing. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface. Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered food/feed areas when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerators, cabinets, sinks, closets, stoves and other equipment where cockroaches hide. During follow-up visits, inspect bait placements and re-apply when necessary.

Application of this product in food/feed areas of food/feed handling establishments other than as a crack and crevice® treatment is not permitted. Do not treat food preparation surfaces.

### APPLICATIONS IN AIRCRAFT

Application within passenger areas of aircraft is limited to Crack and Crevice® treatment only. Apply Avert® TC 93A in areas between elements of construction (such as areas under sinks, openings around pipes, under shelving, where shelving meets other shelves or the wall, area between and around microwaves, where support braces attach to the main structure and where seats are attached to the floor.) Use 12-24 bait placements per 100 sq. ft. Do not apply bait to areas where food utensils or food preparation surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food preparation, and

food holding surfaces as bait may be removed by washing. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface. During follow-up visits, inspect bait placements and re-apply when necessary.

Do not apply any bait in cockpit area.

### OUTDOOR USE

Use for control of cockroaches. Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and in open crawl spaces and other areas where pests may be nesting or trailing, such as tree holes and cracks in fence.

### STORAGE & DISPOSAL

Do not puncture or incinerate. Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a cool dry area away from heat or open flame and inaccessible to children.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

### CONTAINER DISPOSAL:

**Piston Can** - Do not puncture or incinerate! Empty container by using the product according to the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly filled, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions.

**Reservoir** - Empty container by using the product according to the label directions. Place empty container in trash or offer for recycling if available. If container or bag is partly filled, call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. NEVER PLACE UNUSED PRODUCT DOWN ANY INDOOR OR OUTDOOR DRAIN!

5/1



January 9, 2004

Document Processing Desk (NOTIF)  
Office of Pesticide Programs (7504C)  
U.S. Environmental Protection Agency  
Room 266A, Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 22202-4501


**RE: NOTIFICATION TO REVISE DISPOSAL INSTRUCTIONS PER PR NOTICE 2001-6**

- Whitmire PT 565 WB Pyrethrum Insect Fogger, EPA Reg. No. 499-290
- Avert Prescription Treatment 310, EPA Reg. No. 499-294
- Whitmire Wasp Freeze Wasp and Hornet Killer, EPA Reg. No. 499-362
- Whitmire PT 370 Ascend Fire Ant Bait, EPA Reg. No. 499-370
- Whitmire PT 240 Perma-Dust Insecticide, EPA Reg. No. 499-384
- Whitmire TC 104, EPA Reg. No. 499-404
- Avert Prescription Treatment TC 93A, EPA Reg. No. 499-406
- Avert Prescription Treatment TC 93B, EPA Reg. No. 499-410
- Whitmire TC 164, EPA Reg. No. 499-444
- Micro-Gen Ant Reactor, EPA Reg. No. 499-459
- Whitmire Avert TC 181, EPA Reg. No. 499-467
- Whitmire Micro-Gen TC 229, EPA Reg. No. 499-491
- Whitmire Micro-Gen TC 228, EPA Reg. No. 499-492
- TC 234, EPA Reg. No. 499-496
- Prescription Treatment brand 224B Residual Insecticide, EPA Reg. No. 499-501

Dear Sir/Madam:

Enclosed in support of this action is a completed application and one copy revised labeling for each of the referenced products. The disposal statement has been revised to be consistent with PR Notice 2001-6.

These notifications are consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of these products. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if these notifications are not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, these products may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.




Document Processing Desk (NOTIF), EPA  
January 9, 2004  
Page 2

Also enclosed is a self-addressed, "No Postage Necessary" postcard that, when filled out, would indicate the status of this notification. Please take a moment to fill in the appropriate information and drop it in the mail for our records. Your assistance in this regard is certainly appreciated.

Thank you for your assistance in this matter. Please don't hesitate to contact me at (636) 861-4223 or, via electronic mail at [dana.thomas@jwp.com](mailto:dana.thomas@jwp.com), should you have any questions or require additional information concerning this action.

Sincerely,

WHITMIRE MICRO-GEN RESEARCH LABORATORIES INC.



Dana M. Thomas  
Manager, Product Registrations

*Encl.*