1-13 Reg # 499-1		146 31346	[]
UNITED STATES ENVIRONMENTAL PROTEC	CTION AGENCY	17	.
U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460 NOTICE OF PESTICIDE:	EPA Reg. Number: 499-410	Date of Issuance:	
 Registration Reregistration	1 .	Term of Issuance: Unconditional	
(under FifRA, ≉s amendea)		de Product: scription TC 93B Bait	
Name and Address of Registrant (include ZIP Code): Whitmire Micro-Gen Research Laboratories, 3568 Tree Court Industrial Blvd. St. Louis, MO 63122-6682	Inc.		
Note: Changes in labeling differing in substance from that accepted in be submitted to and accepted by the Registration Division prior to use correspondence on this product always refer to the above EPA registrat	e of the label in co		
On the basis of information furnished by the registrant, the above nam registered/receglstered order the Federal Insecticide, Fungicide and F		eby	
Registration is in no way to be construed as an endorsement or recomme In order to protect health and the environment, the Administrator, on cancel the registration of a posticide in accordance with the Act. Th with the registration of a product under this Act is not to be constru- exclusive use of the name or to its use if it has been covered by othe	his motion, may at he acceptance of any led as giving the re	any time suspend or name in connection	>d(
This product is unconditionally regis FIFRA sec. $3(c)(5)$. Once a pesticide is r is not regarded as permanently acceptable. eliminate the need for continual reassessm the Agency determines that, at any time, a required to maintain in effect an existing Agency will require submission of such dat (3)(c)(2)(B).	registered, f Registrat: Ment of pest Additional da g registratio	nowever, it ion does not icides. If ata are on, the	BEST AVAILABLE COPV
1. Make the following label change:	•	`* ; **	A
a. Add the phrase "EPA Registration label.	Number 499-	-410" to the	ES1
b. On the front panel add "For Comm	ercial/Indus	strial Use".	
c. Revise the Hazards to Humans and follows:	l Domestic Ar	himals as	
Harmful if absorbed through skin eyes, skin or clothing. Wash th water after handling.			
CONCURRENCES			
Signature of Approving Official:	Date:	•	
			and the set of the set of the

.

OFFICIAL FILE COPY

.

ير الم

- d. Based on the acute toxicity profile of this product, you may delete the IF SWALLOWED and IF IN EYES statements under Statement of Practical Treatment.
- e. The application rates of 0.25 to 0.50gm of product need to clarified by adding a description of size, e.g. cm or mm or shape of the spot.

2. We have no objections to the alternate brand name of "Prescription Treatment Brand Avert Cockroach Gel Bait Formula II:.

3. Submit two copies of the revised final printed label for the record. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager 13 Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure

BEST AVAILABLE COPY

10/25/96

Whitmire Micro-Gen Avert[®] Prescription Treatment[®] TC 93B Bait

Whitmire Avert Prescription Treatment TC 93B is a slow acting insect bait. Control of an ant colony may take one to several weeks. For best results placement of the bait should be into or near the insect colony.

CONTROLS: Cockroaches (including carbamate, organophosphate, organochlorine, and pyrethroid resistant strains) and Ants (including, but not limited to acrobat, allegheny, argentine, bigheaded, carpenter, corn field, crazy, fire, ghost, harvester, little black, odorous house, pavement, pharaoh and pyramid).

FOR USE IN AND AROUND: Commercial, Industrial, and Residential Buildings including Apartments, Garages, Food Storage Areas, Homes, Hospitals and Nursing Homes (nonpatient occupied areas), Hotels, Motels, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Planes) and Warehouses.

Ĭ

Not for use in USDA Inspected Meat and Poultry Plants

Recommended for Use by Commercial Applicators

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Give 1 or 2 glasses of water and immediately induce vomiting by gently touching back of throat with finger or with COMMENTS administer syrup of Ipecac. Do not give anything by mouth to an unconscious person.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Get medical attention immediately. Net Weight:



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL USE DIRECTIONS: Whitmire TC 93B is a gel bait for use in controlling cockroaches and ants indoors and outdoors. The pre-filled plastic reservoir containing TC 93B is intended for use with bait injector application devices common to the pest control industry. When used with these application devices, TC 93B may be injected into cracks and crevices, void spaces and other locations where insects may be harboring, living and breeding. Concentrate the bait placements as individual spots or a bead at insect activity sites.

APPLICATION RATES - ALL USES: For light infestations of Cockroaches, 4 - 6 bait points are recommended per 100 sq. ft. of treatment area. For heavy infestations of Cockroaches, 12 - 24 bait points are recommended per 100 sq. ft. of treatment area. Each bait point should equal about 0.25 to 0.50 grams of product.

For ants, place several bait points as close as possible to the site of actual or suspected activity.

APPLICATION IN ALL EXCEPT FOOD/FEED HANDLING AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS: For treatment in residential and the non-food/non-feed areas of institutional, warehousing and commercial establishments, place bait into cracks and crevices, holes, pipe chases, undersides of furniture, under drain plates, in or under trash containers, hidden surfaces around sinks and storage areas, behind baseboards, around doors and windows, inside, behind and under cabinets, drawers and shelving, under and behind appliances such as stoves, and refrigerators and in attics and crawl spaces. Also apply in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases and crawl paces where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces. During follow-up visits inspect bait placements and reapply when necessary. In the home all food processing surfaces should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed. This product may also be used in food/feed areas of food/feed handling establishments as outlined below.

Non-food/feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

APPLICATIONS IN FOOD/FEED HANDLING ESTABLISHMENTS: Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. Apply with Avert TC 93B bait injector application device directly into cracks and crevices. Place the applicator tip 1/2 inch into cracks, crevices, holes and other small openings where cockroaches may be a problem. Apply small amounts of gel (up to 1/2 gram) per point. Do not apply bait to areas where food utensils or food processing surfaces may become

BEST AVAILABLE COPY

contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait may be removed by washing. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface. Food /feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered food/feed areas when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerator, cabinets, sinks, closets, stoves and other equipment where cockroaches hide. During follow-up visits inspect bit placements and reapply when necessary.

Application of this product in food/feed areas of food/feed handling establishments other than as a crack and crevice treatment is not permitted. Do not treat food preparation surfaces.

JUTDOOR USE: Use for control of cockroaches and ants. Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and in open crawl spaces and other areas where pests may be nesting or trailing, such as tree holes and cracks in fences.

STORAGE & DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wrap used dispensers and place in trash can.

BEST AVAILABLE COPY

STORAGE: Store in a cool, dry area.

PRECAUTIONARY STATEMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before reuse.

Do not apply where children (or domestic animals) are likely to come in contact with the bait placement. No generalized treatments should be made in household areas accessible to children or pets.

FNVIRONMENTAL HAZARDS: This pesticide is toxic to fish and wildlife. Do not apply arectly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

PRECAUTIONS: Do not use on or contaminate fruit, vegetables or other food or feed crops.

Do not apply to humans, animals, clothing or bedding.

Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.

To prevent staining, exposed bait should be cleaned up immediately with a damp cloth or sponge.

THYSICAL OR CHEMICAL HAZARDS: Do not treat directly into any electronic equipment Luch as radios, televisions, computers, etc. Do not treat where electrical short circuits might result.

> A Prescription Treatment[®] brand insecticide from Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Ind. Blvd. St. Louis, Missouri 63122

> > Copyright, 1996

BEST AVAILABLE COPY

696