

000499-00410-051499

Printed: 13:02:29 Wednesday, 16 Jun, 1999 # 2 / 3244


Systems Integration Group, Inc.

1

i

P7 1/3 · · PM 04 499-410 5/14/99 ACCEPTED MAY 1 4 1999 Under the Federal insocioids, Fungioids, and Rodenticids Act, as amended, for the pesticide registered under 4/99 EPA Reg. No. Whitmire Micro-Gen Prescription Treatment\* TC 93B IT IS A WIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A WANNER INCONSISTENT WITH ITS LABELING. Ste dupt of work of the star complete rotions for use EPA Reg. No. 499-410 EPA Est. No. 499-410 EFA Est. No. 499-410 Est. imondod for Use by Commercial Applicators For Commercial / in sig<mark>tite Us</mark>e 0 0513 99 9545 Authorized for Use in Redenity Inspected Mediand Phuliny Planta KEEP OUT OF REACH OF CHILDREN CAUTION (See code in estimation) A Prescription Treatment<sup>®</sup> brand Insecticide from: Vitrarie Vitrario upp umental ten ri for additional ipri cauhonury stufementa Whitter ve Milorol Den Garuh Eaborator Uruhidu Rece Opurcian furrir (I Brud) Licius INOI Est 22 5652 NET WEIGHT: 30 grams a 1990 - 1998 WHITMIRE MICRO-GEN <u>Z</u>A

. '



Whitmire Micro-Gen



### Recommended for Use by Commercial Applicators For Commercial / Industrial Use

Whitmire Micro-Gen Aver<sup>®</sup> Prescription Treatment<sup>®</sup> TC 93B is a slow acting insect bait. Control of an ant colony may take one to several weeks. For best results placement of the bait should be into or near the insect colony.

**CONTROLS:** Cockroaches (including carbamate, organophosphate, organochlorine, and pyrethroid resistant strains) and Ants (including, but not limited to, acrobat, allegheny, argentine, bigheaded, carpenter, com field, crazy, fire, ghost, harvester, little black, odorous house, pavement, pharaoh and pyramid).

FOR USE IN AND AROUND: Commercial, Industrial, and Residential Buildings including Apartments, Garages, Food Storage Areas, Homes, Hospitals and Nursing Homes, Hotels, Meat Packing and Food Processing Plants, Motels, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Planes) and Warehouses.

Authorized for Use in Federally Inspected Meat and Poultry Plants

# ACTIVE INGREDIENT: Abarnectin B1 0.05% INERT INGREDIENTS: 99.95%

EPA Reg. No. 499-410 EPA Est. No. 499-MO-1\*

EPA Est. No. 65335-RI-1\*

(See code in lot number.)

# KEEP OUT OF REACH OF CHILDREN CAUTION

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before re-use.

### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

#### PRECAUTIONS

- Do not use on or contaminate fruit, vegetables or other food or feed crops.
- . Do not apply to humans, animals, clothing or bedding.
- Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.
- To prevent staining, exposed bait should be cleaned up immediately with a damp cloth or sponge.

### PHYSICAL OR CHEMICAL HAZARDS

Do not treat directly into any electronic equipment such as radios, televisions, computers, etc. Do not treat where electrical short circuits might result.

## STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Wrap used dispensers and place in trash can.

STORAGE: Store in a cool, dry area.



# **DIRECTIONS FOR USE**

### IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

GENERAL USE DIRECTIONS: Avert<sup>®</sup> Prescription Treatment<sup>®</sup> TC 93B is for use in controlling cockroaches indoors and outdoors. Avert<sup>®</sup> Prescription Treatment<sup>®</sup> TC 93B may be injected into cracks and crevices, void spaces and other locations where insects may be harboring, living and breeding. Concentrate the bait placements as individual spots or a bead at insect activity sites.

APPLICATION RATES - ALL USES: For light infestations of cockroaches, 4 - 6 bait points are recommended per 100 sq. ft. of treatment area. For heavy infestations of Cockroaches, 12 - 24 bait points are recommended per 100 sq. ft. of treatment area. Each bait point should equal about 0.25 to 0.50 grams of product. A spot approximatefy 3 mm or 1/8 inch in diameter equals 0.25 grams of product, while a spot approximatemately 6 mm or 1/4 inch in diameter equals 0.50 grams of product.

FOR ANTS: Place several bait points as close as possible to the site of actual or suspected activity.

### APPLICATION IN ALL EXCEPT FOOD/FEED HANDLING AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS

For treatment in residential and the non-food/non-feed areas of institutional, warehousing and commercial establishments, place bait into cracks and crevices; holes; pipe chases; undersides of furniture; under drain plates; in or under trash containers; hidden surfaces around sinks and storage areas; behind baseboards; around doors and windows; inside, behind and under cabinets, drawers and shelving; under and behind appliances such as stoves and refrigerators; and in attics and crawl spaces. Also apply in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases and crawl spaces where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces. During follow-up visits, inspect bait placements and re-apply when necessary. This product may also be used in food/feed areas of food/feed handling establishments as outlined below.

Non-food/feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

#### APPLICATIONS IN FOOD/FEED HANDLING ESTABLISHMENTS

Application within food/leed areas of food/leed handling establishments is limited to Crack and Crevice<sup>®</sup> treatment only. Apply Avert<sup>®</sup> Prescription Treatment<sup>®</sup> TC 93B directly into cracks and crevices. Apply small amounts of gel (up to 0.50 gram) per point. Do not apply bait to areas where food utensits or food processing surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/leed preparation and prepared food holding surfaces as bait may be removed by washing. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface.

Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered food/feed areas when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerators, cabinets, sinks, closets, stoves and other equipment where cockroaches hide. During follow-up visits, inspect bait placements and re-apply when necessary.

APPLICATION OF THIS PRODUCT IN FOOD/FEED AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE® TREATMENT IS NOT PERMITTED. DO NOT TREAT FOOD PREPARATION SURFACES.

#### OUTDOOR USE

Use for control of cockroaches. Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and in open crawl spaces and other areas where pests may be nesting or trailing, such as tree holes and " ( cracks in fences.

## A Prescription Treatment® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.

3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 http://www.wmmg.com © 1998 Whitmire Micro-Gen Research Laboratories, Inc.

TC 938 Supplemental Label 12/96 NosiAcation

373