
Please read instructions on reverse before completing form. Form Approved, OMB No. 2070-0060, Approved expires 2-28-95 **OPP Identifier Number** Registration United States **SEPA Environmental Protection Agency Amendment** Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 499-410 John Hebert None Restricted 4. Company/Product (Name) Avert Prescription Treatment TC 93B Team 4B 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) Whitmire Micro-Gen Research Laboratories Inc (b)(i), my product is similar or identical in composition and labeling 3568 Tree Court Industrial Blvd EPA Reg. No. St Louis MO 63122-6682 Check if this is a new address **Product Name** Section - II Amendment - Explain below. Final printed labels in repsonse to Agency letter dated NOTIFICATION Resubmission in response to Agency letter dated \_\_\_\_ "Me Too" Application. X Notification - Explain below. Other - Explain below. JAN 3 0 2004 Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 165.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA, I further understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. Section - III 1. Material This Product Will Be Packaged In: Unit Packaging Water Soluble Packaging 2. Type of Container Child-Resistant Packaging Motal Yes Yes Yes Plastic No No No Glass If "Yes" Paper If "Yes" No. per \* Certification must Unit Packaging wgt. container Package wgt container Other (Specify) be submitted 3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions Container 6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stanciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No. /include Area Code) Name Dana Thomas Manager, Product Registrations (636) 861-4223 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly felse or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2. Signature Manager, Product Registrations

5. Date

Dana M. Thomas

January 9, 2004

NOTIFICATION JAN 3 0 2004



empty reservoir has been completely attached. To fill the reservoir, depress the trigger of the Dock in Guni<sup>tal</sup> until the reservoir is filled to approximately one inch from the and. Remove the filled reservoir and uncouple the Dock in Guni<sup>tal</sup> from the position can. Clean excess product from the Dock in Guni<sup>tal</sup> following use.

product from the book in Gun\* following use.

APPLICATION RATES - ALL USES: For light infectations of Cockroaches, 4 - 6 bail beins are recommended per 100 sq. ft. of treatment area. For heavy infectations of Cockroaches, 12 - 24 back being hear to commence to en 100 sq. ft. of treatment area. Each bait point strouge equal about 0.25 to 0.50 grains of product. A soot approximately 3 mm or 1/8 inch in diameter equals 0.25 grains of product. White a soot approximately 6 mm or 1/4 inch in diameter equals 0.50 grains of product.

FOR ANTS: Place several bail points as close as possible to the site of actual or suspected activity.

See additional labeling for complete Directions to Use.

# STORAGE & DISPOSAL

Do not punctura or indicerate. Do not contaminate water, food o feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or oper flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this broduct may be disposed of on site or at an approved waste disposal facility.


propular learny.

CONTAINER DISPOSAL: Do not puncture or incinerated Emph container by using the product according to the label directions. Ofter empty container for recycling, if available, or place in Irash if allowed by state and local regulations. It container is partly filled contact your local solid wester agency or call 1-800-CLEANLP to disposed instructions.

A PRESCRIPTION TREATMENT\* brand insecticide from:
Whitmen Micro-Gen Research Laboratories, Inc.
3566 Tree Gourt Industrial Blvd.
St. Eous. MO. 63122
www.wmmg.com
© 2004 Wis Imire Micro-Gen Research Laboratories, Inc.







# **PRECAUTIONARY STATEMENTS**

#### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Wash hands and exposed skin before saling dinking or smoking and aller handling. Wash all contaminates clothing thoroughly before re-use.

# **ENVIRONMENTAL HAZARDS**

This posticide is toxic to fish and wildlife. Do not apply cirectly to water. On not contaminate water by cleaning of equipment or disposal of equipment washwaters.

# PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not pointure or indirected container. Do not use or store near heat or noan forme Exposure to emperatures above 130 ft may cause busture. Do not treat directly into any experience sourcement such as realize elevisions, computers, etc. Bo not treat where a ectimal specific

# **DIRECTIONS FOR USE**

# IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

SENERAL USE DIRECTIONS: Whithile Micro-Ger Avairing Prescription Treatment TO 98 Bart is not use in controlled cockreaches indoors and outdoors. Use suitable equipment capable of application into cracks and previously violations of other locations where insects may be faithering. Iving any breating, Concentrate the ball pracements as individual soots or a baset at insect activity sites.

# PRECAUTIONS:

PRECAUTIONS:

Do not use on or contaminate for it, vegetables or other room in feed crops.

Do not apply to humans, annuals, crothing or bead on.

Do not contaminate feed or food products or food described or support and or surfaces, distance, shares and food contaminate.

To prevent staining, exposed bait should be cleaned by immediately with a damp croth or soonge.

immediately with a damp cloth or sponge.

\*\*PALLING RESERVOIRS USING THE WHITMIRE MICRO-GEN
\*\*POCK 'N GUN"\*\*: This piston can may also be used to 11 and/
\*\*30-gram reservoirs of Whitmire Micro-Gen Avert\*\* Prescription
\*\*Treatment\*\* brand TC 938 Bair (EPA Reg. No. 499-410) or Whitmire
\*\*Micro-Gen Avert\*\* Prescription Treatment\*\* TC 93A Bair (EPA Reg. No. 499-405). To fill the reservoir, first snap the benefic of the Dock
\*\*Gun\*\*\* sequely onto the top of the piston can and then alboth the
empty reservoir by screwing it onto the linger (lever). Can exist the
taken not to depress the trigger of the Dock in Gun\*\* until the

# Whitmire Micro-Gen

# **AVERT**

# PRESCRIPTION TREATMENT® TC 93B

Whitmire Micro-Gen Avert® Prescription Treatment® TC 93B is a slow acting insect gel bait. Control of an ant colony may take several weeks. For best results placement of the bait should be into or near the insect colony.

**CONTROLS:** Cockroaches (including carbamate, organophosphate, organochlorine and pyrethroid resistant strains) and Ants (including, but not limited to, acrobat, allegheny, argentine, bigheaded, carpenter, corn field, crazy, fire, ghost, harvester, little black, odorous house, pavement, pharaoh, pyramid).

**FOR USE IN AND AROUND:** Commercial, Industrial and Residential Buildings including Apartments, Garages, Food Storage Areas, Homes, Hospitals and Nursing Homes, Hotels, Meat Packing and Food Processing Plants, Motels, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boals, Ships, Trains and Planes) and Warehouses.

EPA Reg. No. 499-410 EPA Est. No. 499-MO-1
KEEP OUT OF REACH OF CHILDREN
CAUTION

See page 2 for additional Precautionary Statements.





# • \*A PRESCRIPTION TREATMENT\* brand insecticide from:

Whitmire Micro=Gen Research Laboratories, Inc. 19566 Tree Court Industrial Blvd. St. Louis MO 63122-6682

www.wmmg.com

© 2004 Whitmire Micro-Gen Research Laboratories, Inc.

Version 6.2 (rev 1/04)



# **Avert® Prescription Treatment® TC 93B**

# PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before re-use.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not treat directly into any electronic equipment such as radios, televisions, computers, etc. Do not treat where electrical short circuits might result.

PISTON CANS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heal or open flame. Exposure to temperatures above 130°F may cause bursting.

# **DIRECTIONS FOR USE**

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

GENERAL USE DIRECTIONS: Whitmire Micro-Gen Avert® Prescription Treatment® TC 93B is for use in controlling cockroaches indoors and outdoors. Use suitable equipment capable of application into cracks and crevices, void spaces and other locations where insects may be harboring, living and breeding. Concentrate the balt placements as individual spots or a bead at insect activity sites,

# PRECAUTIONS:

- Do not use on or contaminate fruit, vegetables or other food or feed cross.
- Do not apply to humans, arimals, clothing or hedding
- bedding.

  Do not contaminate eed or food products or food preparation suffaces, dishes, kitchen utensils and food containers.
- To prevent staining, exposed bail should be cleaned up infinitiately with a damp cleaned

FILLING RESERVOIRS USING THE WANT-MIRE MICRO-GEN DOCK 'N GUNT'\*: The 120 gram and 300 gram piston cans of Whitmire Micro-Gen Avert\* Prescription Treatment\* TC 93B may

also be used to fill empty 30-gram reservoirs of Whitmire Micro-Gen Avert® Prescription Treatment® TC 93B (EPA Reg. No. 499-410) or Whilmire Micro-Gen Avert® Prescription Treatment® TC 93A (EPA Reg. No. 499-406). To fill the reservoir, first snap the handle of the Dock in Gun™ securely onto the top of the piston can and then attach the empty reservoir by screwing it onto the trioger (lever). Care should be taken not to depress the trigger of the Dock 'n Gun™ until the empty reservoir has been completely attached. To fill the reservoir, depress the trigger of the Dock 'n Gun until the reservoir is filled to approximately one inch from the end. Remove the filled reservoir and uncouple the Dock 'n Gun™ from the piston can. Clean excess product from the Dock in Gun™ lollowing use.

APPLICATION RATES - ALL USES: For light infestations of Cockroaches, 4 - 6 bait points are recommended per 100 sq. ft. of treatment area. For heavy infestations of Cockroaches, 12 - 24 bait points are recommended per 100 sq. ft. of treatment area. Each bait point should equal about 0.25 to 0.50 grams of product. A spot approximately 3 mm or 1/8 inch in diameter equals 0.25 grams of product, while a spot approximately 6 mm or 1/4 inch in diameter equals 0.50 grams of product.

FOR ANTS: Place several bait points as close as possible to the site of actual or suspetted activity.

# APPLICATION IN ALL EXCEPT FOOD/FEED HANDLING AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS

For treatment in residential and the non-food/nonfeed areas of institutional, warehousing and commercial establishments, place balt into cracks and crevices; holes; pine chases; undersides of lurniture; under drain plates; in or under trash containers; hidden surfaces around sinks and storage areas: behind baseboards; around doors and windows; inside, behind and under cabinets, drawers and shelving; under and behind appliances such as sloves and refrigerators; and in attics and crawli spaces. Also apply in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment leds and bases and crawl spaces where insects hide. During follow-up visits, inspect bait placements and re-apply when necessary. Care should be taken to avoid depositing the product onto exposed surfaces, if gel contacts an exposed surface, remove get and wash exposed surface. This product may also be used in lood/feed areas of food/feed handling establishments as outlined below.

Non-food/leed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

# APPLICATIONS IN FOOD/FEED AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS

Application within food/feed areas of food/feed handling establishments is limited to Crack and Crevice treatment only. Apply TC 93B directly into cracks and crevices. Apply small amounts of get (up to 0.50 gram) per point. Do not apply bait to areas where food utensits or food processing surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait may be removed by washing. Care should be taken to avoid depositing get onto exposed surfaces. If get contacts an exposed surface, remove gel and wash exposed surface. Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage. and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered food/feed areas when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction. between equipment and floors, openings leading into voids and hollow spaces in tipors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerators, cabinets, sinks, closets, stoves and other equipment where cockroaches hide. During follow-up visits, inspect ball placements and reapply when necessary.

Application of this product in food/leed areas of tood/leed handling establishments other than as a crack and crevice\* treatment is not permitted. Do not treat food preparation surfaces.

# APPLICATIONS IN AIRCRAFT

Application within passenger areas of aircraft is limited to Crack and Crevice\* treatment only. Apply Avert\* TC 93B in areas between elements of construction (such as areas under sinks, openings around pipes, under shelving, where shelving meets other shelves or the wall, area between and around microwaves, where support braces attach to the main structure and where seats area attached to the floor). Use 12-24 bait placements per 100 sq. ft. Do not apply bait to areas where flood utensits or flood perparation surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in toos of tables, flood preparation, and

food holding surfaces as bait may be removed by washing. Care should be taken to avoid depositing get onto exposed surfaces. If get contacts an exposed surface, remove get and wash exposed surface. During follow-up visits, inspect bait placements and re-apply when necessary.

Do not apply any bait in cockpit area.

#### **OUTDOOR USE**

Use for control of cockroaches, Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and in open crawl spaces and other areas where pests may be nesting or trailing, such as tree holes and cracks in fence

#### STORAGE & DISPOSAL

Do not puncture or incinerate. Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in a cool dry area away from heat or open flame and inaccessible to children.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

#### **CONTAINER DISPOSAL:**

Piston Can - Do not puncture or incinerate! Empty container by using the product according to the label directions. Offer empty container for recycling, if available, or place in Irash if allowed by state and local regulations. If container is partly filled, contact your local solid waste agency or call 1-800-CtEANUP for disposal instructions.

Reservoir Empty container by using the product according to the label directions. Place empty container in trash or offer for recycling if available if container, of bog is partly filled, call, your local-solid waste agency or call 1-800-GLEANLE for disposal instructions. NEVER PLACE SUNUSED PRODUCT DOWN ANY INDOOF OR OUTDOOR DRAIN.



January 9, 2004

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202-4501

RE: NOTIFICATION TO REVISE DISPOSAL INSTRUCTIONS PER PR NOTICE 2001-6

Whitmire PT 565 WB Pyrethrum Insect Fogger, EPA Reg. No. 499-290
Avert Prescription Treatment 310, EPA Reg. No. 499-294
Whitmire Wasp Freeze Wasp and Hornet Killer, EPA Reg. No. 499-362
Whitmire PT 370 Ascend Fire Ant Bait, EPA Reg. No. 499-370
Whitmire PT 240 Perma-Dust Insecticide, EPA Reg. No. 499-384
Whitmire TC 104, EPA Reg. No. 499-404
Avert Prescription Treatment TC 93A, EPA Reg. No. 499-406
Avert Prescription Treatment TC 93B, EPA Reg. No. 499-410
Whitmire TC 164, EPA Reg. No. 499-444
Micro-Gen Ant Reactor, EPA Reg. No. 499-459
Whitmire Avert TC 181, EPA Reg. No. 499-467
Whitmire Micro-Gen TC 229, EPA Reg. No. 499-491
Whitmire Micro-Gen TC 228, EPA Reg. No. 499-492
TC 234, EPA Reg. No. 499-496
Prescription Treatment brand 224B Residual Insecticide, EPA Reg. No. 499-501

# Dear Sir/Madam:

Enclosed in support of this action is a completed application and one copy revised labeling for each of the referenced products. The disposal statement has been revised to be consistent with PR Notice 2001-6.

These notifications are consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of these products. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA; I further understand that if these notifications are not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, these products may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

3568 Tree Court Industrial Boulevard St. Louis, MO 63122-6682 800-777-8570 • FAX 636-225-3739 www.wmmg.com Document Processing Desk (NOTIF), EPA January 9, 2004 Page 2

Also enclosed is a self-addressed, "No Postage Necessary" postcard that, when filled out, would indicate the status of this notification. Please take a moment to fill in the appropriate information and drop it in the mail for our records. Your assistance in this regard is certainly appreciated.

Thank you for your assistance in this matter. Please don't hesitate to contact me at (636) 861-4223 or, via electronic mail at <u>dana.thomas@jwp.com</u>, should you have any questions or require additional information concerning this action.

Sincerely,

WHITMIRE MICRO-GEN RESEARCH LABORATORIES INC.

Dana M. Thomas

Manager, Product Registrations

Sana M. Thomas

Encl.