03/4/2005

Form Approved. OMB No. 2070-006

	小	
03	110	

 Registration
Amendment
Other

\$EPA	Environmenta	United States I Protection Ington, DC 204		Y		Registra Amendn Other		OPP Identifier Number	
		Application	on for Pes	ticide	- Section	1			
1. Company/Product Number 499-410			2. EPA Product Mai John Hebert		-	ager :		3. Proposed Classification	
4. Company/Product (Name) Avert Prescription Treatn			PM# Team 4B						
5. Name and Address of App Whitmire Micro-Gen Re 3568 Tree Court Indust St. Louis, MO 63122	·	(b) to:	6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.						
Chack if this	is a new address		Pr	oduct	Name			····	
			Section						
Resubmission in resp X Notification - Explain Explanation: Use addition Addition of NSF logo and listing 2004 and the requirements of the statement of formula of this product if this notification is not con 152.46, this product may be in the statement of the	below. al page(s) if necessar number. See Cover Let be EPA's regulations at 4 duct. I understand that it	y. (For section ter for details. T to CFR 156.10 a t is a violation of a set forth in the	n I and Section his notification is and 40 CFR 152. 18 U.S.C. Secti EPA letter to the	On O	ther - Explain be ent with the guidan to other changes to willfully make a ted July 28th, 200	nce set forth in have been mad by false statem 4 and the requirem.	MAR EPA's lettele to the altents to the	peling or the confidential EPA. I further understand 40 CFR 156. 10 and 40 CFR	
			Section	- 111		·			
1. Material This Product Will	Be Peckaged In:					,			
Child-Resistant Packaging Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	No. per container	Water Solui Yes No If "Yes" Package wa		No. per container	2. Type of C	Ontainer Metal Plastic Glass Paper Other (Sp	pecify)	
3. Location of Net Contents I	nformation	4. Sizo(a) Ret	ail Container		5. Loc	ation of Labe	l Direction	18	
Lebel C	ontainer				<u> </u>	<u>-</u>]			
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stenci	raph glued led	Ĺ	Other				
			Section	- IV			•		
1. Contact Point (Complete	tems directly below f	or identificatio	n of individu a l	to be co	ntacted, if nece	asary, to pro	cess this i	application.)	
Name Janna Huebner			Title Registration Specialist Telephone No. (Ir 636-861-42			No. (Include Area Code) 61-4272			
I certify that the staten I acknowledge that any both under applicable I	knowlinglly false or		all attachment				plets.	6. Date Application Received (Stamped)	
2. Signaturo Janua Hu	eliner		3. Title Regist	trat	ion Spe	cialist	<u></u>	·	
4. Typod Name Janna Hu	lebiler		5. Date 2 \ 3	L}/(5			•	



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JUL 88 2006

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Kenji Yano
NSF International
Nonfood Compounds Registration Program
789 N. Dixboro Road
Ann Arbor, MI 48105

Re: Use of NSF logo

Dear Mr. Yano:

This is in response to your letter of June 17, 2004 which provides a revised NSF logo to satisfy concerns raised in a May 13, 2004 conference call between representatives of NSF and the Agency.

The following is a summary of agreements reached during the conference call:

- Use of the NSF mark with a check mark is permitted
- A NSF 6-digit listing number is permitted
- Use of the phrase "NSF listed" is permitted whereas use of "NSF registered" is unacceptable
- Use of the NSF logo on the side/back panels is permitted
- Rame Cromwell is the EPA contact for other uses of the logo

The Agency continues to have concern about the placement of the NSF mark on the front panel of a pesticide label. Logos and associated language should not be placed in a position on the label which might negate or detract from required labeling statements. The Agency would prefer the logo to be placed on the back or side panel of the label to avoid any confusion.

The Agency approves logos on a case-by-case basis. At a minimum the logo must be submitted through the Agency's notification process as described in PR Notice 98-10. Before coming in with a notification, the company desiring to use this logo should contact their product manager for

further guidance. A copy of the proposed modification of the label bearing the actual logo and any associated language must be submitted with the notification.

[RESERVOIR LABEL]

Whitmire Micro-Gen
AVERT®
Prescription Treatment® TC 93B

TC 93B v6.4 - 01/05

NOTIFICATION

MAR 1 4 2005

KEEP OUT OF REACH OF CHILDREN CAUTION

See complete label for additional precautionary statements.

NET WEIGHT:



IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

See complete label for directions for use.

EPA Reg. No. 499-410 EPA Est. No. 499-MO-1A EPA Est. No. 65335-RI-1B

(See code in lot number.)

A Prescription Treatment® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wmmg.com
© 2005 Whitmire Micro-Gen Research Laboratories, Inc.

Whitmire Micro-Gen AVERT® Prescription Treatment® TC 93B

CONTROLS:

Cockroaches (including carbamate, organophosphate, organochlorine and pyrethroid resistant strains) and Ants (including, but not limited to, acrobat, allegheny, argentine, bigheaded, carpenter, corn field, crazy, fire, ghost, harvester, little black, odorous house, pavement, pharaoh, pyramid).

FOR USE IN AND AROUND:

Commercial, Industrial and Residential Buildings including Apartments, Garages, Food Storage Areas, Homes, Hospitals and Nursing Homes, Hotels, Meat Packing and Food Processing Plants, Motels, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains and Planes) and Warehouses.

ACTIVE INGREDIENT: Abamectin B1	0.05%
OTHER INGREDIENTS:	

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

EPA Reg. No. 499-410 • EPA Est. No. 499-MO-1

NET WEIGHT:



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before re-use.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not treat directly into any electronic equipment such as radios, televisions, computers, etc. Do not treat where electrical short circuits might result.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

GENERAL USE DIRECTIONS: Whitmire Micro-Gen Avert® Prescription Treatment® TC 93B Bait is for use in controlling cockroaches indoors and outdoors. Use suitable equipment capable of application into cracks and crevices, void spaces and other locations where insects may be harboring, living and breeding. Concentrate the bait placements as individual spots or a bead at insect activity sites.

PRECAUTIONS:

Do not use on or contaminate fruit, vegetables or other food or feed crops.

Do not apply to humans, animals, clothing or bedding.

Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.

To prevent staining, exposed bait should be cleaned up immediately with a damp cloth or sponge.

FILLING RESERVOIRS USING THE WHITMIRE MICRO-GEN DOCK 'N GUN™: This piston can may also be used to fill empty 30-gram reservoirs of Whitmire Micro-Gen Avert® Prescription Treatment® brand TC 93B Bait (EPA Reg. No. 499-410) or Whitmire Micro-Gen Avert® Prescription Treatment® TC 93A Bait (EPA Reg. No. 499-406). To fill the reservoir, first snap the handle of the Dock 'n Gun™ securely onto the top of the piston can and then attach the empty reservoir by screwing it onto the trigger (lever). Care should be taken not to depress the trigger of the Dock 'n Gun™ until the empty reservoir has been completely attached. To fill the reservoir, depress the trigger of the Dock 'n Gun™ until the reservoir is filled to approximately one inch from the end. Remove the filled reservoir and uncouple the Dock 'n Gun™ from the piston can. Clean excess product from the Dock 'n Gun™ following use.

APPLICATION RATES - ALL USES: For light infestations of Cockroaches, 4 - 6 bait points are recommended per 100 sq. ft. of treatment area. For heavy infestations of Cockroaches, 12 - 24 bait points are recommended per 100 sq. ft. of treatment area. Each bait point should equal about 0.25 to 0.50 grams of product. A spot approximately 3 mm or 1/8 inch in diameter equals 0.25 grams of product, while a spot approximately 6 mm or 1/4 inch in diameter equals 0.50 grams of product.

FOR ANTS: Place several bait points as close as possible to the site of actual or suspected activity.

See additional labeling for complete Directions for Use.

STORAGE & DISPOSAL

Do not puncture or incinerate. Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product according to the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly filled, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions.

A Prescription Treatment® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 www.wmmg.com © 2005 Whitmire Micro-Gen Research Laboratories, Inc.

Whitmire Micro-Gen AVERT® Prescription Treatment® TC 93B

Whitmire Micro-Gen Avert® Prescription Treatment® TC 93B is a slow acting insect gel bait. Control of an ant colony may take several weeks. For best results placement of the bait should be into or near the insect colony.

CONTROLS:

Cockroaches (including carbamate, organophosphate, organochlorine and pyrethroid resistant strains) and Ants (including, but not limited to, acrobat, allegheny, argentine, bigheaded, carpenter, corn field, crazy, fire, ghost, harvester, little black, odorous house, pavement, pharaoh, pyramid).

FOR USE IN AND AROUND:

Commercial, Industrial and Residential Buildings including Apartments, Garages, Food Storage Areas, Homes, Hospitals and Nursing Homes, Hotels, Meat Packing and Food Processing Plants, Motels, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains and Planes) and Warehouses.

ACTIVE INGREDIENT: Abamectin B1).05%
OTHER INGREDIENTS:	99	

CAUTION

See page 2 for additional Precautionary Statements.

EPA Reg. No. 499-410 • EPA Est. No. 499-MO-1



A/B

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Wash hands and exposed skin before eating, drinking or smoking and after handling. Wash all contaminated clothing thoroughly before re-use.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not treat directly into any electronic equipment such as radios, televisions, computers, etc. Do not treat where electrical short circuits might result.

PISTON CANS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

GENERAL USE DIRECTIONS: Whitmire Micro-Gen Avert® Prescription Treatment® TC 93B is for use in controlling cockroaches indoors and outdoors. Use suitable equipment capable of application into cracks and crevices, void spaces and other locations where insects may be harboring, living and breeding. Concentrate the bait placements as individual spots or a bead at insect activity sites.

PRECAUTIONS:

- Do not use on or contaminate fruit, vegetables or other food or feed crops.
- · Do not apply to humans, animals, clothing or bedding.
- · Do not contaminate feed or food products or food preparation surfaces, dishes, kitchen utensils and food containers.
- · To prevent staining, exposed bait should be cleaned up immediately with a damp cloth or sponge.

FILLING RESERVOIRS USING THE WHITMIRE MICRO-GEN DOCK 'N GUN™: The 120 gram and 300 gram piston cans of Whitmire Micro-Gen Avert® Prescription Treatment® TC 93B may also be used to fill empty 30-gram reservoirs of Whitmire Micro-Gen Avert® Prescription Treatment® TC 93B (EPA Reg. No. 499-410) or Whitmire Micro-Gen Avert® Prescription Treatment® TC 93A (EPA Reg. No. 499-406). To fill the reservoir, first snap the handle of the Dock 'n Gun™ securely onto the top of the piston can and then attach the empty reservoir by screwing it onto the trigger (lever). Care should be taken not to depress the trigger of the Dock 'n Gun™ until the empty reservoir has been completely attached. To fill the reservoir, depress the trigger of the Dock 'n Gun™ until the reservoir is filled to approximately one inch from the end. Remove the filled reservoir and uncouple the Dock 'n Gun™ from the piston can. Clean excess product from the Dock 'n Gun™ following use.

APPLICATION RATES - ALL USES: For light infestations of Cockroaches, 4 - 6 bait points are recommended per 100 sq. ft. of treatment area. For heavy infestations of Cockroaches, 12 - 24 bait points are recommended per 100 sq. ft. of treatment area. Each bait point should equal about 0.25 to 0.50 grams of product. A spot approximately 3 mm or 1/8 inch in diameter equals 0.25 grams of product, while a spot approximately 6 mm or 1/4 inch in diameter equals 0.50 grams of product.

FOR ANTS: Place several bait points as close as possible to the site of actual or suspected activity.

APPLICATION IN ALL EXCEPT FOOD/FEED HANDLING AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS For treatment in residential and the non-food/non-feed areas of institutional, warehousing and commercial establishments,

place bait into cracks and crevices; holes; pipe chases; undersides of furniture; under drain plates; in or under trash containers; hidden surfaces around sinks and storage areas; behind baseboards; around doors and windows; inside, behind and under cabinets, drawers and shelving; under and behind appliances such as stoves and refrigerators; and in attics and crawl spaces. Also apply in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases and crawl spaces where insects hide. During follow-up visits, inspect bait placements and re-apply when necessary. Care should be taken to avoid depositing the product onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface. This product may also be used in food/feed areas of food/feed handling establishments as outlined below.

Non-food/feed areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

APPLICATIONS IN FOOD/FEED AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS



Application within food/feed areas of food/feed handling establishments is limited to Crack and Crevice® treatment only. Apply TC 93B directly into cracks and crevices. Apply small amounts of gel (up to 0.50 gram) per point. Do not apply bait to areas where food utensils or food processing surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait may be removed by washing.

Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface. Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered food/feed areas when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerators, cabinets, sinks, closets, stoves and other equipment where cockroaches hide. During follow-up visits, inspect bait placements and reapply when necessary.

Application of this product in food/feed areas of food/feed handling establishments other than as a Crack and Crevice® treatment is not permitted. Do not treat food preparation surfaces.

APPLICATIONS IN AIRCRAFT

Application within passenger areas of aircraft is limited to Crack and Crevice® treatment only. Apply Avert® TC 93B in areas between elements of construction (such as areas under sinks, openings around pipes, under shelving, where shelving meets other shelves or the wall, area between and around microwaves, where support braces attach to the main structure and where seats area attached to the floor). Use 12-24 bait placements per 100 sq. ft. Do not apply bait to areas where food utensils or food preparation surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food preparation, and food holding surfaces as bait may be removed by washing. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface. During follow-up visits, inspect bait placements and re-apply when necessary.

Do not apply any bait in cockpit area.

OUTDOOR USE

Use for control of cockroaches. Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and in open crawl spaces and other areas where pests may be nesting or trailing, such as tree holes and cracks in fence.

STORAGE & DISPOSAL

Do not puncture or incinerate. Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Piston Can - Do not puncture or incinerate! Empty container by using the product according to the label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly filled, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions.

Reservoir - Empty container by using the product according to the label directions. Place empty container in trash or offer for recycling if available. If container or bag is partly filled, call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. NEVER PLACE UNUSED PRODUCT DOWN ANY INDOOR OR OUTDOOR DRAIN!

TC 93B v6.4 – 01/05

A Prescription Treatment® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wmmg.com
© 2005 Whitmire Micro-Gen Research Laboratories, Inc.



If you have additional questions please do not hesitate to contact me.

Sincerely,

Frank T. Sánders, Director Antimicrobials Division





February 22, 2005

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
Attn: Mr. John Hebert (PM Team 4B)
Insecticide Branch, Registration Division (7505C)
U.S. Environmental Protection Agency
Room 266A, Crystal Mall #2
1801 South Bell Street
Arlington, VA 22202

RE: Label Notification Avert Prescription Treatment TC 93B EPA Reg. No. 499-410

Dear Mr. Hebert:

Enclosed in support of this action are a completed application and copy of revised labeling for the subject product. The NSF logo and listing number were added to the product label in proximity to the directions for use in food/feed handling establishments.

This notification is consistent with the guidance set forth in EPA's letter to the NSF dated July28th, 2004 and the requirements of the EPA's regulations at 40 CFR 156.10 and 40 CFR 152.45, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Section 1001 to willfully make any false statements to the EPA. I further understand that if this notification is not consistent with the guidance set forth in the EPA letter to the NSF dated July 28th, 2004 and the requirements of 40 CFR 156. 10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under section 12 and 14 of FIFRA.

Thank you for your assistance. If you have any questions or require additional materials please do not hesitate to contact me at 636-861-4272 or send electronic mail to <u>janna.huebner@wmmg.com</u>.

Sincerely,

Jahna M. Huebner Registration Specialist

Whitmire Micro-Gen Research Laboratories, Inc.

Enc.