age 134

ACCEPTED

OCT 18 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the possicide registered under EPA Reg. No. 449

WHITMIRE

PRECLUDE

[ALTERNATE BRAND NAME: Prescription Treatment brand Preclude TR Micro Total Release Insecticide]

TREATS UP TO 3,000 SQUARE FEET. FOR COMMERCIAL USE ONLY.

KILLS: Aphids, Caterpillars, Cutworms, Leafminers, Mealybugs, Mites, Scale, Thrips, Weevils and Whiteflies FOR USE IN: Greenhouses.

ACTIVE INGREDIENTS:

OTHER INGREDIENTS:

. 95.2%

TOTAL: 100.0%

EPA Reg. No. 499-437 EPA Est. No. 499-MC-1 KEEP OUT OF REACH OF CHILDREN CAUTION

See supplemental label for additional Precautionary Statements

NET WEIGHT: 2 oz.



DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

See supplemental tabel for complete Directions for Use.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling entitled Agricultural Use Requirements in the "Directions for Use" section of the supplemental label for information about this standard.

TOTAL RELEASE DOSAGE: Whitmire PT* 2120 TR Preclude contains an insect growth regulator. Initially two applications should be made one week apart. Additional applications should be applied as necessary, but no more than once per week. Use one 2 oz. can per 3,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 2 oz. can for 1,500 - 3,000 square feet, use one 2 oz. can.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from lire, sparks, and healed surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient Ingrediente Alfamente Inflamable

A Prescription Treatment® brand insecticide from: Whitmine Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682

www.wmmg.com
© 2002 Whitmire Micro-Gen Research Laboratories, Inc.



Ē V 60 PT 2120

WHITMIRE

Preclude³

(ALTERNATE BRAND NAME: Prescription Treatment brand Practicle TR Micro Total Release Insecticide)

TREATS UP TO 9,000 SQUARE FEET FOR COMMERCIAL USE ONLY

KILLS: Achids, Caterpillars, Cutworms, Learniners, Mealybugs, Miles, Scale, Thrips, Weenis and Whitefies.

MAY BE USED ON: Bedding Plants, Cut Flowers, FOR USE IN: Greenhouses

Howering Hanging Baskets, Foliage, Potted Flowering Plants and Omenmetals.

ACTIVE INGREDIENTS:

X X 4.8% OTHER INGREDIENTS: Fenonycarb

EPA Reg. No. 499-437 EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional Precautionary Statements.

NET WEIGHT: 6 02.



PRECAUTIONARY STATEMENTS

FIRST AD

If BI EYES: Hold eye open and rane slowly and gestly for 15.20 minutes. Remove contact lenses, if present, sher the first 5 minutes, then continue ranking eye. Call a poison control canter or doctor for

Instituted advice.

IF ON SKIN OR CLOTHSNG: Take oil conteminated clothing.

Rings skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If SNMLLOWED: Call a poseon control center or doctor immediately for treatment advice.

If SNMLLOWED: Call a poseon control center or doctor immediately for treatment advice. Here person sip a glass of water if able to swallow.

On and induce vormiting unless built to do so by a poson control center or elabor. Do not give anything by mouth to an enconclosis person.

Here the product container or label with you when calling a poison control carter or doctor, or going for lessificant. You may also contact 1-800-225-3320 for energency medical treatment information.

HAZAROS TO HUMANS AND DOMESTIC AMMALS

CALTRONE Harmful if swallowed or absorbed frough skin. Causes moderate age initiation, Avoid contact with skin, ayes, or clothing. Wash thoroughly with soap and water aler handling. Do not contaminate water, bod, tood staffs or lend. Permove all pats. Cover fish tanks or remove. Wash tong-stewed strict and long parts, socks and shoes and chemical resident gloves (such as hierely, Budy). Neoprem, and/or Barrier Laminate).

USER SAFETY RECOMMENDATIONS

- Wash hands before eating, drawing charing gum, using tobacco or
- femore clothing immediately it pesticite gets inside. Then wash

TOTAL: 100.0%

Peroughly and put on clean cholling.

• Remove PPE immediately after handling this product. Wosh the outside of gloves before removing. As soon as possible, wish thoroughly and change into clean clothing.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chamical-resistant to this product are least below. If you want more options, follow the instructions for category C on an EPA chemical resistance selection chart.

APPLICATIONS AND OTHER HANDLERS BRUST WEAR. Long-should shift and long parts, chemical resident bookers plus socks, and Chemical resident gloces (Such as Minth, Buyl, Mogene and/or Baries Laminete or PAC or Vibon). Follow mendichaer's instructions for clean-ingmandaring PPE. If no such instructions for westvature, use detergent and hot water. Keop and wesh PPE separately from other bundy.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic investibilities. Do not apply directly to water, to areas where surface mater is present or to enembed ares below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Extremety Flammabile. Contents under pressure. Keep away from the, sparts, and heated surfaces. Do not parture or increase contain e. Exposes to temperatures above 130°F may cause bursting. The

product consums a highly flammable ingrober it may cause a fire or expicions if not used properly. Follow the "Directions for USE" on this label very carefully.



Heavy Flarmable Ingradent Ingredent

DIRECTIONS FOR USE

IT IS A WOLATION OF FEDERAL LAW TO USE THIS PRODUCT In a manner inconsistent with its labeling. See supplemental tabel for complete Directions for Use.

AGRICULTURIAL USE REDURBEMENTS

Use this product only in accordance with its labeling and with the Worker Production Sandard, 40 CFR par 170. Refer to supplemental tabeling smalled Agricultural Use Requirements in the Directions for Use socious of the supplemental tabel for information about this standard.

STORAGE AND DISPOSAL

Do not contaminate water tood or teed by storage or disposal \$TDRAGE. Since in a cool dry place away from heat or open flame. PESTICINE DISPOSAL: Weeks resulting from use of this product may be disposed of on site or at an approved weste disposal facility. CONTINUER DISPOSAL: This considers may be recycled in the law but growing names of communities where stood according in the product according to the using the product according to the label. (DO MOT PUNCTURE) if recycling is not aveignth, with containing and discard in the frach.

TOTAL RELEASE DOSAGE: PT 2120 TR Preclude contains an insect growth regulator. Initially two applications should be made one week apart. Additional applications Should be applied as most seary, but no more than once got week. Use one 6 oz can per 9,000 square but in shadrons where aread control is official due to bugh its control issects of high doto densely. It is permissible to use one 6 oz can for 1500-9,000 square bet. For smaller greenhouses between 4.500-9,000 square bet, use one 6 or can TO ACTIVATE CANS: Sed with on britical away from exit door. Advides much can by pressing tob down and looking it. Lane greenhouse at once The getter contents will release automatically.

Contains no CPCs or other ozone depleting substances. Federal impulsions prohibit CPC propellants in aerosods.



A Prescription Transment brand Insocicide from: Whalmer Moto-Gen Research Laboratories. Inc. 3568 free Court Industrial Blvd.
St. Louis MO 63122-6682.

www.wmmg.com © 2002 Whanie Mico-Gen Research Laboratories, Inc.

1111234561178901

WHITMIRE

PT 2120 TR

Preclude

SUPPLEMENTAL LABEL

FOR COMMERCIAL USE ONLY

KILLS: Aphids, Caterpillars, Cutworms, Leafminers, Mealybugs, Mites, Scale, Thrips, Weevils and Whiteflies. FOR USE IN: Greenhouses.

MAY BE USED ON: Bedding Plants, Cut Flowers, Flowering Hanging Baskets, Foliage, Potted Flowering Plants and Ornamentals.

 ACTIVE INGREDIENTS:
 4.8%

 Fenoxycarb
 4.8%

 OTHER INGREDIENTS:
 95.2%

EPA Reg. No. 499-437 EPA Est. No. 499-MO-1 KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off confaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-225-3320 for emergency medical treatment information.

See page 2 for additional precautionary statements.



A Prescription Treatment® brand Insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis, MO 63122-6682 www.wmmg.com © 2002 Whitmire Micro-Gen Research Laboratories, Inc.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Do not contaminate water, food, food stuffs or feed. Remove all pets. Cover fish tanks or remove. Woar long sleeved shirt and long panls, socks and shoes and chemical resistant gloves (such as Nitrile, Butyl, Neoprene, and/or Barrier Laminate).

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing.
 As soon as possible, wash thoroughly and change into clean clothing.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance selection chart.

APPLICATORS AND OTHER HANDLERS MUST WEAR: Long-sloeved shirt and lung pants, chemical resistant footwear plus socks, and Chemical-resistant gloves (Such as Nitrile, Butyl, Neoprene and/or Barrier Laminate or PVC or Viton). Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This product is highly loxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and healed surfaces. Do not puncture or incinerale container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this tabet very carefully.



DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Contents of container must be at room temperature before use. Therefore, cans must be stored at room temperature (above 65°F) for 24 hours before application. Make sure spray is unobstructed above units by foliage or other physical objects in order to obtain maximum distribution of fog.

NOTICE: Good greenhouse management must overrule the use of this product when any conditions might be created by tightly closing greenhouses that would harm plant foliage or flowers. Example: Creation of high temperatures or humidity conditions. Do not use this product in greenhouses with unvented or defective gas heating systems or when open combustion exists.

AGRICULTURAL USE REQUIREMENTS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: Coveralls, Chemical-resistant gloves, such as Barrier Laminate or Butyl Rubber or Nitrite Rubber or Neoprene Rubber or PVC or Viton, Shoes plus socks.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE: Store in a cool, dry place away from heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on sile or at an approved waste disposal facility.

CONTAINER DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If recycling is not available, wrap the container and discard in the trash.

PREAPPLICATION DIRECTIONS: For best results, apply during early evening when foliage is dry and temperature is between 60°-80°F. Shut off all exhaust fans and close all windows, doors and ventitators. Do not place cans within 10 horizontal feet of any ignition source such as pilot lights, other open flames, or running electrical appliances that cycle off and on. Keep greenhouse closed for four hours, preferably overnight, following treatment. All human occupants and pets must be removed before treatment. Greenhouse must be ventilated according to the requirements of the Worker Protection Standard before re-entry.

TOTAL RELEASE DOSAGE: PT® 2120 TR Micro Total Release Insecticide contains an insect growth regulator. Initially two applications should be made one week apart. Additional applications should be applied as necessary, but no more than once per week.

Use one 2 oz. can per 3,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 2 oz. can for 1,500 - 3,000 square feet. For smaller greenhouses between 1,500 - 3,000 square feet, use one 2 oz. can.

Use one 6 oz. can per 9,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 6 oz. can for 4,500 - 9,000 square feet. For smaller greenhouses between 4,500 - 9,000 square feet, use one 6 oz. can.

TO ACTIVATE CANS: Start with can farthest away from exit door. Activate each can by pressing tab down and locking it. Leave greenhouse at once. The entire contents will release automatically.

FOR USE IN GREENHOUSES ON:

Bedding plants (such as): impatiens, marigolds, petunias, peraniums, and parden mums.

Cut flowers (such as): roses, chrysanthemums, carnations, snapdragons, and orchids.

Flowering hanging baskets (such as): tuchsia, lantana, New Guinea impatiens, ivy, and geraniums.

Follage (such as): Boston lern, dracaena, licus, schefflera, and philodendron.

Potted flowering plants (such as): poinsettia, chrysanthemums, florist's azaleas, lilies, African vio lets, geraniums, hibiscus, kalanchoes, and begonias.

Ornamentats (such as): azalea, barberry, cotoneaster, euonymus, holly, juniper, oak, pine, rhododendron, roses, spiraea, spruce, viburnum and yew.

PLANT SAFETY INFORMATION

This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Unintentional consequences such as crop injury or ineffectiveness may result because of certain environmental or growing conditions, manner of use or application, and insect resistance. Therefore, before treating a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosots.

