

499-444

3/26/2013

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Tuesday, March 26, 2013

SENT VIA E-MAIL

Ms. Dana M. Thomas
Product Regulatory Manager/Authorized Agent for
Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Boulevard
St. Louis, MO 63122-6682

**Subject: Request for Updated Reregistration Label for Whitmire Micro-Gen TC 164
EPA Registration No. 499-444**

Dear Ms. Thomas:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information (copies attached) that was submitted with your application to support the reregistration of EPA Registration No. 499-444 (Whitmire Micro-Gen TC 164) in connection with the **REDs for Pyrethrins and Piperonyl Butoxide**, and concludes that your submission is acceptable with the following label revision provision(s):

General Comment(s):

1. Delete all text throughout the label marked with "strikethrough."

First Aid Statements (table) section comment(s), middle of page 1 of 4:

2. To facilitate incorporation of required label language from the acute toxicity and product chemistry reviews completed in support of the subject product, you must make the following changes:
- Since this product contains petroleum distillates, you must insert the following text immediately preceding the "**IF ON SKIN OR CLOTHING:**" subsection to read "**IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person."
 - Revise the 2nd sentence within the "**HOTLINE NUMBER**" subsection to read "For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-832-HELP (4357), twenty-four (24) hours per day, seven (7) days per week."
 - Revise the "**NOTE TO PHYSICIAN:**" subsection to read "**NOTE TO PHYSICIAN:** Contains petroleum distillate – may cause an aspiration pneumonia hazard."

Precautionary Statements, Hazards to Humans and Domestic Animals subsection comment(s), page 1 of 4:

3. To facilitate incorporation of required label language from the acute toxicity review completed in support of the subject product, you must revise this subsection to read "**CAUTION: Contains Petroleum Distillate.** Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse."

Precautionary Statements, Personal Protective Equipment (PPE) subsection comment(s), page 2 of 4:

4. To facilitate incorporation of required label language from the acute toxicology review completed in support of this product and from the REDs for pyrethrins and piperonyl butoxide, you must make the following changes to this subsection:
- Revise the 1st text grouping to read:
Applicators and other handlers must wear the following: Long-sleeved shirt, long pants, shoes and socks, and chemical-resistant gloves made of barrier laminate or butyl rubber (selection Category B).

Precautionary Statements, Personal Protective Equipment (PPE) subsection comment(s), page 3 of 4, cont'd:

- Within the 2nd text grouping, insert the word "with" immediately preceding the word "this."
- Insert the following new statement, in a text box for added prominence, immediately preceding the existing "USER SAFETY REQUIREMENTS" text grouping:

USER SAFETY RECOMMENDATIONS: Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside, then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Precautionary Statements, Environmental Hazards Statement subsection comment(s), top of page 2 of 4:

5. To facilitate incorporation of required label language from the REDs for pyrethrins and piperonyl butoxide, revise this subsection to read:

"ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-waters or rinsate."

Directions for USE RESTRICTIONS subsection comment(s), middle of page 2 of 4:

6. To facilitate incorporation of required label language from the REDs for pyrethrins and piperonyl butoxide, you must make the following changes to the existing "USE RESTRICTIONS" subsection:

- Revise the 2nd bulleted use restriction to read "Not for use in outdoor residential misting systems (indoor or outdoor) or metered release devices."
- Insert the following text as a new 2nd sentence within the 5th bulleted use restriction to read "Only protected handlers may be in the area during application."
- Immediately following the 14th bulleted use restriction, insert the following new bulleted use restrictions:
 - "Do not wet plants to the point of run-off or drip."
 - "Do not water the treated area to the point of run-off."
- Revise the 17th bulleted use restriction to read "When used in food handling and processing facilities: Do not make space spray applications while facility is in operation. Prior to space spray applications, cover or remove food and cover food processing surfaces or clean after treatment and before use."
- Revise the 18th bulleted use restriction to read "Do not use in aircraft cabins."
- Immediately following the 22nd bulleted use restriction, insert the following new bulleted use restrictions:
 - "All outdoor applications, if permitted elsewhere on this label, must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses, if allowed elsewhere on this label: (1) Applications to soil or vegetation, as listed on this label, around structures; (2) Applications to lawns, turf, and other vegetation, as listed on this label; (3) Applications to the side of a building, up to a maximum height of 3 feet above grade; (4) Applications to underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure; (5) Applications around potential pest entry points into buildings, when limited to a surface band not to exceed one inch in width; and (6) Applications made through the use of a coarse, low pressure spray to only those portions of surfaces that are directly above bare soil, lawn, turf, mulch or other vegetation, as listed on this label, and not over an impervious surface, drainage or other condition that could result in runoff into storm drains, drainage ditches, gutters, or surface waters, in order to control occasional invaders or aggregating pests."
 - "Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application."

Directions for Use, Subsection-Specific comment(s):

7. To facilitate incorporation of required label language from the REDs for pyrethrins and piperonyl butoxide, you must make the following subsection-specific changes:

- Revise the "**BED BUGS:**" subsection to read: "**BED BUGS:** Thoroughly inspect area of suspected bed bug infestation, and note potential harborage sites or actual infestations. Remove and/or pick up clothing and other obstacles that may prevent thorough inspection or treatment. Remove and sanitize infested bedding (pillows and linens), clothing, or other items.

Apply Whitmire Micro-Gen TC 164 to mattresses as a spot treatment to mattress seams, edges, and tufts of bed only. Do not use Whitmire Micro-Gen TC 164 directly on pillows, bed linens or clothes. Do not saturate the mattress; and do not treat entire surface area of mattress. Allow mattress to dry thoroughly before replacing pillows and/or bed linens. Bed bugs may also harbor in areas of the room away from the bed. Apply as a crack & crevice or spot application where evidence of bed bugs occurs. This includes bed frames, box springs, inside empty drawers and clothes closets, night stands and other furniture in the room, carpet edges, high and low wall moldings (such as floor molding or window casings), wall voids, behind wall hangings and mirrors, wallpaper edges and popcorn ceilings. Remove all clothes and other articles from dressers or closets before application. Take bed apart. Treat joints and channels if hollow, such as square or round tubing, and see that interior framework is treated. Apply as a surface application to carpeting, drapes, and flooring. Allow all treated areas to dry thoroughly before use. Reapply every 7 – 10 days, as needed, until infestation is eliminated."

- Within the 2nd paragraph of the "**NON-FOOD AREAS:**" subsection at the bottom of page 3 of 4, revise the 2nd, 3rd and 4th sentences to read "Do not make space spray applications while facility is in operation. Prior to space spray applications, cover or remove food and cover food processing surfaces or clean after treatment and before use."

Storage & Disposal section comment(s), top of page 4 of 4:

8. Revise the existing "**PESTICIDE STORAGE:** Store this product in a cool, dry (preferably locked) place away from heat or open flame, and in an area that is inaccessible to children and animals."

9. To facilitate incorporation of required label language from PR Notice 2007-4, within the "**CONTAINER DISPOSAL:**" subsection, revise the existing "**If empty:**" statement to read "**If empty:** This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the container by using the product according to the label directions. If recycling is not available, place in trash."

Within 10 working days of the date of this letter, you must submit an updated reregistration label incorporating all mitigation language required by the **REDs for Pyrethrins and Piperonyl Butoxide**. If we do not receive an updated label in response to this letter, the Agency may pursue further regulatory action, including cancellation in accordance with section 6(e) of FIFRA.

If you have any questions about this letter, please contact Mr. Carmen Rodia at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov or Mr. Richard Gebken at (703) 305-6701 or via e-mail at Gebken.Richard@epa.gov during the hours of 9:00 A.M. to 5:30 P.M. EST.

Sincerely Yours,



Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7504P)

- Attachments:*
- Copy of Marked-Up Label*
 - Copy of acute toxicity review, dated August 30, 2010*
 - Copy of product chemistry review #1, dated January 5, 2011*
 - Copy of product chemistry review #2, dated November 8, 2011*
 - Copy of product chemistry review #3, dated December 18, 2012*

WHITMIRE MICRO-GEN TC 164

[Alternate brand name #1: Prescription Treatment® brand P.I.® Contact Insecticide Formula 1]

[Alternate brand name #2: Prescription Treatment® brand 580P Contact Insecticide]

[Alternate brand name #3: Prescription Treatment® brand Clear Zone® I Pyrethrins]

[Subregistration: WC Insect Finish XL II, EPA Reg. #499-444-16101]

[Note: this color text is print restricted from the CZI label & WC label, this color text is print restricted from the WC label and this color text is print restricted from all marketplace labels]

SPACE TREATMENT AND FLUSHER

[Note: Used for Clear Zone I Pyrethrins marketplace label only]

KILLS: Angoumois Grain Moths, Ants, Bees, Bed Bugs, Booklice, Carpet Beetles, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Drug Store Beetles, Earwigs, Fleas, Flies, Fruit Flies, Gnats, Grain Mites, Granary Weevils, House Flies, Indianmeal Moths, Mediterranean Flour Moths, Millipedes, Mosquitoes, Mud Daubers, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Sowbugs, Spiders, Stable Flies, Ticks and Wasps

FOR USE IN AND AROUND:

Apartments, Campgrounds, Food Storage Areas, Homes, Hospitals†, Hotels, Motels, Nursing Homes†, Resorts, Restaurants†, and other Food Handling Establishments†, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks and Aircraft – Cargo Areas Only), Utilities, Warehouses and other Commercial and Industrial Buildings.

† See use restrictions for these sites under Directions for Use.

ACTIVE INGREDIENTS:

Pyrethrins, a botanical insecticide.....0.5%
Piperonyl Butoxide*.....4.0%

OTHER INGREDIENTS:.....95.5%
Contains petroleum distillate. TOTAL: 100.0%

*(butylcarbityl)(6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 min. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-832-HELP 24hr/day, 7 days/week.

NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia.

[Alternate text: See side panel(s) for Precautionary Statements, Directions for Use and Storage and Disposal.]

EPA Reg. No.: 499-444 • EPA Est. No.: 7969-MO-1

NET WEIGHT: _____

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE)

Applicators must wear the following: Long-sleeve shirt, long pants, shoes and socks.

In addition to the above PPE, applicators fogging this product (applying as a space spray) in an enclosed area must wear a half-face, full-face, or hood-style NIOSH-approved respirator with: a dust/mist filtering cartridge (MSHA/NIOSH approval number prefix TC-21C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a cartridge or canister with any R, P or HE filter.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent material that have been drenched or heavily contaminated with product. Do not reuse them.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several months or more after an outdoor application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not puncture or incinerate container.

Exposure to temperatures above 130°F may cause bursting. Do not use this product in electrical equipment (where there is exposed wiring or contact points) due to the possibility of short circuits and shock hazard.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

USE RESTRICTIONS

- Apply this product only as specified on this label.
- 2 ▪ ~~Only protected applicators may be in the treatment area during application.~~
- Do not apply more than 1 time/day.
- Product should only be used when can temperature is above 60°F. If can temperature is below 60°F, store at room temperature until a temperature above 60°F is reached.
- 5 ▪ Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Use only with the supplied actuator and injection tubes or other application equipment approved by the registrant.
- Remove pets, birds, cover fish aquariums and turn off air pump motor before application.
- Do not spray on plastic, painted, stained or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.
- When used as a direct or space spray, do not enter or allow others to enter treated area until sprays have dried.
- Do not make outdoor applications during rain.
- Remove or cover exposed food and drinking water, in the treatment area, before application.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces in the treatment area, or wash them before use.
- For space sprays:
 - Do not allow adults, children or pets to enter the treated area for at least 15 min, until vapors, mists and aerosols have dispersed and the treated area has been thoroughly ventilated.
 - Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosol, vapors and/or mists have dispersed.
- 14 ▪ Do not wet articles to point of runoff or drip.
- Do not use treated article until spray has dried.
- For direct application to clothing, dry clean treated clothes before wearing.
- 17 ▪ For space spray applications in food handling and processing facilities:
 - Do not make applications when facility is in operation ~~unless the treatment area is cordoned off, posted and entry prevented.~~
 - Cover or remove food in the treatment area.
 - Cover food processing surfaces, in the treatment area, or clean after treatment and before use.
- 18 ▪ ~~Use this product only in cargo compartments of aircraft in compliance with PR Notice 06-2.~~
- When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- Do not apply this product in hospital rooms while occupied or in any rooms occupied by the elderly or infirm. Remove patients from room prior to treatment and thoroughly ventilate (2 hr) after application. Do not return patients to room until after ventilation.
- Do not use in patient rooms in hospitals and nursing homes for treatment of bed bugs.
- 22 ▪ Do not apply to classrooms when in use.

APPLICATION INSTRUCTIONS

Apply according to specific directions for pest(s) to be treated.

CRACK & CREVICE® APPLICATION: Inject this product into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Apply product for 1 sec. For light infestations, move injector tip along cracks while treating at the rate of 3 ft/sec. For heavy infestations, move injector tip along at 1 ft/sec. For treatment of inaccessible voids (including wall and equipment voids), calculate the void's cubic area and treat at the rate of 3 – 5 sec/3 ft³. Several holes may be required in long-running voids.

DIRECT SPRAY: Apply the product in short bursts into the area where insects are to be contacted such as corners of the room, behind and under furniture or equipment. Apply from a distance of 18 – 24" from the surface and allow the material to drift to the area to be treated. The amount of product applied is not to exceed 10 sec/room for residential areas or 10 sec/100 ft² for commercial areas.

SPACE SPRAY: Turn off air conditioners, fans, close doors and windows before treating. Calculate the cubic footage of the area to be treated and apply as follows: **Flying Insects:** Apply at the rate of 1 – 3 sec/1,000 ft³. **Crawling Insects:** Apply at a rate of 20 sec/1,000 ft³. Disperse toward areas suspected of harboring the greatest insect infestations. Disperse in all locations contacting as many insects as possible. Keep area closed for 15 min. Open and thoroughly ventilate before reoccupying.

INDOOR USE

Apply this product as a Crack & Crevice treatment, space spray and/or direct spray. Apply according to the Application Instructions unless otherwise instructed below.

CLUSTER FLIES, CLOVER MITES, FLIES, FRUIT FLIES, GNATS, HOUSE FLIES, MOSQUITOES, SMALL FLYING MOTHS AND STABLE FLIES, WASPS AND BEES: Perform directed spray and/or void treatments in infested areas. **INSIDE STRUCTURAL VOIDS:** Locate all insect entrances and close all but one opening. Apply product through that opening.

ANTS, BOOKLICE, CLOVER MITES, CRICKETS, MILLIPEDES, ROACHES, SILVERFISH, SOWBUGS AND SPIDERS: Treat harborage areas such as behind baseboards, sinks, cabinets, meter boxes, door frames, corners of rooms and windows. Open and thoroughly ventilate the treated area before reoccupying.

BED BUGS: Take bed apart. Treat joints and channels if hollow, such as square or round tubing, and see that the interior framework is treated. Treat mattresses, especially tufts, folds and edges. Cover mattresses with clean bedding before use. When bed bugs are found in upholstered furniture, apply only to the infested tufts, seams, folds and edges and underneath all areas, but do not apply to flat surfaces where human contact will occur. Apply as a Crack & Crevice treatment to all baseboards, moldings, beneath floor coverings and carpets, closets, shelves, curtains, furniture and picture frames. Direct spray into areas where bed bugs harbor. Do not use in patient rooms in hospitals and nursing homes for treatment of bed bugs. Reapply every 7 – 10 days, as needed, until infestation is eliminated.

CARPET BEETLES (in Residences): Hold product 36" above floor and direct spray toward floor and lower walls, treating at the rate of 10 sec/100 ft². Also apply as a Crack & Crevice treatment to cracks and crevices near the source of the infestation.

CLOTHES MOTHS: Locate source of infestation. Apply to nearby cracks and crevices and perform a space treatment of the infested area at the rate of 5 – 10 sec/1,000 ft³.

To protect woolens and other keratin containing materials, brush clean then air out. Before treating entire article, treat a small hidden area of fabric to determine if staining will occur. Treat thoroughly by holding dispenser \geq 18" from garment. Put treated articles in a darkened closet or other darkened storage such as cedar chests, storage drawers or sealable plastic fabric bags. Clean and treat inside of closets or storage areas at the rate of 1 sec/10 ft² before putting treated materials away. Repeat treatment every 6 mo or as needed. Dry clean treated clothes before wearing.

STORED PRODUCT PESTS – for exposed adult and larval stages of Angoumois Grain Moths (crawling), Carpet Beetles, Chocolate Moths, Cigarette Beetles, Confused Flour Beetles, Drug Store Beetles, Grain Mites, Granary Weevils, Grain Mites, Granary Weevils, Indian Meal Moths, Mediterranean Flour Moths (flying), Red Flour Beetles, Rice Weevils and Sawtoothed Grain Beetles: Apply as a Crack & Crevice, direct spray, or space spray treatment into cracks and crevices/corners of pantries, cabinets, food processing and handling equipment and other places where insects harbor. Apply around cartons, containers and other areas where these insects tend to congregate.

FLEAS IN BUILDINGS: Hold product 36" above floor and direct spray toward floor and lower walls treating at the rate of 10 sec/100 ft². Ensure that the underneath and lower surfaces of furniture are contacted. Keep area closed for 15 min. Open and thoroughly ventilate before reoccupying. Repeat treatment after 7 days if necessary.

TICKS: Hold container 36" above the floor and direct spray toward pet beds and resting quarters, treating at the rate of 10 sec/100 ft². Apply as a Crack & Crevice treatment into adjacent cracks and crevices such as behind baseboards and edges of carpet and floor covers. Treat higher cracks such as upper door jams and window framing, behind pictures and other areas where females may crawl to lay eggs.

FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Food handling establishments are places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS: Include areas for receiving, serving, storing (dry, cold, frozen, raw), packing (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups).

NON-FOOD AREAS: Include areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

Apply according to specific directions for pest(s) to be treated. Do not make space spray applications to food areas when the facility is in operation unless the treatment area is cordoned off, posted and entry prevented. Prior to space spray applications, remove or cover exposed food and drinking water in the treatment area. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces in the treatment area, or wash them before use.

OUTDOOR USE

FLIES, GNATS AND MOSQUITOES – GROUND APPLICATION: Treat landscapes and open areas around residence, other buildings and in campgrounds. Apply at a rate of 5 – 15 sec/1,000 ft². Apply in wide swaths across the area to be treated. Allow treatment to penetrate dense foliage. Best results are obtained when wind speed is 5 mph or less.

BEES, FLIES, CLUSTER FLIES, CLOVER MITES, MUD DAUBERS AND WASPS: Apply directly on insects and their nests from approx. 18". Disperse into hiding and breeding places (voids) contacting as many insects as possible.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. Whitmire warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) WHITMIRE MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND WHITMIRE'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) WHITMIRE AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Whitmire and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Whitmire.

Contains no CFCs or other ozone depleting substances.

Federal regulations prohibit CFC propellants in aerosols.



Manufactured for:

Whitmire Micro-Gen Research Laboratories, Inc.®

by BASF Corporation

3568 Tree Court Industrial Blvd.

St. Louis MO 63122-6682

Questions? Call 1-800-777-8570

© 2010 Whitmire Micro-Gen Research Laboratories, Inc.®