
 <p>U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <u>  x  </u> Registration <u>      </u> Reregistration</p> <p>(under FIFRA, as amended)</p>	EPA Reg. Number:  499-448	Date of Issuance:  AUG 3 1998
	Term of Issuance: Conditional	
	Name of Pesticide Product:  Whitmire TC 151 Bait	
Name and Address of Registrant (include ZIP Code): Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis , MO 63122-6682		
<p><b>Note:</b> Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.</p>		
<p>On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.</p> <p>Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:</p> <ol style="list-style-type: none"> <li>1. Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA sec. 3(c) (5) or FIFRA sec. 4 when the Agency requires all registrants of similar products to submit such data.</li> <li>2. Make the labeling changes listed below before you release the product for shipment: <ol style="list-style-type: none"> <li>a. Add the phrase "EPA Registration No. 499-448".</li> </ol> </li> </ol>		
Signature of Approving Official:    Tina E. Levine, PhD, Chief Insecticide-Rodenticide Branch Registration Division (7505C)	Date:  AUG 3 1998	

Page Two  
499-448

3. Submit two (2) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

) A stamped copy of the label is enclosed for your records. If there are further questions concerning this registration, contact Dani Daniel of my staff at 703 305-5409.

Enclosure

3/17/98

Whitmire  
TC 151  
Bait

**KILLS:** Large Cockroaches, such as; American, Oriental, Smokey Brown and other cockroaches such as German, Brown-Banded and Asian, Crickets and Other Occasional Invaders listed on this label.

**FOR USE IN AND AROUND:** Apartments, Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Motels, Nursing Homes, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, cargo areas of Planes), Utilities, Warehouses, and other Commercial and Industrial Buildings. Do not use in aircraft cabins.

**ACTIVE INGREDIENTS:**

Chlorpyrifos ..... 0.5%  
**INERT INGREDIENTS:** ..... 99.5%

EPA REG. NO. 499-UUI  
EPA Est. 67517-MO-1b

EPA Est. No. 499-MO-1a  
See code in lot number

**KEEP OUT OF REACH OF CHILDREN  
CAUTION  
FIRST AID**

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

**IF ON SKIN:** Wash with plenty of soap and water. Call a physician if symptoms persist.

**IF IN EYES:** Flush with plenty of water. Call a physician if irritation persists.

**NOTE TO PHYSICIAN:** Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

See side panel for additional precautionary statements

**NET CONTENTS:**

Whitmire  
TC 151  
EPA Reg. No. 499-UUI  
AUG 3 1998  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
this pesticide is registered under EPA Reg. No.  
499-448

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

Whitmire  
TC 151

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INDOOR TREATMENTS

GENERAL: Apply bait in teaspoon amounts in a suitable bait station. Locate stations where roaches have been observed, such as in cabinets, in closets, under sinks, refrigerators and water heaters. Place four to six bait stations per 100 sq. ft. of area. Replacement of bait should be made at four to six week intervals. Place stations in locations that are not accessible to children and domestic animals.

FOR USE IN FOOD HANDLING ESTABLISHMENTS (INEDIBLE PRODUCT AREAS):

Apply bait as stated in the general directions to such areas as restrooms, offices, closets, garbage rooms and storage rooms. Use only in suitable bait containers or place bait in crevices or voids.

FOR USE IN FOOD HANDLING ESTABLISHMENTS (EDIBLE PRODUCT AREAS):

When applying bait where food is prepared, processed or served, maintain strict account of location and number of bait stations. Do not apply bait in these areas until operations have ceased for the day. Remove all bait stations from these areas before operations resume.

OUTDOOR TREATMENTS

PERIMETER TREATMENT: Scatter the bait evenly in a band 5 ft. wide around the structure next to the foundation as a bait barrier against insects invading the dwelling or place of business. Use approximately 4 to 6 ounces of product to treat a band 5 ft. wide and 20 ft. long (100 sq. ft.) One pound, at a 4 oz. rate, will treat up to 400 sq. ft. (5 ft. x 80 ft. band) which is equivalent to the rate of 2.5 lbs. per 1,000 sq. ft. This treatment will aid in the reduction of, reduce annoyance from, and help to prevent entry into homes from commonly found insects which may feed upon the bait such as Millipedes, Earwigs, Pillbugs, (Sowbugs), Cutworms, Mole Crickets, and Field Crickets and Roaches, including Asian Cockroaches. Apply when insects are present and are causing problems, especially in the late spring and early fall. Repeat as necessary to keep fresh bait in the area.

Millipedes and Pillbugs: Scatter the bait in the foraging area around the foundation of buildings. Repeat treatment as needed.

GOLF COURSES & ORNAMENTAL TURF (other than pastureland): To control Mole Crickets, and Asian and other roaches, apply at a rate of 2 to 3 pounds per 1,000 sq. ft. (100 - 125 lbs./acre). Scatter evenly over the area to be treated using a mechanical spreader or other suitable device. Make application in the late afternoon. For best control, repeat application in one week.

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
AND DOMESTIC ANIMALS

CAUTION: Keep out of reach of children. Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Do not take internally. Keep away from food, feedstuffs, and domestic water supplies.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, birds and other wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Storage: TC 151 may be attractive to rodents and domestic animals. Store in a cool, secure, dry place. To maintain maximum effectiveness close container tightly after use.

Container Disposal: (for 2 lb. bottle) Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Container Disposal: (for 25 lb. box) Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed, by State and Local authorities, by burning. If burned, stay out of smoke.

LIMITATION OF LIABILITY

Use only as directed. Buyer assumes all risks in using or handling this product in any way. WHITMIRE EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND MERCHANTABILITY. IN NO CASE SHALL WHITMIRE BE LIABLE FOR CONSEQUENTIAL, SPECIAL, INCIDENTAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. DAMAGES FROM THE USE OF THIS PRODUCT ARE EXPRESSLY LIMITED TO REPLACEMENT OF THE PRODUCT OR REFUND OF THE PURCHASE PRICE.

A Prescription Treatment® brand insecticide from:  
Whitmire Research Laboratories, Inc.  
3568 Tree Court Ind. Blvd.

St. Louis, Missouri 63122  
Copyright, 1995

6/6

)

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100