

MAR 18 1998

Ms. Kristin Sobocinski
Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis, MO 63122-6682

Subject: Label Amendment
ULD BP 100
EPA Registration Number: 499-452
Your Application Dated: October 29, 1997

Dear Ms. Sobocinski:

The Labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable subject to the comments listed below.

Five copies of the finished labeling must be submitted prior to releasing the product for the shipment. In accordance with 40 CFR 156.10(i)(2), the labeling should be modified to include the heading "Directions for Use" immediately before the statement "It is a violation of federal law to use this product in a manner inconsistent with its labeling."

Sincerely yours,



Marion J. Johnson, Jr.
Product Manager (10)
Insecticide Branch
Registration Division (750C)

2 7 13

ULD BP-100 INSECTICIDE

For Indoor or Outdoor application as a space, area or contact spray. Dependent upon insects to be controlled and the area to be treated, this product may be applied through mechanical aerosol or Ultra Low Volume (ULV) generators such as Whitmire Micro-Gen equipment, as well as thermal and conventional fogging or spraying equipment.

For use in Restaurants, Cafeterias, Food service storage and preparation areas, Grocery and convenience stores, Motels, Hotels, Health care facilities, Schools, Universities, Apartments, Dormitories and Office Buildings.

(See back panel for additional use sites)

Active Ingredients:

Pyrethrins	1.00%
Piperonyl Butoxide, technical	2.00%
N-octyl bicycloheptene dicarboximide	2.94%

Inert Ingredients: 94.06%

Contains Petroleum Distillate

*consists of 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements and Statement of Practical Treatment

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Ind. Blvd.
ST. Louis, MO 63122, USA

EPA Reg. No. 499-452
EPA Est. No. 499-MO-1

Net Contents:

Ultra Low Dosage Through Micron Generation
Not for sale in California

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ACCEPTED
with **COMMENTS**
In EPA Letter Dated:
MAR 18 1998
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
499-452

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected person. Do not enter treated areas without protection until thoroughly ventilated or sprays have dried. use a respiratory device as recommended by NIOSH/MSHA for protection against organic vapors and pesticides.

ULD BP-100 insecticide is effective control against the following insects when following label directions: Roaches, Ants, Waterbugs, Spiders, Earwigs, Boxelder Bugs, House Flies, Crickets, Fruit Flies, Gnats, Wasps, Mosquitoes, Cadelles, Confused Flour Beetles, Cheese Mites, Cigarette Beetles, Granary Weevils, Indian Meal Moths, Angoumois Grain Moths, Tobacco Moths, Rice Weevils. (See back panel for additional insects)

Do not apply directly to food. Do not apply while food processing is underway. Foods should be removed or covered during treatment. All food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse. In the home, all food processing surfaces, dishes and utensils should be covered during treatment, or thoroughly washed before use.

Indoor Space Application - Flying Insects. Use to kill flies, mosquitoes, gnats and small flying moths.

Use full strength or dilute product as desired according to dilution table listed below. Close doors, windows and shut off all ventilating equipment. Then with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30 microns) apply undiluted product at a dosage rate of approximately on (1) fluid ounce per 1,000 cubic feet of room space or, when applying diluted product, apply at the rate of 1-2 fluid ounces per 1,000 cubic feet of room space. Direct spray toward upper areas of room. Do not remain in treated areas after application, and leave room closed for at least one (1) hour. Ventilate thoroughly before occupants are allowed to re-enter. Repeat application as necessary for control.

Dilution: Use a white mineral oil conforming to regulation 21 CFR 178.3620 (b), or an odorless light petroleum hydrocarbon conforming to 21 CFR 172.882 or 40 CFR 180.1001 (c) & (e). Combine oil and BP-100 as directed below and mix well just prior to application.

Active % Desired	Mixture	Application Rate (1,000 cu. ft.)
0.50%	1 part concentrate to 1 part oil	1 oz.
0.30%	1 part concentrate to 2 ^{1/3} parts oil	1-2 oz.
0.15%	1 part concentrate to 5 ^{2/3} parts oil	1-2 oz.

Indoor Space Spray & Directed Spray Application - Crawling Insects.

Use to kill roaches, silverfish, waterbugs, earwigs, ants, spiders and beetles in their harborage

situations. Use product full strength or diluted as desired and apply through equipment which can deliver a pin stream spray. direct a pin stream spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects harbor. Contact as many insects as possible with the spray. Do not allow spray to contact stored food. Then, with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30 microns) apply undiluted product at the rate of one (1) ounce per 1,000 cu. ft. or space. Close doors, windows and shut off all ventilating equipment before application. Leave room closed for at least one (1) hour after application. Do not remain in treated areas and ventilate thoroughly before occupants are allowed to re-enter. Repeat application as required.

Federally Inspected Meat and Poultry Establishment. Apply as a space or directed contact spray for control of flies, mosquitoes, gnats, small flying moths, roaches, silverfish, waterbugs, earwigs, ants, and spiders in establishments operating under the Federal meat, poultry, shell egg grading and egg products inspection program. Do not apply while food processing is underway. All food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse after application and before processing resumes. Close doors, windows and shut off all ventilating equipment prior to application. When using ULV (Ultra Low Volume) equipment such as a Whitmire Micro-Gen ULV Spray, adjusted to deliver aerosol droplets (30 microns or less), apply one (1) ounce per 1,000 cu. ft. of space. Leave room closed for at least on hour after application and ventilate before occupants are allowed to re-enter.

Deep Void Crack and Crevice Application - to flush and kill insects harbored in deep voids and behind cracks and crevices.

Spot Application:

With equipment designed for deep void Ultra Low Volume (ULV) applications follow the manufacturer's recommendations for proper equipment set up and operating pressures. Place the tip of the applicator at or into the crack and crevice to be treated. Apply product in short bursts while keeping tip in position. Allow the air stream to push insecticide deep into voids. Repeat application as necessary to flush insects from voids. Avoid applying to the point of runoff or drip. Ventilate thoroughly before occupants are allowed to re-enter.

Linear application along baseboards, trim molding, etc.: With equipment designed for deep void ULV application, move applicator tip along the crevice to be treated applying a constant burst of insecticide. Move the tip at a steady rate of approximately one (1) foot per second. Avoid applying to the point of runoff or drip. Repeat application as necessary to flush insects from the void. Ventilate thoroughly before occupants are allowed to re-enter.

Outdoor Ground Fogging Application: Use to kill flies, mosquitoes and gnats in open areas near buildings and in campgrounds. Use preferably at a time when temperature is cool (75°F or less) and the wind velocity is approximately five (5) MPH or less.

Handheld Equipment - when using equipment such as Micro-Gen ULV equipment, apply at the rate of 4.0 ounces per acre. Figure application travel path for a coverage of a fifty (50) foot swath. Allow spray drift to penetrate dense foliage. Repeat application as required for control.

Truck Mounted Equipment - when using Whitmire Micro-Gen or similar truck mounted ULD equipment, spray at a dosage rate of fifteen (15) ounces per minute from a location upwind of the areas where insects are to be controlled. Keep speed of vehicle to approximately five (5) MPH. Figure application travel path for a coverage of a three hundred (300) foot swath. Repeat application as required for control.

For Use on Animals: Dilute one (1) part concentrate to 1 part oil and mix well. to control horn flies, house flies, mosquitoes and gnats around beef and dairy cattle, horses and dogs, apply a light mist sufficient to wet the tips of the hair. To control stable flies, horse flies and deer flies on beef and dairy cattle and horses, apply 2 ounces per adult animal, sufficient to wet the hair but not to soak the hide. Repeat treatment once or twice daily or at sufficient intervals to give continued protection. To control the motile stages of blood sucking lice on beef and dairy cattle, apply the spray to thoroughly wet the hair. Use 2 ounces or less per animal and repeat every 2 to 3 weeks as required.

ULD is a trademark of Whitmire Micro-Gen Research Laboratories, Inc.

Statement of Practical Treatment

If swallowed - Contains petroleum distillate. Call a physician or poison control center immediately. Do not induce vomiting - vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air. If not breathing give artificial respiration, preferably by mouth-to-mouth. Get medical attention.

If on skin - Remove contaminated clothing and wash promptly with soap and water. Get medical attention if irritation persists.

If in eyes - Flush eyes with plenty of water. Call a physician if irritation persists.

Precautionary Statements

Hazards to Humans and Domestic Animals

Caution: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling. Remove pets, birds, and cover fish aquariums and turn off air pump motor before spraying. In health care facilities, remove patients prior to treatment. Thoroughly ventilate treated area for two hours before returning patients.

Environmental Hazards: This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

Physical and Chemical Hazards: Do not use or store near heat or open flame. Note: Some furniture finishes and particularly plastics can be damaged by petroleum based insecticides. To avoid damage, cover those items and do not spray directly. If in doubt, test by applying this material to an inconspicuous area before spraying.

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: One Gallon and Under; Do not reuse empty container. Wrap and put in trash. Over one Gallon; Triple rinse (or equivalent). Then offer for recycling or reconditions, or puncture and dispose of in a sanitary landfill, or by other procedure approved by state and local authorities.

In addition to sites listed on front panel ULD BP-300 Insecticide is acceptable for use in the following sites:

INDOOR:

- | | |
|---------------------------|----------------------------|
| Animal areas & quarters | Mushroom Processing Plants |
| Auditoriums | Nursing Homes |
| Bakeries | Offices |
| Beverage plants | Passenger Rail Cars |
| Boats | Peanut Processing Plants |
| Bottling Plants | Peanut Storage Warehouses |
| Brandy Storage Warehouses | Poultry Houses |
| Buildings | Poultry Processing Plants |
| Buses | Prisons |
| Cabins | Public Buildings |
| Canneries | Rabbit Processing Plants |
| Cattle Barns | Rabbit Houses |
| Churches | Railroad Cars |
| Closets | Recreational Vehicles |
| Condominiums | Research Animal Areas |
| Communication Centers | Restaurants |
| Correctional Facilities | Restrooms |
| Dairy & Livestock Barns | Rice Mills |

Dried fruit Processing Plants
 Drains & Sewers
 Dried Fruit Warehouses
 Drugstores
 Dumpsters
 Dwellings
 Egg Processing Plants
 Factories
 Flour Mills
 Food Handling Establishments
 Food Processing Plants
 Freight Containers
 Fruit Packing Shed
 Garbage Cans
 Garbage Compactors
 Goat Houses
 Grain Elevators
 Grain Mills
 Grain Handling Equipment
 Granaries
 Homes
 Horse Stables/Barns
 Hospices
 Industrial Installations
 Institutions
 Jails
 Laboratories
 Libraries
 Livestock Barns
 Loafing Sheds
 Locker Rooms
 Mills
 Mausoleums
 Meat Packing Plant
 Milk Rooms
 Missions
 Mobile Homes
 Museums

Shade Houses
 Ships
 Shipholds
 Stables
 Stable Bins
 Stored Food in Multi-walled Paper or Cloth Bags
 Stored Seed Warehouses
 Stores
 Supermarkets
 Swine Houses
 Textile Mills & Warehouses
 Theaters
 Tobacco Plants
 Tobacco Warehouses
 Townhouses
 Trains
 Transportation Equipment
 Trucks
 Truck Trailers
 Utilities
 Utility Rooms
 Voids (Attics, Walls, Ceilings)
 Warehouses
 Wineries
 Wine Storage Warehouses
 Zoo

OUTDOOR:

Campgrounds
 Corrals
 Drive-In Restaurants
 Drive-In Theaters

Landscapes
 Lath Houses
 Manure Piles
 Parks

Dumpsters
Feedlots
Garbage Dumps
Golf Courses
Junkyards
Kennels

Plantscapes
Playgrounds
Recreational Areas
Sewers
Swineyards
Zoos

ULD BP-300 Insecticide is also effective against the following insects when used according to label directions:

Flying Insects:

Flies
Horse Fly
House Fly
Barn Fly
Stable Fly
Face Fly
Skipper Fly
Deer Fly
Black Fly
Horn Fly
Mushroom Fly
Fungus Gnats
Hornets
Bees
Vinegar Fly
Yellow Jacket
Blow Fly
Bottle Fly
Cheese Skippers
Aphids
White Flies
Thrips
Grain Borers:
Lesser Grain Borer
Larger Grain Borer

Crawling Insects:

Book Lice
Scorpions
Centipede
Sowbugs
Millipedes
Pill Bugs
Firebrats

Crawling Insects, Cont...:

Cabbage Worms
Chrysanthemum Leaf Miners
Mealy Bugs
Vegetable Leaf Miners

Fleas and Ticks:

Brown Dog Tick
Sheep Tick
Spinos Ear Tick
Fleas
Ticks

Spiders & Mites:

Paper Mite
Clover Mite
Cheese Mite
Grain Mite
Red Spider Mite
Spider Mite

Lice:

Moulting Stages of Yellow
Lice & Sucking Blue
Lice

Worms:

Dark Mealworm
Yellow Mealworm
Lesser Mealworm

Beetles:

Black Fungus Beetle
Drugstore Beetle
Red Flour Beetle

Cereal Beetle

Hide Beetle
Depressed Flour Beetle
Two Banded Beetle
Fungus Beetle
Hairy Fungus Beetle
Corn Sap Beetle
Brown Spider Beetle
White Marked Spider Beetle
Hairy Spider Beetle
Trogoderma Beetle
Red Horned Grain Beetle
Khapra beetle
Merchants Grain Beetle
Rusty Grain Beetle
Black Carpet Beetle
Squarenecked Grain Beetle
Foreign Grain Beetle
Mexican Grain Beetle
American Black Flour Beetle
Longheaded Flour Beetle
Slenderhorned Flour Beetle
Smalleyed Flour Beetle
Broadhorned Flour Beetle
Large Black Flour Beetle
Catorama Beetle
Murmidius Beetle

Weevils:

Bean Weevil
Maize Weevil
Coffee Bean Weevil
Broadnosed Grain Weevil

Moths:

9 8 15

- | | | |
|-----------------|--------------------|----------------------------|
| Bed Bugs | Spider beetle | Clothes Moth |
| Palmetto Bugs | Carpet Beetle | Almond Moth |
| Chiggers | Ground beetle | Cocoa Bean Moth |
| Fire Ants | Darkling Beetle | Chocolate Moth |
| Grasshoppers | Flat Grain Beetle | Rice Moth |
| Cabbage Loopers | Dried Fruit Beetle | European Grain Moth |
| | Dermestid Beetle | Pink Scavenger Caterpillar |

Alternate Use Directions

ULD BP-100 INSECTICIDE For Specific Use in the E-1 and E-2

For Indoor or Outdoor application as a space, area or contact spray. Dependent upon insects to be controlled and the area to be treated, this product may be applied through mechanical aerosol or Ultra Low Volume (ULV), cold aerosol generators such as Whitmire Micro-Gen equipment E-1 & E-2.

For use in Restaurants, Cafeterias, Food service storage and preparation areas, Grocery and convenience stores, Motels, Hotels, Health care facilities, Schools, Universities, Apartments, Dormitories and Office Buildings.

(See back panel for additional use sites)

Active Ingredients:

- | | |
|--------------------------------------|-------|
| Pyrethrins | 1.00% |
| Piperonyl Butoxide, technical | 2.00% |
| N-octyl bicycloheptene dicarboximide | 2.94% |

Inert Ingredients: 94.06%

10 9 15

Contains Petroleum Distillate

*consists of 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements and Statement of Practical Treatment

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Ind. Blvd.
ST. Louis, MO 63122, USA

EPA Reg. No. 499-452
EPA Est. No. 499-MO-1

Net Contents: 24 oz. (34 oz.)
See supplemental label for additional use directions

Ultra Low Dosage Through Micron Generation

SUPPLEMENTAL LABEL

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected person. Do not enter treated areas without protection until thoroughly ventilated or sprays have dried. Use a respiratory device as recommended by NIOSH/MSHA for protection against organic vapors and pesticides.

ULD BP-100 insecticide is effective control against the following insects when following label directions: Roaches, Ants, Waterbugs, Spiders, Earwigs, Boxelder Bugs, House Flies, Crickets, Fruit Flies, Gnats, Wasps, Mosquitos, Cadelles, Confused Flour Beetles, Cheese Mites, Cigarette Beetles, Granary Weevils, Indian Meal Moths, Angoumois Grain Moths, Tobacco Moths, Rice Weevils. (See back panel for additional insects)

Do not apply directly to food. Do not apply while food processing is underway. Foods should be removed or covered during treatment. All food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse. In the home, all food processing surfaces, dishes and utensils

11 7 15

should be covered during treatment, or thoroughly washed before use.

Indoor Use

As a space spray to kill accessible stages of insects* infesting dried fruit products in storage or being processed. Close room or warehouse and shut off all ventilating systems. Use a spraying device such as the Whitmire Micro-Gen ULV equipment to dispense this product as a fine mist in the air above trays and shelves. Do not apply to fruit directly. Use a dosage not to exceed 1/2 gallon of this spray per 50,000 cubic feet of room space. Do not remain in treated areas after application, and leave room closed for at least one hour. Ventilate thoroughly before occupants are allowed to re-enter. Repeat application at this dosage in any given month.

*Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-Toothed Grain Beetle and Roaches.

As a Space Spray - to kill the adult and accessible forms of insect pests* of stored food (stored in multiwall paper bags or in cloth bags) in warehouse, storage rooms and similar locations. Close room or warehouse and shut off all ventilating systems. Use a spray device such as the Whitmire Micro-Gen ULV E-1 & E-2 to dispense this product. Use a dosage of one fluid ounce of this spray per 1,000 cubic feet of room space. Do not remain in treated areas after application and leave room closed for at least one hour. Ventilate thoroughly before occupant are allowed to re-enter. Repeat applications as necessary for insect control.

*Among these are the Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.

Space Spray - Use full strength and apply through equipment specific to this cartridge type. Apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where insects harbor. Contact as many insects as possible with the spray. Do not allow spray to contact stored food. Apply this product at a dosage rate of approximately one-half fluid ounce per 1,000 cubic feet of room space. Do not remain in treated areas after application and leave the area closed for one hour. Ventilate the area thoroughly before occupants are allowed to re-enter. Repeat dosage as necessary for control.

For control of flying and crawling insects in establishments operating under the federal meat, poultry, shell egg grading and egg products inspection programs. Do not apply while food processing is underway. Cover or remove any exposed food. Food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse. Close doors and windows and shut off all ventilating equipment prior to application. Using Whitmire Micro-Gen ULD E-1 or E-2 equipment that deliver aerosol droplets (30 microns or less), apply one ounce per 1,000 cubic feet of space. Leave room closed for one hour after application and

12 9 15

ventilate thoroughly before occupants are allowed to re-enter. Repeat application as necessary for control.

Linear application along baseboards, trim, molding, etc.: Move applicator tip along the crevice to be treated applying a constant burst of insecticide. Move the tip at a steady rate of approximately one (1) foot per second. Avoid applying to the point of runoff or drip. Repeat application as necessary to flush insects from the void. Ventilate thoroughly before occupants are allowed to re-enter.

Outdoor Ground Fogging Application - Use diluted to kill flies, mosquitos and gnats. Dilute concentrate with petroleum distillate at the rate of one part concentrate to two parts oil and mix well. Use at a time when the temperature is cool (75°F or less) and the wind velocity is approximately five MPH.

Handheld equipment - When using ULD equipment such as Whitmire Micro-Gen E-1 or E-2, apply at the rate of 4.0 oz. per acre. Figure application travel path for a coverage of a fifty (50) foot swath. Allow spray drift to penetrate dense foliage. Repeat application as required for control.

ULD is a trademark of Whitmire Micro-Gen Research Laboratories, Inc.

Statement of Practical Treatment

If swallowed - Contains petroleum distillate. Call a physician or poison control center immediately. Do not induce vomiting - vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air. If not breathing give artificial respiration, preferably by mouth-to-mouth. Get medical attention.

If on skin - Remove contaminated clothing and wash promptly with soap and water. Get medical attention if irritation persists.

If in eyes - Flush eyes with plenty of water. Call a physician if irritation persists.

Precautionary Statements

Hazards to Humans and Domestic Animals

Caution: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling. Remove pets, birds, and cover fish aquariums and turn off air pump motor before spraying. In health care facilities, remove patients prior to treatment. Thoroughly ventilate treated area for two hours before returning patients.

Environmental Hazards: This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

Physical and Chemical Hazards: Do not use or store near heat or open flame. Note:

13 7 15

Some furniture finishes and particularly plastics can be damaged by petroleum based insecticides. To avoid damage, cover those items and do not spray directly. If in doubt, test by applying this material to an inconspicuous area before spraying.

Storage and Disposal

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse empty container. Wrap and put in trash.

In addition to sites listed on front panel ULD BP-300 Insecticide is acceptable for use in the following sites:

INDOOR:

Animal areas & quarters
 Auditoriums
 Bakeries
 Beverage plants
 Boats
 Bottling Plants
 Brandy Storage Warehouses
 Buildings
 Buses
 Cabins
 Canneries
 Cattle Barns
 Churches
 Closets
 Condominiums
 Communication Centers
 Correctional Facilities
 Dairy & Livestock Barns
 Dried fruit Processing Plants
 Drains & Sewers
 Dried Fruit Warehouses
 Drugstores
 Dumpsters
 Dwellings
 Egg Processing Plants
 Factories
 Flour Mills
 Food Handling Establishments

Mushroom Processing Plants
 Nursing Homes
 Offices
 Passenger Rail Cars
 Peanut Processing Plants
 Peanut Storage Warehouses
 Poultry Houses
 Poultry Processing Plants
 Prisons
 Public Buildings
 Rabbit Processing Plants
 Rabbit Houses
 Railroad Cars
 Recreational Vehicles
 Research Animal Areas
 Restaurants
 Restrooms
 Rice Mills
 Shade Houses
 Ships
 Shipholds
 Stables
 Stable Bins
 Stored Food in Multi-walled Paper or Cloth Bags
 Stored Seed Warehouses
 Stores
 Supermarkets

Food Processing Plants
 Freight Containers
 Fruit Packing Shed
 Garbage Cans
 Garbage Compactors
 Goat Houses
 Grain Elevators
 Grain Mills
 Grain Handling Equipment
 Granaries
 Homes
 Horse Stables/Barns
 Hospices
 Industrial Installations
 Institutions
 Jails
 Laboratories
 Libraries
 Livestock Barns
 Loafing Sheds
 Locker Rooms
 Mills
 Mausoleums
 Meat Packing Plant
 Milk Rooms
 Missions
 Mobile Homes
 Museums

Swine Houses
 Textile Mills & Warehouses
 Theaters
 Tobacco Plants
 Tobacco Warehouses
 Townhouses
 Trains
 Transportation Equipment
 Trucks
 Truck Trailers
 Utilities
 Utility Rooms
 Voids (Attics, Walls, Ceilings)
 Warehouses
 Wineries
 Wine Storage Warehouses
 Zoo

OUTDOOR:

Campgrounds
 Corrals
 Drive-In Restaurants
 Drive-In Theaters
 Dumpsters
 Feedlots
 Garbage Dumps
 Golf Courses
 Junkyards
 Kennels

Landscapes
 Lath Houses
 Manure Piles
 Parks
 Plantscapes
 Playgrounds
 Recreational Areas
 Sewers
 Swineyards
 Zoos

ULD BP-300 Insecticide is also effective against the following insects when used according to label directions:

Flying Insects:
 Flies
 Horse Fly
 House Fly
 Barn Fly
 Stable Fly
 Face Fly
 Skipper Fly
 Deer Fly
 Black Fly
 Horn Fly
 Mushroom Fly
 Fungus Gnats
 Hornets
 Bees
 Vinegar Fly
 Yellow Jacket
 Blow Fly
 Bottle Fly
 Cheese Skippers
 Aphids
 White Flies
 Thrips
 Grain Borers:
 Lesser Grain Borer
 Larger Grain Borer

Crawling Insects:
 Book Lice
 Scorpions
 Centipede
 Sowbugs
 Millipedes
 Pill Bugs
 Firebrats
 Bed Bugs
 Palmetto Bugs
 Chiggers
 Fire Ants
 Grasshoppers
 Cabbage Loopers

Crawling Insects, Cont...:
 Cabbage Worms
 Chrysanthemum Leaf Miners
 Mealy Bugs
 Vegetable Leaf Miners

Fleas and Ticks:
 Brown Dog Tick
 Sheep Tick
 Spinos Ear Tick
 Fleas
 Ticks

Spiders & Mites:
 Paper Mite
 Clover Mite
 Cheese Mite
 Grain Mite
 Red Spider Mite
 Spider Mite

Lice:
 Moulting Stages of Yellow
 Lice & Sucking Blue
 Lice

Worms:
 Dark Mealworm
 Yellow Mealworm
 Lesser Mealworm

Beetles:
 Black Fungus Beetle
 Drugstore Beetle
 Red Flour Beetle
 Spider beetle
 Carpet Beetle
 Ground beetle
 Darkling Beetle
 Flat Grain Beetle
 Dried Fruit Beetle
 Dermestid Beetle

Cereal Beetle
 Hide Beetle
 Depressed Flour Beetle
 Two Banded Beetle
 Fungus Beetle
 Hairy Fungus Beetle
 Corn Sap Beetle
 Brown Spider Beetle
 White Marked Spider Beetle
 Hairy Spider Beetle
 Trogoderma Beetle
 Red Horned Grain Beetle
 Khapra beetle
 Merchants Grain Beetle
 Rusty Grain Beetle
 Black Carpet Beetle
 Squarenecked Grain Beetle
 Foreign Grain Beetle
 Mexican Grain Beetle
 American Black Flour Beetle
 Longheaded Flour Beetle
 Slenderhorned Flour Beetle
 Smalleyed Flour Beetle
 Broadhorned Flour Beetle
 Large Black Flour Beetle
 Catorama Beetle
 Murmidius Beetle

Weevils:
 Bean Weevil
 Maize Weevil
 Coffee Bean Weevil
 Broadnosed Grain Weevil

Moths:
 Clothes Moth
 Almond Moth
 Cocoa Bean Moth
 Chocolate Moth
 Rice Moth
 European Grain Moth
 Pink Scavenger Caterpillar