

[Front Panel]

ULD BP-100

Insecticide

For indoor or outdoor application as a space, area or contact spray. Dependent upon insects to be controlled and the area to be treated, this product may be applied through mechanical aerosol or Ultra Low Volume (ULV) generators such as Whitmire Micro-Gen equipment, as well as thermal and conventional fogging or spraying equipment.

ACTIVE INGREDIENTS:

Pyrethrins	1.00%
Piperonyl butoxide, technical*	2.00%
N-octyl bicycloheptene dicarboximide	2.94%

OTHER INGREDIENTS: 94.06%

Contains Petroleum Distillate

* Consists of 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds.

EPA Reg. No. 499-452 EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements.

ULTRA LOW DOSAGE THROUGH MICRON GENERATION

NET CONTENTS:

BP-100 Front Panel v6.0 8/99 Amd



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
800-777-8570

ACCEPTED

JUL 17 2000

Under the Federal Insecticide, Fungicide, and Herbicide Act, as amended, for use pesticide registered under EPA Reg. No. 499-452

the copy

[Back Panel]

Note: 24 oz. & 34 oz. sizes do not have back panels.



ULD® BP-100 Insecticide

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

See supplemental label for complete directions for use.

INDOOR SPACE APPLICATION - Flying Insects: Use to kill flies, mosquitoes, gnats and small flying moths. Use full strength or dilute product as desired according to dilution table listed below. Close doors, windows and shut off all ventilating equipment. Then with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30 microns) apply undiluted product at a dosage rate of approximately one (1) fluid ounce per 1,000 cubic feet of room space or, when applying diluted product, apply at the rate of 1-2 fluid ounces per 1,000 cubic feet of room space. Direct spray toward upper areas of room. Do not remain in treated areas after application, and leave room closed for at least one (1) hour. Ventilate thoroughly before occupants are allowed to re-enter. Repeat application as necessary for control.

DILUTION: Use a white mineral oil conforming to regulation 21 CFR 178.3620(b), or an odorless light petroleum hydrocarbon conforming to 21 CFR 172.882 or 40 CFR 180.1001(c) & (e). Combine oil and BP-100 as directed below and mix well just prior to application.

Active % Desired	Mixture Rate	Application Rate Per 1,000 Cu. Ft.
0.50%	1 Part Conc. to 1 Part Oil	1 oz.
0.30%	1 Part Conc. to 2 1/3 Parts Oil	1-2 oz.
0.15%	1 Part Conc. to 5 2/3 Parts Oil	1-2 oz.

A Prescription Treatment® brand insecticide from:
Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wrmrg.com

© 1999 Whitmire Micro-Gen Research Laboratories, Inc.

PRECAUTIONARY STATEMENTS

FIRST AID

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

NOTE TO PHYSICIAN: May pose an aspiration pneumonia hazard.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling. Remove pets, birds, and cover fish aquariums and turn off air pump motor before spraying. In health care facilities, remove patients prior to treatment. Thoroughly ventilate treated area for two hours before returning patients.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Note: Some furniture finishes and particularly plastics can be damaged by petroleum based insecticides. To avoid damage, cover those items and do not spray directly. If in doubt, test by applying this material to an inconspicuous area before spraying.

ULD BP-100 Back Panel v6.0 8/99 Amd

In addition to sites listed on other panel ULD® BP-100 Contact Insecticide is acceptable for use on the following sites:

- | | | | |
|-------------------------------|----------------------------|----------------------------|---------------------------------|
| INDOOR: | Fruit Packing Sheds | Peanut Processing Plant | Transportation Equipment |
| Animal areas & quarters | Garbage Cans | Peanut Storage Warehouses | Trucks |
| Auditoriums | Garbage Compactors | Poultry Houses | Truck Trailers |
| Bakeries | Goal Houses | Poultry Processing Plants | Utilities |
| Beverage Plants | Grain Elevators | Prisons | Utility Rooms |
| Boats | Grain Mills | Public Buildings | Voids (Attics, Walls, Ceilings) |
| Boiling Plants | Grain Handling Equipment | Rabbit Processing Plants | Warehouses |
| Handy Storage Warehouses | Granaries | Rabbit Houses | Wineries |
| Buildings | Homes | Railroad Cars | Wine Storage Warehouses |
| Buses | Horse Stables/Barns | Recreational Vehicles | Zoos |
| Cabins | Hospices | Research Animal Areas | |
| Canneries | Industrial Installations | Restaurants | OUTDOOR: |
| Cattle Barns | Institutions | Restrooms | Campgrounds |
| Churches | Jails | Rice Mills | Corrals |
| Closets | Laboratories | Shade Houses | Drive-in Restaurants |
| Condominiums | Libraries | Ships | Drive-in Theaters |
| Communication Centers | Livestock Barns | Shipholds | Dumpsters |
| Correctional Facilities | Loading Sheds | Stables | Feedlots |
| Dairy & Livestock Barns | Locker Rooms | Stable Bins | Garbage Dumps |
| Dried Fruit Processing Plants | Mills | Stored Food in Multi-wall | Golf Courses |
| Drains & Sewers | Mausoleums | Paper or Cloth Bags | Junkyards |
| Dried Fruit Warehouses | Meat Packing Plants | Stored Seed Warehouses | Kennels |
| Drugstores | Milk Rooms | Stores | Landscapes |
| Dumpsters | Missions | Supermarkets | Lath Houses |
| Dwellings | Mobile Homes | Swine Houses | Manure Piles |
| Egg Processing Plants | Museums | Textile Mills & Warehouses | Parks |
| Factories | Mustroom Processing Plants | Theaters | Playgrounds |
| Flour Mills | Nursing Homes | Tobacco Plants | Recreational Areas |
| Food Handling Establishments | Offices | Tobacco Warehouses | Sewers |
| Food Processing Plants | Office Buildings | Townhouses | Swineyards |
| Freight Containers | Passenger Rail Cars | Trains | Zoos |

ULD® BP-100 Contact Insecticide is also effective against the following insects when used according to label directions:

- | | | | |
|--------------------------|-----------------------------|--|------------------------------|
| FLYING INSECTS: | Centipedes | LICE: | Red Horned Grain Beetles |
| Flies | Sowbugs | Moulting Stages of Yellow Lice & Sucking Blue Lice | Khapra Beetles |
| Horse Flies | Millipedes | | Merchant Grain Beetles |
| House Flies | Pillbugs | WORMS: | Rusty Grain Beetles |
| Ram Flies | Firebrats | Dark Mealworms | Black Carpet Beetles |
| Stable Flies | Bed Bugs | Yellow Mealworms | Square-necked Grain Beetles |
| Face Flies | Palmetto Bugs | Lesser Mealworms | Foreign Grain Beetles |
| Skipper Flies | Book Lice | | Mexican Grain Beetles |
| Deer Flies | Fire Ants | BETTERLES: | American Black Flour Beetles |
| Black Flies | Grasshoppers | Black Fungus Beetles | Longheaded Flour Beetles |
| Horn Flies | Cabbage Loopers | Drugstore Beetles | Slenderhorned Flour Beetles |
| Mushroom Flies | Cabbage Worms | Red Flour Beetles | Small-eyed Flour Beetles |
| Fungus Gnats | Chrysanthemum Leaf Miners | Saw-Tooth Grain Beetles | Broadhorned Flour Beetles |
| Hornets | Mealy Bugs | Spider Beetles | Large Black Flour Beetles |
| Bees | Vegetable Leaf Miners | Carpet Beetles | Calorana Beetles |
| Vinegar Flies | | Ground Beetles | Mummidius Beetles |
| Yellowjackets | FLEAS & TICKS: | Darkling Beetles | |
| Blow Flies | Brown Dog Ticks | Flat Grain Beetles | WEEVILS: |
| Bottle Flies | Sheep Ticks | Dried Fruit Beetles | Bean Weevils |
| Cheese Skippers | Spinosa Ear Ticks | Dermestid Beetles | Matze Weevils |
| Aphids | Fleas | Cereal Beetles | Coffee Bean Weevils |
| Thrips | Ticks | Hide Beetles | Broad-nosed Grain Weevils |
| Whiteflies | | Depressed Flour Beetles | |
| GRAIN BORERS: | SPIDERS & MITES: | Two Banded Beetles | MOTHS: |
| Lesser Grain Borers | Spiders | Fungus Beetles | Mediterranean Moths |
| Larger Grain Borers | Mites | Hairy Fungus Beetles | Clothes Moths |
| | Clover Mites | Corn Sap Beetles | Almond Moths |
| CRAWLING INSECTS: | Cheese Mites | Brown Spider Beetles | Cocoa Bean Moths |
| Chiggers | Grain Mites | White Marked Spider Beetles | Chocolate Moths |
| Crickets | Red Spider Mites | Hairy Spider Beetles | Rice Moths |
| Scorpions | Spider Mites | Trogoderma Beetles | European Grain Moths |
| | | | Pink Scavenger Caterpillars |

A Prescription Treatment® brand insecticide from:
 Whitmire Micro-Gen Research Laboratories, Inc.
 3568 Tree Court Industrial Blvd.
 St. Louis MO 63122-6682
 www.wmrg.com
 © 1999 Whitmire Micro-Gen Research Laboratories, Inc.

ULD® BP-100

Insecticide

For Indoor or Outdoor application as a space, area or contact spray. Dependent upon insects to be controlled and the area to be treated, this product may be applied through mechanical aerosol or Ultra Low Volume (ULV) generators such as Whitmire Micro-Gen equipment, as well as thermal and conventional fogging or spraying equipment.

CONTROLS: Roaches, Ants, Waterbugs, Spiders, Earwigs, Boxelder Bugs, House Flies, Crickets, Fruit Flies, Gnats, Wasps, Mosquitoes, Cadelles, Confused Flour Beetles, Cheese Mites, Cigarette Beetles, Granary Weevils, Indian Meal Moths, Angoumois Grain Moths, Tobacco Moths, Rice Weevils.

FOR USE IN: Restaurants, Cafeterias, Food service storage and preparation areas, Grocery and convenience stores, Motels, Hotels, Health care facilities, Schools, Universities, Apartments, Dormitories and Office Buildings.

See page 4 for additional insects and use sites.

Authorized by USDA for use in Federally inspected meat and poultry plants.

ACTIVE INGREDIENTS:

Pyrethrins	1.00%
Piperonyl butoxide, technical*	2.00%
N-octyl bicycloheptene dicarboximide	2.94%
OTHER INGREDIENTS	94.06%

* Contains Petroleum Distillate
 * Consists of 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds.

EPA Reg. No. 499-452 EPA Est. No. 499-MO-1
KEEP OUT OF REACH OF CHILDREN
CAUTION

See page 3 for additional Precautionary Statements.

ULTRA LOW DOSAGE THROUGH MICRON GENERATION



WHITMIRE MICRO-GEN
 RESEARCH LABORATORIES INC.
 800-777-8570

[Supplemental Label]

3/7



ULD® BP-100 Insecticide

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not apply directly to food. Do not apply while food processing is underway. Foods should be removed or covered during treatment. All food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse. In the home, all food processing surfaces, dishes and utensils should be covered during treatment, or thoroughly washed before use.

INDOOR USE

SPACE APPLICATION - Flying Insects: Use to kill flies, mosquitoes, gnats and small flying moths. Use full strength or dilute product as desired according to dilution table listed below. Close doors, windows and shut off all ventilating equipment. Then with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30 microns) apply undiluted product at a dosage rate of approximately one (1) fluid ounce per 1,000 cubic feet of room space or, when applying diluted product, apply at the rate of 1-2 fluid ounces per 1,000 cubic feet of room space. Direct spray toward upper areas of room. Do not remain in treated areas after application, and leave room closed for at least one (1) hour. Ventilate thoroughly before occupants are allowed to re-enter. Repeat application as necessary for control.

DILUTION: Use a white mineral oil conforming to regulation 21 CFR 178.3620(b), or an odorless light petroleum hydrocarbon conforming to 21 CFR 172.882 or 40 CFR 180.1001(c) & (e). Combine oil and BP-100 as directed below and mix well just prior to application.

Active % Desired	Mixture Rate	Application Rate Per 1,000 Cu. Ft.
0.50%	1 Part Conc. to 1 Part Oil	1 oz.
0.30%	1 Part Conc. to 2 1/3 Parts Oil	1-2 oz.
0.15%	1 Part Conc. to 5 2/3 Parts Oil	1-2 oz.

SPACE SPRAY & DIRECTED SPRAY APPLICATION - Crawling Insects: Use to kill roaches, silverfish, waterbugs, earwigs, ants, spiders and beetles in their harborage situations. Use product full strength or diluted as desired and apply through equipment which can deliver a pin stream spray. Direct a pin stream spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects harbor. Contact as many

insects as possible with the spray. Do not allow spray to contact stored food. Then, with a mechanical aerosol generator (no droplets over 50 microns in diameter and 80% less than 30 microns) apply undiluted product at the rate of one (1) oz. per 1,000 cu. ft. of space. Close doors, windows and shut off all ventilating equipment before application. Leave room closed for at least one (1) hour after application. Do not remain in treated areas and ventilate thoroughly before occupants are allowed to re-enter. Repeat application as required.

FEDERALLY INSPECTED MEAT & POULTRY ESTABLISHMENTS: Apply as a space or directed contact spray for control of flies, mosquitoes, gnats, small flying moths, roaches, silverfish, waterbugs, earwigs, ants, and spiders in establishments operating under the Federal meat, poultry, shell egg grading and egg products inspection program. Do not apply while food processing is underway. All food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse after application and before processing resumes. Close doors, windows and shut off all ventilating equipment prior to application. When using ULV (Ultra Low Volume) equipment such as a Whitmire Micro-Gen ULV Spray, adjusted to deliver aerosol droplets (30 microns or less), apply one (1) ounce per 1,000 cu. ft. of space. Leave room closed for at least one hour after application and ventilate before occupants are allowed to re-enter.

DEEP VOID CRACK & CREVICE* APPLICATION

To flush and kill insects harbored in deep voids and behind cracks and crevices.

Spot Application: With equipment designed for deep void Ultra low volume (ULV) applications follow the manufacturer's recommendations for proper equipment set up and operating pressures. Place the tip of the applicator at or into the crack and crevice to be treated. Apply product in short bursts while keeping tip in position. Allow the air stream to push insecticide deep into voids. Repeat application as necessary to flush insects from voids. Avoid applying to the point of runoff or drip. Ventilate thoroughly before occupants are allowed to re-enter.

Linear application along baseboards, trim molding, etc.: With equipment designed for deep void ULV application, move applicator tip along the crevice to be treated applying a constant burst of insecticide. Move the tip at a steady rate of approximately one (1) foot per second. Avoid applying to the point of runoff or drip. Repeat application as necessary to flush insects from the void. Ventilate thoroughly before occupants are allowed to re-enter.

OUTDOOR USE

OUTDOOR GROUND FOGGING APPLICATION: Use to kill flies, mosquitoes and gnats in open areas near buildings and in campgrounds. Use preferably at a time when temperature is cool (75°F or less) and the wind velocity is approximately five (5) MPH or less.

HANDHELD EQUIPMENT: when using equipment such as Whitmire Micro-Gen ULV equipment, apply at the rate of 4.0 oz. per acre. Figure application travel path for a coverage of a fifty (50) foot swath. Allow spray drift to penetrate dense foliage. Repeat application as required for control.

TRUCK MOUNTED EQUIPMENT: when using Whitmire Micro-Gen or similar truck mounted ULD® equipment, spray at a dosage rate of fifteen (15) oz. per minute from a location up-wind of the areas where insects are to be controlled. Keep speed of vehicle to approximately five (5) MPH. Figure application travel path for a coverage of a three hundred (300) foot swath. Repeat application as required for control.

FOR USE ON ANIMALS

Dilute one (1) part concentrate to 1 part oil and mix well. To control horn flies, house flies, mosquitoes and gnats around beef and dairy cattle and horses, apply a light mist sufficient to wet the tips of the hair. To control stable flies, horse flies and deer flies on beef and dairy cattle and horses, apply 2 ounces per adult animal, sufficient to wet the hair but not to soak the hide. Repeat treatment once or twice daily or at sufficient intervals to give continued protection. To control the motile stages of blood sucking lice on beef and dairy cattle, apply the spray to thoroughly wet the hair. Use 2 ounces or less per animal and repeat every 2 to 3 weeks as required.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL (ONE GALLON AND UNDER): Do not reuse empty container. Wrap and put in trash.

CONTAINER DISPOSAL (OVER ONE GALLON): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PRECAUTIONARY STATEMENTS

FIRST AID

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably by mouth-to-mouth. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

NOTE TO PHYSICIAN: May pose an aspiration pneumonia hazard.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling. Remove pets, birds, and cover fish aquariums and turn off air pump motor before spraying. In health care facilities, remove patients prior to treatment. Thoroughly ventilate treated area for two hours before returning patients.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Note: Some furniture finishes and particularly plastics can be damaged by petroleum based insecticides. To avoid damage, cover those items and do not spray directly. If in doubt, test by applying this material to an inconspicuous area before spraying.

[ALTERNATE LABEL - Front Panel]

ULD BP-100

Insecticide

For indoor or outdoor application as a space, area or contact spray. Dependent upon insects to be controlled and the area to be treated, this product may be applied through mechanical aerosol or Ultra Low Volume (ULV) cold aerosol generators such as Whitmire Micro-Gen equipment E-1 or E-2.

ACTIVE INGREDIENTS:

Pyrethrins	1.00%
Piperonyl butoxide, technical*	2.00%
N-octyl bicycloheptane dicarboximide	2.00%

OTHER INGREDIENTS: 81.00%

Contains Petroleum Distillate

* Consists of 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds

EPA Reg. No. 499-452 EPA Est. No. 499-MO-1
KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements.

ULTRA LOW DOSAGE THROUGH MICRON GENERATION

NET CONTENTS:



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6662

BP-100 (Alternate Label) Front Panel v6.0 8/99 Amc



ULD® BP-100 Insecticide

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protection until thoroughly ventilated or sprays have dried. Use a respiratory device as recommended by NIOSH/MSHA for protection against organic vapors and pesticides.

Do not apply directly to food. Do not apply while food processing is underway. Foods should be removed or covered during treatment. All food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse. In the home, all food processing surfaces, dishes and utensils should be covered during treatment, or thoroughly washed before use.

INDOOR USE

AS A SPACE SPRAY - To kill accessible stages of insects* infesting dried fruit products in storage or being processed: Close room or warehouse and shut off all ventilating systems. Use a spraying device such as Whitmire Micro-Gen ULV equipment to dispense this product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use a dosage not to exceed 1/2 gallon of this spray per 50,000 cubic feet of room space. Do not remain in treated areas after application, and leave room closed for at least one hour. Ventilate thoroughly before occupants are allowed to re-enter. Repeat application at this dosage in any given month.

*Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-Toothed Grain Beetle and Roaches.

AS A SPACE SPRAY - To kill the adult and accessible forms of insect pests* of stored food (stored in multiwall paper bags or in cloth bags) in warehouse, storage rooms and similar locations: Close room or warehouse and shut off all ventilating systems. Use a spray device such as the Whitmire Micro-Gen ULV

E-1 & E2 to dispense this product. Use a dosage of one fluid ounce of this spray per 1,000 cubic feet of room space. Do not remain in treated areas after application and leave room closed for at least one hour. Ventilate thoroughly before occupants are allowed to re-enter. Repeat applications as necessary for insect control.

*Among these are the Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.

SPACE SPRAY: Use full strength and apply through equipment specific to this cartridge type. Apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects harbor. Contact as many insects as possible with the spray. Do not allow spray to contact stored food. Apply this product at a dosage rate of approximately one-half fluid ounce per 1,000 cubic feet of room space. Do not remain in treated areas after application and leave the area closed for one hour. Ventilate the area thoroughly before occupants are allowed to re-enter. Repeat dosage as necessary for control.

FOR CONTROL OF FLYING AND CRAWLING INSECTS IN ESTABLISHMENTS OPERATING UNDER THE FEDERAL MEAT, POULTRY, SHELL EGG GRADING AND EGG PRODUCTS INSPECTION PROGRAMS: Do not apply while food processing is underway. Cover or remove any exposed food. Food processing surfaces and equipment should be covered or washed with an effective cleaning compound followed by a potable water rinse. Close doors and windows and shut off all ventilating equipment prior to application. Using Whitmire Micro-Gen ULD® equipment adjusted to deliver aerosol droplets (30 microns or less), apply one ounce per 1,000 cubic feet of space. Leave room closed for one hour after application and ventilate thoroughly before occupants are allowed to re-enter. Repeat application as necessary for control.

LINEAR APPLICATION ALONG BASEBOARDS, TRIM, MOLDING, ETC.: Move applicator tip along the crevice to be treated applying a constant burst of insecticide. Move the tip at a steady rate of approximately one (1) foot per second. Avoid applying to the point of runoff or drip. Repeat application as necessary to flush insects from the void. Ventilate thoroughly before occupants are allowed to re-enter.

OUTDOOR USE

OUTDOOR GROUND FOGGING APPLICATION: Use diluted to kill flies, mosquitoes and gnats. Dilute concentrate with petroleum distillate at the rate of one part concentrate to two parts oil and mix well. Use at a time when the temperature is cool (75° F or less) and the wind velocity is approximately five MPH.

HANDHELD EQUIPMENT: When using ULD® equipment such as Whitmire Micro-Gen equipment, apply at the rate of 4.0 oz. per acre. Figure application travel path for a coverage of a fifty (50) foot swath. Allow spray drift to penetrate dense foliage. Repeat application as required for control.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL (ONE GALLON AND UNDER): Do not reuse empty container. Wrap and put in trash.

CONTAINER DISPOSAL (OVER ONE GALLON): Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PRECAUTIONARY STATEMENTS

FIRST AID

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably by mouth-to-mouth. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush with plenty of water. Call a physician if irritation persists.

NOTE TO PHYSICIAN: May pose an aspiration pneumonia hazard.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling. Remove pets, birds, and cover fish aquariums and turn off air pump motor before spraying. In health care facilities, remove patients prior to treatment. Thoroughly ventilate treated area for two hours before returning patients.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Note: Some furniture finishes and particularly plastics can be damaged by petroleum based insecticides. To avoid damage, cover those items and do not spray directly. If in doubt, test by applying this material to an inconspicuous area before spraying.

Justification for removing first paragraph of BP Products' Directions for Use:

Do not apply this product in such a manner as to directly or through drift expose workers or other persons.

This statement is not required by any regulations. This is likely a relic from when this product had agricultural directions on it. Agricultural uses were dropped from the label in order to remove this product from the scope of WPS.

The area being treated must be vacated by unprotected persons.

This statement is not required because the only "protection" listed on the label is a respirator and respirators are not needed (see sentence #4).

Do not enter treated areas without protection until thoroughly ventilated or sprays have dried.

This a redundant statement because there are similar statements at the end of each specific use section.

Use a respiratory device as recommended by NIOSH/MSHA for protections against organic vapors and pesticides.

This statement is not required because a respirator is not required for any of the BP Products. All are tox category III or lower for acute inhalation.