



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

March 12, 2018

Jennifer Herzog
BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709

Subject: Amended Reregistration Label
Product Name: ULD BP-50 INSECTICIDE
EPA Registration Number: 499-453
Decision Number: 411349; 411629

Dear Ms. Herzog:

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the above referenced product in connection with the Pyrethrins and Piperonyl Butoxide RED, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

NOTE: This product is **not** yet being reregistered under section 4(g) of FIFRA.

Please note that the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSFs are superseded.

- Basic CSF, dated 09/28/2011
- Alternate CSF 1, dated 10/01/2013
- Alternate CSF 2, dated 10/01/2013

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

A copy of your label stamped "Accepted" is enclosed. Products shipped after 12 months from the date of this amendment or the next printing of the label, whichever occurs first, must bear the

Page 2 of 2
EPA Reg. No. 499-453
Decision No. 411349; 411629

new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions about this letter, please contact Maggie Rudick by phone at 703-347-0257, or via email at rudick.maggie@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read 'EF' followed by a flourish, and the word 'for' written to the right.

Elizabeth Fertich, Product Manager 4
Invertebrate and Vertebrate Branch 1
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

ULD® BP-50 Insecticide

[ALTERNATE BRAND NAME: Prescription Treatment® brand ULD®BP-50 Contact Insecticide Formula 1] {added via Notification 1/28/97}
For indoor or outdoor application as a direct, space, area or contact spray. Dependent upon the insects and areas to be treated, this product may be applied through mechanical aerosol or Ultra Low Volume (ULV) generators, as well as thermal and conventional fogging or spraying equipment.
KILLS: Ants, Bed Bugs, Cockroaches, Fleas, Flies, Scorpions, Spiders, Stored Product Pests (Beetles, Mites, Moths) and Ticks
FOR USE IN: Commercial (including Food Handling Establishments, Food Service, Storage, Preparation and Processing Areas and USDA Inspected Facilities), Institutional and Residential Areas

[See inside booklet for additional insects and use sites.]

ACTIVE INGREDIENTS:

Pyrethrins* 0.5%


Piperonyl butoxide ** 5.0%

OTHER INGREDIENTS: 94.5%

Contains petroleum distillates TOTAL: 100.0%

* 1 gallon contains 0.033 lb of pyrethrins and 0.33 lb piperonyl butoxide

** (butylcarbityl)(6-propylpiperonyl) ether and related compounds



KEEP OUT OF REACH OF CHILDREN CAUTION

[See inside booklet for insects and use site, First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.]

EPA Reg. No. 499-453 • EPA Est. No. 7969-MO-1

ULTRA LOW DOSAGE THROUGH MICRON GENERATION

NET CONTENTS: _____

FIRST AID

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 min. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 min. Remove contact lenses, if present after the first 5 min, then continue rinsing. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-800-832-HELP for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear protective eyewear (goggles, face shield and/or safety glasses). Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE): Mixers, loaders, applicators and handlers must wear the following: Long-sleeve shirt, long pants and socks, shoes, and chemical resistant gloves.

- In addition to the above PPE, applicators using a high pressure handwand in an enclosed area must wear at least a NIOSH-approved respirator with: A filtering respirator NIOSH approval number prefix TC-21C, or a NIOSH approved Particulate TC-84A respirator with any N, R, P, or HE filter.
- In addition to the above PPE (applying as a space spray), applicators using hand held foggers in an enclosed area must wear a half-face, full-face, or hood-style NIOSH-approved respirator with: A particulate respirator with any N, R, or P filter with NIOSH approval

prefix TC-84A, or a NIOSH-approved gas mask with a canister filter with NIOSH approval prefix TC-14G, or a NIOSH approved power air purifying respirator with HE filter with NIOSH approval number prefix TC-21C.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.
Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating drinking, chewing gum, using tobacco, or using the toilet.
Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

TERRESTRIAL APPLICATIONS : This pesticide is toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or runoff into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.
Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.
Except as specified in the directions for use, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.
This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the treatment area.
Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of the National Pollutant Discharge Elimination System (NPDES) permit and permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your state water board or regional office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not apply this product around electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

USE RESTRICTIONS

- Do not enter or allow others to enter until vapors, mists, and aerosols have been dispersed.
- Apply this product only as specified on this label.
- Do not use in nurseries or rooms where infants, ill, or aged persons are confined.
- Do not apply when food, feed, and/or water is present.
- Do not use more than 1 time/day.
- For space sprays:
 - Do not allow adults, children or pets to enter the treated area for at least 15 min, until vapors, mists and aerosols have dispersed and the treated area has been thoroughly ventilated.
 - Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosol, vapors and/or mists, and aerosols have dispersed and the treated area has been thoroughly ventilated.
- For surface sprays:
 - Do not allow adults, children, or pets to enter until sprays have dried. Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before use.
- Only protected applicators may be in treatment area during application.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- When used as a direct or space spray, do not enter or allow others to enter until sprays have dried.
- When using this product, installers and service technicians must comply with the license, certification, or registration requirements of the state(s), tribe(s), or local authority(ies) where they are installed.

- For indoor uses:
 - Remove or cover all exposed food and drinking water before application.
 - Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, in the treatment area, before application, or wash them before use.
 - Do not use in aircraft cabins.
 - Do not exceed tolerance levels for particular grain with repeated applications.
 - Do not apply this product in hospital rooms while occupied or in any rooms occupied by the elderly or infirm. Remove patients from room prior to treatment and thoroughly ventilate (2 hr) after application. Do not return patients to room until after ventilation.
 - Do not use in patient rooms in hospitals and nursing homes for treatment of bed bugs.
 - Do not use in nurseries or rooms where infants, ill, or aged persons are confined.
 - Do not apply to classrooms when in use.
 - For residential uses: Do not apply this product that will contact adults, children, or pets either directly or through drift. Remove pets, birds, and cover fish aquariums before use.
 - When used in dairy barns or facilities: Close milk bulk lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- For Livestock Areas and Misting Systems:
 - Do not apply this product in barns or stables where animals intended for slaughter or human consumption will be maintained.
 - Commercial misting systems are only allowed to be used in livestock areas.
 - Do not apply when food, feed, and/or water is present.
 - When using this product, installers and service technicians must comply with the license, certification, or registration requirements of the state(s), tribe(s), or local authority(ies) where they are installed.
 - When applying via a remote activation device, do not apply when people and pets are present. If possible, when applying via automatic timer, set the timing for application when people and pets are unlikely to be present.
 - Direct nozzles to spray towards the target area and away from areas where people are typically present.
 - Do not use in an evaporative cooling system.
 - Do not use in misters located within 3 ft of air vents, air conditioner units or windows.
 - If used in a system with a reservoir tank for the end use dilution, the system reservoir tank must be locked. Securely attach the end use pesticide label and a dilution statement to the system reservoir tank in a weather protected area or plastic sleeve. The dilution statement must be phrased as follows: This container holds ___ parts [*product name*] to ___ parts oil.
 - If used in a direct injection system the pesticide container must be locked. Securely attach the end use label to the pesticide container in a weather protected area or plastic sleeve.
 - This product must only be used in systems that have been calibrated to apply no more than the maximum application rate of 0.125%.
 - For Mosquitoes, use up to 20 fl oz of finished spray/day at 0.125%/1,000 ft³/day. For other listed flying insects, use 25 fl oz of finished spray at 0.125%/1,000 ft³/day.
- For space spray applications in food handling and processing facilities:
 - Do not make applications when facility is in operation.
 - Cover or remove food in the treatment area.
 - Cover food processing surfaces, in the treatment area, or clean after treatment and before use.
 - Do not apply directly to sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- For outdoor uses:
 - All outdoor applications must be limited to spot or Crack & Crevice® treatments only, except for the following permitted uses:
 1. Treatment to soil or vegetation around structures;
 2. Applications to lawns, turf and other vegetation;
 3. Applications to building foundations, up to a maximum height of 3 ft.Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and Crack & Crevice applications only.
 - Do not make outdoor applications during rain.
 - Do not wet plants to point of runoff or drip.
 - Do not water the treated area to the point of runoff.
 - Do not apply directly to sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
 - Not for use in outdoor residential misting systems.

PRODUCT INFORMATION

Note: Some furniture finishes, particularly plastics, can be damaged by petroleum based insecticides. To avoid damage, cover those items and do not spray directly. If in doubt, test by applying this material to an inconspicuous area before spraying.

INDOOR USE

SPACE SPRAY - FLYING INSECTS (Flies, Gnats, Mosquitoes): Dilute as desired using the dilution chart below. Prior to treatment, open cabinets, doors and equipment to be treated; turn off air conditioners and fans, extinguish all flames and close windows in the area to be treated. Apply using a mechanical aerosol generator (no droplets > 50 microns in diameter and 80% < 30 microns). Apply undiluted at a rate of approx. 1 fl oz/1,000 ft³ of room space, or apply diluted at the rate of 1 - 2 fl oz/1,000 ft³ of room space. In commercial operations, subtract the space occupied by stored product or equipment from the cubic footage. Disperse toward areas suspected of harboring the greatest infestations of listed pests. Disperse in all locations (including around equipment, appliances and pallets, if desired) contacting as many insects as possible. Do not remain in treated areas after application. Keep area closed for at least 1 hr. Open and thoroughly ventilate treated areas before reoccupying.

DILUTION: Use a white mineral oil conforming to regulation 21 CFR 178.3620(b) or an odorless light petroleum hydrocarbon conforming to 21 CFR 172.882 or 40 CFR 180.910 (Inert ingredients used pre and post-harvest; exemptions from the requirement of a tolerance) and 180.930 (Inert ingredients applied to animals; exemptions from the requirement of a tolerance.) Combine oil and concentrate as directed below and mix well just prior to application.

Pyrethrins %Desired	Mixture Rate	Application Rate per 1,000 ft ³
0.25	1 part Conc. to 1 part Oil	1-2 fl oz
0.10	1 part Conc. to 4 parts Oil	1-2 fl oz

SPACE SPRAY CRAWLING INSECTS (Ants, Bed Bugs, Beetles, Earwigs, Cockroaches, Silverfish, Spiders): Use full strength. Prior to treatment, open cabinets, doors and equipment to be treated; turn off air conditioners and fans, extinguish all flames and close windows in the area to be treated. Apply as a space spray using a mechanical aerosol generator (no droplets >50 microns in diameter and 80% <30 microns) at a rate of approx. 1 fl oz/1,000 ft³ of room space. In commercial operations, subtract the space occupied by stored product or equipment from the cubic footage. Disperse toward areas suspected of harboring the greatest infestations of listed pests. Disperse in all locations (including around equipment, appliances and pallets, if desired) contacting as many insects as possible. Do not remain in treated area after application and leave area closed for 1 hr. Ventilate thoroughly before occupants are allowed to reenter.

DIRECT SPRAY OR VOID TREATMENTS (Flying or Crawling Insects): Use full strength. Prior to treatment, open cabinets, doors and equipment to be treated; turn off air conditioners and fans, extinguish all flames and close windows in the area to be treated. Apply as a space spray using a mechanical aerosol generator (no droplets >50 microns in diameter and 80% <30 microns) at a rate of approx. 1 fl oz/1,000 ft³ of room space. In commercial operations, subtract the space occupied by stored product or equipment from the cubic footage. Direct spray toward upper areas of room. Do not remain in treated area after application and leave area closed for 1 hr. Ventilate thoroughly before occupants are allowed to reenter.

HANDTANK OR PINSTREAM APPLICATION (Flying or Crawling Insects): Direct application into cracks and crevices in elements of construction, walls, floors, underneath sinks, behind pipes and other places where insects harbor. Spot treatment is also permitted. For spot treatments, use a coarse, low-pressure spray. Limit individual spot treatments to an area no larger than 20% of the surface area. Any individual spot treatment shall not exceed 2 ft². Contact as many insects as possible. Ensure product will not stain surface or leave an unacceptable residue prior to application.

USE IN FOOD HANDLING ESTABLISHMENTS

Applications are permitted in food/feed areas of food/feed handling establishments as a contact spray, space spray or Crack & Crevice® treatment, including those operating under the Federal meat, poultry, shell egg grading and egg products inspection programs.

Food handling establishments are places other than private residences in which food is held, processed, prepared or served.

Do not make space spray applications when facility is in operation.

Prior to space spray applications:

- Cover or remove food in the treatment area.
- Cover food processing surfaces, in the treatment area, or clean after treatment and before use.

FOOD AREAS: Include areas for receiving, serving, storing (dry, cold, frozen, raw), packing (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups).

NON-FOOD AREAS: Include areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

Apply according to specific directions for pest(s) to be treated under the Indoor Use section. Do not make space spray applications to food areas when the facility is in operation unless the treatment area is cordoned off, posted and entry prevented. Prior to space spray applications, remove or cover exposed food and drinking water in the treatment area. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces in the treatment area, or wash them before use.

FOR USE IN MUSHROOM PROCESSING

In packing and canning plants, use at the rate of 1 fl oz/2,000 ft³ of space.

**OUTDOOR USE
FOR USE ON LIVESTOCK**

Use to protect beef cattle, dairy cattle and horses from horn flies, house flies and gnats, apply a light mist sufficient to wet the tips of the hair. To kill stable flies on beef cattle, dairy cattle and horses, apply 2 fl oz/adult animal, sufficient to wet the hair but not to soak the hide. To kill the motile stages of blood sucking lice on beef and dairy cattle, apply the spray to thoroughly wet the hair. Use < 2 fl oz/animal and repeat every 2 – 3 weeks as required, but do not apply more than 1 time/day. Do not use on dogs and cats.

FOR USE IN BARN, CORRALS, DAIRIES, LOAFING SHEDS, MILKING PARLORS, MILKING ROOMS, POLE BARN AND POULTRY HOUSES: To kill listed flying insects (Flies, Fruit Flies, Mosquitoes, Gnats, Wasps, Hornets and Small Flying Moths): Apply as a fog, fine mist or coarse, wet spray (at approx. 2 fl oz/1,000 ft³ of space), directing the nozzle for maximum coverage, and above livestock and poultry, toward the ceiling and upper corners of the area being treated. Close doors and windows where possible before spraying, and keep them closed for 10 – 15 min. In corrals, loafing sheds and open areas, misting product over the animals is permitted.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in original container in secured, dry storage area. Do not store above 100°F for extended periods of time. Storage below 32°F may cause freezing. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site, in accordance with the label directions, or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container! Empty container by using the product according to the label directions. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows:

[(<5 gal) Empty the remaining contents into application equipment or a mix tank and drain for 10 sec after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 sec. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 sec after the flow begins to drip. Repeat this procedure 2 more times.]

[(>5 gal) Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 sec. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure 2 more times.]

Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

In addition to previously listed sites, this product is acceptable for use in the following sites:

INDOOR:

Animal Areas & Quarters	Dried Fruit Warehouses	Industrial Installations
Auditoriums	Drugstores	Institutions
Barns	Dumpsters	Jails
Bakeries	Dwellings	Laboratories
Beverage Plants	Egg Processing Plants	Libraries
Boats	Factories	Livestock Barns
Bottling Plants	Flour Mills	Loafing Sheds
Brandy Storage Warehouses	Food Handling Establishments	Locker Rooms
Buildings	Food Processing Plants	Mills
Buses	Freight Containers	Mausoleums
Cabins	Fruit Packing Shed	Meat Packing Plants
Canneries	Garbage Cans	Milk Rooms
Cattle Barns	Garbage Compactors	Missions
Churches	Grain Elevators	Mobile Homes
Closets	Grain Mills	Museums
Condominiums	Grain Handling Equipment	Mushroom Processing Plants
Communication Centers	Granaries	Nursing Homes
Correctional Facilities	Homes	Offices
Dairy & Livestock Barns	Horse Stables/Barns	Office Buildings
Dried Fruit Processing Plants	Hospices	Passenger Rail Cars

[Master Label]
[] = alternate text

v8.0 Re-reg edits (2/27/2018)

Peanut Processing Plants
Peanut Storage Warehouses
Planes (cargo areas)
Poultry Houses
Poultry Processing Plants
Prisons
Public Buildings
Rabbit Processing Plants
Rabbit Houses
Railroad Cars
Recreational Vehicles
Research Animal Areas
Restaurants
Restrooms

Rice Mills
Shade Houses
Ships
Shipholds
Stables
Stable Bins
Stored Seed Warehouses
Stores
Supermarkets
Swine Houses
Textile Mills & Warehouses
Theaters
Tobacco Processing Facilities
Tobacco Warehouses

Townhouses
Trains
Transportation Equipment
Trucks
Truck Trailers
USDA Inspected Facilities
Utilities
Utility Rooms
Voids (Attics, Walls, Ceilings)
Warehouses
Wineries
Wine Storage Warehouses
Zoos

OUTDOOR:

Campgrounds
Corrals
Drive-in Restaurants
Drive-in Theaters
Dumpsters
Feedlots
Garbage Dumps
Golf Courses
Junkyards
Kennels
Landscapes
Lath Houses
Manure Piles
Parks
Plantscapes
Playgrounds
Recreational Areas
Swineyards
USDA Inspected Facilities
Zoos

This product is also effective against the following insects when used according to label directions:

FLYING INSECTS:

Bees
Blow Flies
Bottle Flies
Cheese Skippers
Deer Flies
Flies
Fungus Gnats
Hornets
House Flies
Mosquitoes
Mushroom Flies
Stable Flies
Vinegar Flies
Yellowjackets

CRAWLING INSECTS:

Ants
Bed Bugs
Book Lice
Cabbage Loopers

Cabbage Worms
Cockroaches
Crickets
Firebrats
Fire Ant Workers
Millipedes
Pill Bugs
Scorpions
Sowbugs

WORMS:

Dark Mealworms
Lesser Mealworms
Yellow Mealworms

FLEAS AND TICKS:

Brown Dog Ticks
Fleas

TICKS:

LICE:
Cattle Lice

BEETLES:

Black Carpet Beetles
Carpet Beetles
Darkling Beetles
Dermestid Beetles
Dried Fruit Beetles
Drugstore Beetles
Flat Grain Beetles
Foreign Grain Beetles
Fungus Beetles
Ground Beetles
Hide Beetles
Merchants Grain Beetles
Mexican Grain Beetles
Red Flour Beetles
Red Horned Grain Beetles
Rusty Grain Beetles
Sawtoothed Grain Beetles
Spider Beetles

[Master Label]
[] = alternate text

v8.0 Re-reg edits (2/27/2018)

Trogoderma Beetles
White Marked Spider Beetles
SPIDERS & MITES:
Cheese Mites
Clover Mites
Grain Mites
Mites
Spiders

WEEVILS:
Bean Weevils
Granary Weevils
Maize Weevils
Rice Weevils
MOTHS:
Almond Moths

Cocoa Bean Moths
Chocolate Moths
Clothes Moths
Mediterranean Flour Moths
GRAIN BORERS:
Larger Grain Borers
Lesser Grain Borers

CONDITIONS OF SALE AND WARRANTY

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as environmental conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer and User accept it, subject to these Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

Manufactured by:
BASF Corporation
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
Questions? Call 1-800-777-8570
© 2018 BASF Corporation

ULD® and Crack & Crevice® are registered trademarks of BASF Corporation.