

000499-00459-051999

Printed: 07:26:45 Friday, 18 Jun, 1999 # 56 / 3334

Systems Integration Group, Inc.

(STATION LABEL)

WHITMIRE MICRO-GEN ANT REACTOR

Ant Control Baits

THIS SIDE DOWN: SEE OUTER PACKAGE FOR COMPLETE DIRECTIONS

CAUTION

ACTIVE INGREDIENT:

N-Ethyl Perfluorooctanesulfonamide INERT INGREDIENTS

0.500%

99.500%

Manufactured For:

Whitmire Micro-Gen Research Laboratories, Inc.

3568 Tree Court Ind. Blvd. St. Louis, MO 63122-6682


EPA Reg. No. 499-459

EPA Est. No. 499-TX-1

EPA Est. No. 499-MO-1

NET WT.:

OZ.



MAY 1 9 1999

Under the Federal Insecticide. Fungiside, and Redemictide Act, as anended, for the pesticide registered under EPA Res. No. 199-45-9

Micro-Gen Ant Reactor Ant Control Baits

KILLS THE QUEEN KILLS THE COLONY

For Commercial, Industrial and Residential Use.

Micro-Gen Ant Reactor Ant Baits can be used anywhere ants are a problem. Effective against Argentine Ants, Black Carpenter Ants, Cornfield Ants, Pharaoh Ants, and a variety of household ants.

Contains Sulfluramid that keeps killing ants continuously for up to 3 months.

ACTIVE INGREDIENT:

N-Ethyl Perfluorooctanesulfonamide	0.500%
INERT INGREDIENTS	99.500%

Authorized by USDA for use in federally inspected meat and poultry plants.

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THE BAITS

CAUTION

Manufactured For:

Whitmire Micro-Gen Research Laboratories, Inc.

3568 Tree Court Ind. Blvd. St. Louis, Mo 63122-6682 Phone: 210/654-8570

EPA Reg. No. 499-459

EPA Est. No. 499-TX-1

EPA Est No. 499-MO-1

CHILD RESISTANT BAITS

NET WT.: Oz.

(BACK PANEL)

Whitmire Micro-Gen Ant Reactor Ant Control Baits

For Commercial, Industrial and Residential Use
Including Processing Plants, eating Establishments, Food MarketingStorage-Distribution, Hospitals, Nursing Homes, Schools, Office
Buildings, Apartments, Laundries, Buses, Aircraft, Boats, Museums, and Zoos

Ants are attracted to the bait in Whitmire Micro-Gen Ant Reactor. The bait food is carried back to the nest to kill the queen and destroy the entire colony.

Whitmire Micro-Gen Ant Reactor baits are packaged in a Child-Resistant Container.

Bait stations are designed to be visually inspected. This allows for monitoring and timely replacement. Replacement is recommended after 3 months or when bait is almost entirely consumed (do not risk loss of control by allowing complete consumption).

Direction for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Place baits by ant trails or close to areas where ants are present, even on food preparation surfaces or next to food. Do not place baits on food preparation surfaces when food is being handled or on utensils that are used for food preparation. Also place adjacent to walls, electrical lines, potted plants, waste receptacles, sensitive electronic equipment, inside drop ceilings and wall voids or anywhere ant problems occur.

For effective control:

Use 3 - 4 baits for the average size room.

Use 6 - 8 baits for heavy infestations.

For outdoor use, place baits by ant trails or close to areas where ants are seen. For best results around building perimeters, place baits at sites where ants are active or at approximately 9 foot intervals.

Ants will begin to feed - population reduction and less activity can be expected in about, a week.

Do not use residual sprays with or near Whitmire Micro-Gen Ant Reactor.

APPLICATION IN FOOD HANDLING ESTABLISHMENTS: Places other than private' residences in which food is held, processed, prepared or served.

FOOD AREAS: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Avoid contamination of food. Use as instructed above.

STORAGE AND DISPOSAL STATEMENTS

STORAGE: Store in a cool, dry area inaccessible to children. DISPOSAL: Wrap container and put in trash collection.

Additional list of Use Sites for Whitmire Micro-gen Ant Reactor.

Greenhouse (Commercial)

HOUSEHOLD - Closets, basements, attics, recreation rooms, kitchens, bathrooms, dining rooms, pantry and food storage shelving.

TRANSPORTATION FACILITIES

Trucks and Trailers Containerized Units Railroad Cars Recreational Vehicles Shipping Containers

FOOD AND FEED PROCESSING PLANTS

Bakeries

Bottlers

Canneries

Dairies, creameries, milk processing plants

Feed mills, feed stores

Fresh and dried fruit packing and processing

Wineries, wine cellars

Flour mills, machinery, warehouses bins, elevators

Egg processing

Candy and confectionery plants

Sugar processing, cane mills

Dry food products plants

Beverage processing

Nut processing

Cereal processing

Page 2
Use Sites List for Whitmire Micro-Gen Ant Reactor

FOOD AND FEED PROCESSING PLANTS, cont.

Seafood processing Vegetable Oil processing Farinaceous processing (noodles, etc.)

EATING ESTABLISHMENTS

Food handling and serving areas
Food storage equipment and shelving
Food dispensing and vending equipment
Food stores, markets, stands
Meat and fish markets
Food catering facilities

HOSPITALS AND RELATED INSTITUTIONS AND FACILITIES*

*Do not place baits where they will come into direct contact with patients or contaminate sterile areas or instruments.

Critical premises
Hospital patient premises
Noncritical premises

Barber and beauty shops

Morgue, mortuary, and funeral premises