STORAGE & DISPOSAL

STORE AND USE AT ROOM TEMPERATURE.

STORAGE: Store away from heat or open flames in an area inaccessible to children.

DISPOSAL: Do not re-use empty container. Wrap container and put in trash. Do not puncture or incinerate,

PRECAUTIONARY STATEMENTS

IF ON SKIN: Wash off with soap and water. Get medical aftention if irritation persists. Prolonged or frequently repealed skin contact may cause allergic reactions in some individuals.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling Do not remain in enclosed area after use. Stay out of room being treated for at least two hours. Ventilate enclosed area before returning. Avoid contamination of food and foodstuffs All food preparation surfaces should be covered during application. Apply only when no food is being prepared Remove pels and birds, cover and turn off fish aquariums

PHYSICAL OR CHEMICAL HAZARDS

Extremely flammable. Contents under pressure. Keep away from fire, sparks and heated surfaces. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used property. Follow the "Directions for Use" on this label very carefully.



before spraying

Highly Flammable Ingredient Ingrediente Allamente Intlama Ingrediente Allamente Intlamable

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



A Prescription Treatment® brand insecticide from: Whitmire Micro Gen Research Laboratories, Inc.

3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 www.wmmg.com © 1999 Whilmire Micro-Gen Řesearch Laboralories, Inc.

PRO-CONTRO

Total Release Fogger with Cyfluthrin

. One 6 oz. can treats up to 5,000 cu. ft. of unobstructed space (25' x 25' x 8').

KOLLS: Roaches, Silverfish, Fleas, Spiders, Ants, Crickets, Houseflies, Ticks, Black Carpe Beetles, Small Flying Moths, Saw-Toolhed Grain Beetles, Rice Weevils, Pillbugs, Mosquiloes, Wasps, Homels, Yellow Jackets, Gnats,

FOR USE IN: Apartments, Attics, Basements, Buses, Cabins, Campers, Non-food/feed Areas of Commercial Buildings, Garages, Hospitals*. Hotels, Houses, Kennels, Motels, Nursing Homes", Office Buildings, Pailroad Cars, Schools", Sheds, Ships, Storage Areas, Truck Trailers. Warehouses, Zoos

To not apply this product in any rooms, while occupied by patients, the e terly or infirm.
The not apply to classrooms when in use.

ACTIVE INGREDIENTS:

Pyrethrins	0.500%
Cýfluthrin	0.100%
Tachnical Piperonyl buloxide"	1.000%
OTHER INGREDIENTS:	98.400%
*Equivalent to min. 0.9% (butytoare wirE-en	opytpaperony!) ether at d
"zx 0 1% related compounds.	
Contains Sodium Nitrite.	

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary statements.

NET WEIGHT: 6 oz.



SHAKE WELL BEFORE USING

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

- 1 OPEN cabinets, cupboards, drawers, closels and doors in areas to be treated, REMOVE or cover exposed foods, distiareas to be fleated, herefore to twee expension of surfaces.

 REMOVE pels and birds, cover and furn off fish aquantums before spraying. Turn off air flow systems in aquantums. COVER waxed wood floors, waxed furniture and stareo or other plastic dust covers in the immediate area surrounding. the fogger (newspaper may be used).
- CLOSE outside doors and windows. DO NOT use more than one logger per room. DO NOT use in small, enclosed spaces such as closels, cabinels or under counters or tables. Do not use in a room 5 ft. x5 ft. or smaller, instead, allow fog to enter from other rooms. Turn off ALL ignition. anow rog to enter from other morns. Ium off ALL fightion sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e. refrigerator, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.
- 3 Place a chair, table or stand in the center of the room to be togged. Cover with several layers of newpaper, paper towels or plastic tarp.
- 4 SHAKE CAN WELL. Tilt sprayer AWAY from face (centainer sprays straight up). Press lab down in tocked position.
- 5 Set fogger on covered stand, immediately leave treated
- 6 Keep treated area closed for all least two hours. Before reaccupying area, open all doors and windows and allow treated area to air for 30 minutes.

area to air for 30 minutes.

In the home, remove or cover exposed foods, dishes, utensis or wash thoroughly before use. Do not use in serving areas while food is exposed. Do not use in the food/feed areas of Commercial Food/Feed Handling Establishments. Restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas are areas where propared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensits should be covered during treatment or thoroughly washed before use. Non-food/feed areas are areas such as garbage rooms, lavalories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, closels, and storage (after canning or boilling). Apply this product only as specified on this label, Pe-treat as needed.

ACCEPTED

DEC 3 1999

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under 499-462

