

P.M03

499-465

12/3/99

1 of 1

Pro-Control Fogger II v3.0 7/99 Notification

PRECAUTIONARY STATEMENTS

FIRST AID

IF INHALED: Remove to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected skin areas with soap and water. Get medical attention if irritation persists.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or absorbed through the skin. Avoid breathing vapors. Avoid contact with skin or clothing. Wash thoroughly after handling. Do not remain in enclosed areas after use. Stay out of rooms being treated for at least two hours. Ventilate enclosed areas before returning. Avoid contamination of food and foodstuffs. All food preparation surfaces should be covered during application and thoroughly cleaned with an effective cleaning compound followed by a potable water rinse before use. Apply only when no food is being prepared. Remove pets and birds, cover and turn off fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Extremely flammable. Contents under pressure. Keep away from fire, sparks or heated surfaces. Do not use or store near heat, sparks or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



A Prescription Treatment® brand Insecticide from:
Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wmimg.com

© 1999 Whitmire Micro-Gen Research Laboratories, Inc.

PRO-CONTROL® FOGGER II

- One 6 oz. can treats up to 5000 cu. ft. of unobstructed space (25' x 25' x 8')
- Seals out insects where they hide.
- Water Based Formula.
- For commercial, industrial and residential use.
- Non-staining, fresh, clean smelling formula.
- Pro-Control Fogger II allows you to automatically fill and rene area with insect killing fog, while you are away.
- Pro-Control Fogger II is designed for use whenever an insect infestation occurs. For best results, use Pro-Control Fogger II in conjunction with other Pro-Control products for more complete control of insect problems.

KILLS: Ants, Crickets, Earwigs, Fleas, Flies, Gnats, Hornets, Mosquitoes, Palmello Bugs, Roaches, Silverfish, Small Flying Moths, Spiders, Ticks, Wasps, Waterbugs and Yellow Jackets.

USE FOR INSECT INFESTATIONS IN: Apartments, Alices, Buses, Food Processing Plants, Garages, Homes, Hospitals*, Nursing Homes, Office Buildings, Railroad Cars, Restaurants, Schools, Ships, Supermarkets, Truck Trailers, Warehouses, and Zoos.

* Remove patients before using. After treatment ventilate rooms for two hours before returning patients to rooms.

ACTIVE INGREDIENTS:

Pyrethrins	0.535%
Piperonyl butoxide technical*	1.050%
N-octyl bicycloheptene dicarboximide	1.710%

OTHER INGREDIENTS: 96.705%

(Contains 0.10% sodium nitrite equivalent to 0.93% (silylcarbonyl) (E-pronylperoxy) ester and 0.10% of related compounds)

EPA Reg. No. 499-465

EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See additional precautionary statements on back

NET WEIGHT: 6 oz.



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
600-777-8570

SHAKE WELL BEFORE USING DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

- 1 OPEN** cabinets, cupboards, drawers, closets and doors in areas to be treated. **REMOVE** or cover exposed foods, dishes, utensils, food processing equipment and surfaces. **REMOVE** pets and birds, cover and turn off fish aquariums before spraying. Turn off air flow systems in aquariums. **COVER** waxed wood floors, waxed furniture and stereo or other plastic dust covers in the immediate area surrounding the fogger (newspaper may be used).
- 2 CLOSE** outside doors and windows. **DO NOT** use more than one fogger per room. **DO NOT** use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off **ALL** ignition sources such as pilot lights (stool off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerator, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.
- 3 Place** a chair, table or stand in the center of the room to be fogged. Cover with several layers of newspaper, paper towels or plastic tarp.
- 4 SHAKE CAN WELL.** Tilt sprayer **AWAY** from face (container sprays straight up). Press tab down in locked position.
- 5 Set** fogger on covered stand. Immediately leave treated area.
- 6 Keep** treated area closed for at least two hours. Before reoccupying area, open all doors and windows and allow treated area to air for 30 minutes.

STORAGE AND DISPOSAL

STORE AND USE AT ROOM TEMPERATURE

STORAGE: Store away from heat or open flames in an area inaccessible to children.

DISPOSAL: Do not re-use empty container. Wrap container and put in trash. Do not puncture or incinerate.

ACCEPTED
DEC 3 1999

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 499-465