TC 181

WHITMIRE

WHITMIRE

Under the Federal Insecrete Action Pungicide, and Roderalde Action as amended, for the pendide Registered under MOOI of Registered under MOOI of the Pendide Registered under MOOI of the Pendide Action of the Pendide Acti

CEPTE

TC 181

KILLS: Cockroachus (ircluding carbamate, organophosphate, organophosphate, organochtorine and pyrethroid resistant strains).

Authorized by USDA for use in Federally inspected meat and poultry plants.

OTHER INGREDIENTS:

ACTIVE INGREDIENT: Abamedin B1

WHITMIRE

TC 181

WHITMIRE

TC 181

AVER

WHITMIRE

.. WET WEIGHT: 18 grams (1.5 grams per unit)

Contains 12 Child Resistant Bait Stations

see back panel for additional Precautionary Statements.

KEEP OUT OF REACH OF CHILDREN

(Aitemate Language

EPA Reg. No. 499-467

Whitmire AVERT® TC 181 bait stations contain a slow acting insect bait. For best results placement of the bait should be into or near insect harborage sites.

FOR USE IN AND AROUND: Apartments, Campgrounds, Food Storage Areas, Hornes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Molels, Nursing Homes, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Warehouses, and other Commercial and Industrial Buildings.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

COCKROACHES: Concentrate treatment at insect activity sites, and other sites where these insects are found.

- 1. Break bait stations apart from the plastic frame. [Alternate Directions: Remove bait station from container.]
- For thorough roach control, use as many bait stations as necessary to achieve good coverage and control of the existing infestation for the treated area.
- 3. For best results, place the bait stations next to the wall along baseboards, in corners, under sinks, in cabinets and near plumbing fixtures. Use under and around equipment and appliances. If possible, place in voids.
- 4. Bait stations work best on horizontal surfaces touching corners and walls. Remove peel and stick backing on reverse side of bait station before applying to vertical surfaces.
- 5. Replace bait stations when necessary, approximately every 3 months.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS: Food handling establishments include places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Avoid contamination of food. Use as instructed above.

AIRCRAFT CABINS: Place balt stations in suspected and infested cockroach areas. Place bait stations in areas between elements of construction. Use up to 12 bait stations per galley and up to 6 bait stations per rest room. In cargo holds, use 12 to 24 bait stations per 100 sq. feet. Do not use bait stations in cockpit area.

STORAGE & DISPOSAL

STORAGE: Store in a cool, dry area inaccessible to children. DISPOSAL: Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS

FIRST AID

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.


TC 181 Outer Package v5 0 1 2/00

A PRESCRIPTION TREATMENT brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 www.wmmg.com

© 2000 Whitmire Micro-Gen Research Laboratories, Inc.

[BASIC LABEL]



[ALTERNATE LABEL]

