11/17/2005

Form Approved. OMB No. 2070-0060

SEPA Environmen		Registration Amendme			
Application for Pesticide - Section I					
1. Company/Product Number 499-467		2. EPA Product Man	ager	3. Proposed Classification	
4. Company/Product (Name) Whitmire Avert TC 181		PM#		None Restricted	
5. Name and Address of Applicant (Include ZIP Code) Whitmire Micro-Gen Research Laboratories Inc. 3568 Tree Court Industrial Blvd. St. Louis, MO 63122-6682 Check if this is a new address		(b)(i), my product i to: EPA Reg. No Product Name	Product Name		
Section - II					
Amendment - Explain below. Resubmission in response to Agency le Notification - Explain below.	atter dated	Agency lett	Application.	NOTIFICATION NOV 1 7 2005	
Notification of Relocation of Precautionary St. This notification is consistent with the provision to the labeling or the CSF of this product. I ure further understand that if this notification is not FIFRA and I may be subject to enforcement a	ons of PR Notice 98-1 nderstand that it is a vi ot consistent with the t action and penalties un	10 and EPA regulations at 4 violation of 18 U.S.C. Sec. 1 terms of PR Notice 98-10 a under sections 12 and 14 of	40 CFR 152.46, and no 1001 to willfully make : and 40 CFR 152.46, th	any false statement to EPA. I	
		Section - III			
1. Material This Product Will Be Peckaged In:		Water Soluble Packaging	T. T. T. M. C.		
Child-Resistant Peckaging Yes No No No	Yos		P	ontainer Metal Plastic Glass	
* Certification must Unit Peckeging w		If "Yes" No. per Peckage wgt container		Paper Other (Specify)	
3. Location of Net Contents Information	4. Size(s) Retail C	4. Size(s) Retail Container 5. Location of Label Directions []		Directions	
Label Container 6. Manner in Which Label is Affixed to Product	t Lithograph Papar glued Stenciled	h Other	·		
		Section - IV			
1. Contact Point (Complete items directly belo			if necessary, to proce	ess this application.)	
Name Patricia A Hodge	Title	,,,	Tel	elephone No: (include Area Code)	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received 5. (Stamped)					
2. Signature	3. Ti		stration Specialist		
4. Typod Namo	5. Da				
		0/20/05			

Whitmire

Avert® TC 181

KILLS:

Cockroaches (including carbamate, organophosphate, organochlorine and pyrethroid resistant strains)

ACTIVE INGREDIENT:

EPA Reg. No. 499-467 EPA Est. No. 56207-WI-2A EPA Est. No. 499-MO-1E (See code in lot number.)]

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional Precautionary Statements.

NET WEIGHT: 0.63 oz. (18 grams)

Contains 12 Child Resistant Bait Stations at 0.05 oz. (1.5 grams) per unit.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1.800-225-3320 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Whitmire AVERT TC 181 bait stations contain a slow acting insect bait. For best results placement of the bait should be into or near insect harborage sites.

FOR USE IN AND AROUND: Apartments, Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Nursing Homes, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Warehouses, and other Commercial and Industrial Buildings.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in a cool, dry area inaccessible to children.

DISPOSAL: Do not reuse! Place empty bait station in trash or offer for recycling if available. If station is partly filled, call your local solid waste agency or call 1-800-CLEANUP for disposal instructions. NEVER PLACE UNUSED PRODUCT DOWN ANY INDOOR OR OUTDOOR DRAIN!

COCKROACHES: Concentrate treatment at insect activity sites, and other sites where these insects are found.

- 1. Break bait stations apart from the plastic frame. [Alternate Directions: Remove bait station from container.]
- 2. For thorough roach control, use as many bait stations as necessary to achieve good coverage and control of the existing infestation for the treated area.
- 3. For best results, place the bait stations next to the wall along baseboards, in corners, under sinks, in cabinets and near plumbing fixtures. Use under and around equipment and appliances. If possible, place in voids.
- 4. Bait stations work best on horizontal surfaces touching corners and walls. Remove peel and stick backing on reverse side of bait station before applying to vertical surfaces.
- 5. Replace bait stations when necessary, approximately every 3 months.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS: Food handling establishments include places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Avoid contamination of food. Use as instructed above.

AIRCRAFT CABINS: Place bait stations in suspected and infested cockroach areas. Place bait stations in areas between elements of construction. Use up to 12 bait stations per galley and up to 6 bait stations per rest room. In cargo holds, use 12 to 24 bait stations per 100 sq. feet. Do not use bait stations in cockpit area.

A PRESCRIPTION TREATMENT® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd.

St. Louis MO 63122-6682 www.wmmg.com

OODE TITLE AND ON TO THE

© 2005 Whitmire Micro-Gen Research Laboratories, Inc.



Whitmire Avert® TC 181

KILLS:

Cockroaches (including carbamate, organophosphate, organochlorine and pyrethroid resistant strains).

ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN AND PETS

CAUTION

See back panel for additional Precautionary Statements.

NET WEIGHT: 4.9 oz. (140.4 grams)
Contains 72 Child Resistant Bait Stations at 0.07 oz. (1.95 grams)

EPA Reg. No. 499-467 EPA Est. No. 499-MO-1A EPA Est. No. 56207-WI-2B (See code in lot number.)



FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eyes open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor immediately for treatment advice.

Have product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-800-225-3320 for emergency medical treatment information

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

DIRECTIONS FOR USE



IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Whitmire TC 181 Bait is a slow acting insect bait. For best results placement of the bait should be into or near insect harborage sites.

KILLS: Cockroaches (including carbamate, organophosphate, organochlorine and pyrethroid resistant strains).

FOR USE IN AND AROUND: Apartments, Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Nursing Homes, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Warehouses, and other Commercial and Industrial Buildings.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in a cool, dry area inaccessible to children.

DISPOSAL: Do not reuse! Place empty bait station in trash or offer for recycling if available. If station is partly filled, call your local solid waster agency or call 1-800-CLEANUP for disposal instructions.

NEVER PLACE UNUSED PRODUCT DOWN ANY INDOOR OR OUTDOOR DRAIN!

COCKROACHES: Concentrate treatment at insect activity sites, and other sites where these insects are found.

- 1. Break bait stations apart from the plastic frame. [Alternate Directions: Remove bait station from container.]
- 2. For thorough roach control, use as many bait stations as necessary to achieve good coverage and control of the existing infestation for the treated area.
- 3. For best results, place the bait stations next to the wall along baseboards, in corners, under sinks, in cabinets and near plumbing fixtures. Use under and around equipment and appliances. If possible, place in voids.
- 4. Bait stations work best on horizontal surfaces touching corners and walls. Remove peel and stick backing on reverse side of bait station before applying to vertical surfaces.
- 5. Replace bait stations when necessary, approximately every 3 months.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS: Food handling establishments include places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Avoid contamination of food. Use as instructed above.

AIRCRAFT CABINS: Place bait stations in suspected and infested cockroach areas. Place bait stations in areas between elements of construction. Use up to 12 bait stations per galley and up to 6 bait stations per rest room. In cargo holds, use 12 to 24 bait stations per 100 sq. feet. Do not use bait stations in cockpit area.

A PRESCRIPTION TREATMENT® BRAND INSECTICIDE FROM:

Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 www.wmmg.com

© 2005 Whitmire Micro-Gen Research Laboratories, Inc.

[BAIT STATION]

THIS SIDE DOWN Whitmire AVERT® TC 181

See outer package for complete directions.

CAUTION KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 499-467 EPA Est. No. 56207-WI-2

Active Ingredient: Abamectin B1:

0.05%

Other Ingredients:

99.95%

Total: 100.00%

Whitmire Micro-Gen Research Labs, Inc. 800-777-8570 Net Wt: 0.05 oz. (1.5 g)

Manufactured for: Whitmire Micro-Gen Research Labs, Inc. 3568 Tree Court Ind. Blvd. St. Louis MO 63122

[ALTERNATE BAIT STATION]

THIS SIDE DOWN NET WEIGHT: 0.07 oz. (1.95 g) Whitmire AVERT® TC 181

See outer package for complete directions.

EPA Reg. No. 499-467

EPA Est. No. 56207-WI-2 [Alternate Est. No. 499-MO-1]

ACTIVE INGREDIENT: Abamectin B1

0.05%

OTHER INGREDIENTS:

Total:

99.95% 100.00%

CAUTION KEEP OUT OF REACH OF CHILDREN

> Whitmire Micro-Gen Research Labs, Inc. 800-777-8570

Date:

Manufactured by: Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682

WHITMIRE MICRO-GEN RESEARCH LABORATORIES, INC.

Office of Pesticide Programs(7504C)
U.S. Environmental Protection Agency
Room 266A, Crystal Mall #2
1801 South Bell Street
Arlington, VA 22202

October 20, 2005

RE: NOTIFICATION per PR notice 98-10 of Movement of Precautionary Statement

Whitmire Avert TC 181 EPA Reg. No: 499-467

Dear Sir or Madam:

Enclosed in support of above action is a completed application and two (2) copies revised labeling [one copy has been highlighted (new or revised text only) for easy reference] for the referenced product.

✓ Relocation of "Precautionary Statement" to its preferred location before "Hazards to Humans"

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notices 83-1, 84-1, 98-10 and 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Also enclosed is a self-addressed, "No Postage Necessary" postcard that, when filled out, would indicate the status of this notification. Please take a moment to fill in the appropriate information and drop it in the mail for our records. Your assistance in this regard is certainly appreciated.

Thank you for your assistance in the review and approval process. Please don't hesitate to contact me at (636) 861-4272 or, via electronic mail, at patricia.hodge@wmmg.com, should you have any questions or require additional information.

Best Regards,

WHITMIRE MICRO-GEN RESEARCH LABORATORIES, INC

Patricia Hodge

Registration Specialist

Whitmire Micro-Gen Research Laboratories, Inc.

patricia.hodge@wmmg.com

ricia O

encl.