

Best Available Copy

ACCEPTED
11/29/99
499-472

Whitmire Micro-Gen
Prescription Treatment[®] brand
ATTAIN[®]

Micro Total Release Insecticide
Treats Up To 3,000 Square Feet


For Commercial Use Only
Not for Use in and Around Residential Areas

FOR USE IN: Commercial Greenhouses
KILLS: Aphids, Armyworms, Bagworms, Caterpillars, Fungus Gnats, Mealybugs, Omnivorous Leafrollers, Plant Bugs, Spots, Trips, Miles and Whiteflies.

ACTIVE INGREDIENT: Bifenthrin 4.0%
OTHER INGREDIENTS: 96.0%

EPA Reg. No. 499-UTE EPA Est. No. 499-MO-1
KEEP OUT OF REACH OF CHILDREN
WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
See supplemental label for additional Precautionary Statements.

NET WEIGHT: 2 oz.
 **WHITMIRE MICRO-GEN**
RESEARCH LABORATORIES, INC.
250-777-6570

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

See supplemental label for complete Directions for Use
Apply product when pest (or plant damage typical of an indicated pest) is seen. Make 1-3 applications per week depending on the severity of the infestation. Do not re-apply product within 48 hours of a previous application.
Use one 2 oz. can per 3,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 2 oz. can for 1,500 - 3,000 square feet. For smaller greenhouses between 1,500 - 3,000 square feet, use one 2 oz. can.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling entitled Agricultural Use Requirements in the Directions for Use section of the supplemental label for information about this Standard.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

A Prescription Treatment[®] brand insecticide from:
Whitmire Micro-Gen Research Laboratories, Inc.
3586 Tree Court Industrial Blvd.
St. Louis, MO 63122-6662
www.wmrg.com
© 1999 Whitmire Micro-Gen Research Laboratories, Inc.

Attain Micro (2oz. Container Label) v1.0.2 11/99

2 8 4

Attain Micro (6 oz. Container Label) V1.0 11/99

handling. Remove contaminated clothing and wash clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT: Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical resistance category selection chart.

APPLICATORS AND OTHER HANDLERS MUST WEAR: Long-sleeved shirt and long pants, shoes plus socks and protective eye-wear. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

- Users should:**
- Wash hands before eating, drinking, chewing gum, using tobacco or using toilet.
 - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
 - Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. Keep out of lakes, streams or ponds. Do not contaminate water when disposing of equipment wash waters. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
 Ingrediente Altamente Inflamable

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



A Prescription Treatment® brand Insecticide from:
 Whitmire Micro-Gen Research Laboratories, Inc.
 3568 Tree Court Industrial Blvd.
 St. Louis, MO 63122-6682
 www.wimg.com

© 1999 Whitmire Micro-Gen Research Laboratories, Inc.

Whitmire Micro-Gen
Prescription Treatment® brand
ATTAIN®
Micro Total Release Insecticide

TREATS UP TO 9,000 SQUARE FEET.

For Commercial Use Only
Not for Use in and Around Residential Areas

FOR USE IN: Commercial Greenhouses
KILLS: Aphids, Armyworms, Bagworms, Caterpillars, Fungus Gnats, Mealybugs, Omnivorous Leafrollers, Plant Bugs, Scale, Thrips, Mites, and Whiteflies.
MAY BE USED ON: Bedding Plants, Cut Flowers, Flowering Hanging Baskets, Foliage, Potted Flowering Plants and Ornamentals

ACTIVE INGREDIENT:
 Bifenthrin 4.0%
OTHER INGREDIENTS: 96.0%

EPA Reg. No. 499-UTE EPA Est. No. 499-MO-1
KEEP OUT OF REACH OF CHILDREN
WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

See side panel for additional Precautionary Statements.

NET WEIGHT: 6 oz.



WHITMIRE MICRO-GEN
 RESEARCH LABORATORIES, INC.
 800-777-8570

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

See supplemental label for complete Directions for Use. Apply product when pest (or plant damage typical of an indicated pest) is seen. Make 1-3 applications per week depending on the severity of the infestations. Do not re-apply product within 48 hours of a previous application.

Use one 6 oz. can per 9,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 6 oz. can for 4,500 - 9,000 square feet. For smaller greenhouses between 4,500 - 9,000 square feet, use one 6 oz. can.

TO ACTIVATE CANS: Start with can farthest away from exit door. Activate each can by pressing tab down and locking it. Leave greenhouse at once. The entire contents will release automatically.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to supplemental labeling entitled Agricultural Use Requirements in the "Directions for Use" section of the supplemental label for information about this standard.

PRECAUTIONARY STATEMENTS

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
 Have the product container or label with you when calling a poison control center or doctor or going for treatment.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles or face shield while handling. Harmful if swallowed. Wash thoroughly with soap and water after

Whitmire Micro-Gen
Prescription Treatment[®] brand

ATTAIN[®]

Micro Total Release Insecticide

Supplemental Label

For Commercial Use Only
Not for Use in and Around Residential Areas

FOR USE IN: Commercial Greenhouses

KILLS: Aphids, Armyworms, Bagworms, Caterpillars, Fungus Gnats, Mealybugs, Omnivorous Leafrollers, Plant Bugs, Scale, Thrips, Mites, and Whiteflies.

MAY BE USED ON: Bedding Plants, Cut Flowers, Flowering Hanging Baskets, Foliage, Potted Flowering Plants and Ornaments

ACTIVE INGREDIENT:

Bifenthrin 4.0%

OTHER INGREDIENTS: 96.0%

*Cis isomer 97% minimum, trans isomers 3% maximum

EPA Reg. No. 499-UTE EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

See supplemental label for additional Precautionary Statements.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

A Prescription Treatment[®] brand Insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.

3568 Tree Court Industrial Blvd.

St. Louis, MO 63122-6682

www.wmmg.com

© 1999 Whitmire Micro-Gen Research Laboratories, Inc.



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES INC.
800-777-8570

2
2
4



Prescription Treatment® brand A

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Apply product when pest (or plant damage typical of an indicated pest) is seen. Make 1-3 applications per week depending on the severity of the infestations. Do not re-apply product within 48 hours of a previous application.

Control of target insects is best achieved before populations reach economically damaging levels. Repeat application as necessary to achieve control using higher rates (see TOTAL RELEASE DOSAGE for proper rates) as pest pressure and foliage area increase.

Use of an alternative class of chemistry in a continuing treatment program is recommended to prevent or delay pest resistance.

PREAPPLICATION DIRECTIONS: For best results, apply during early evening when foliage is dry and greenhouse temperature is between 60°-80° F. Canister should be at room temperature (about 65° F). Shut off all exhaust fans and close all windows, doors and ventilators. Do not place within 10 horizontal feet of any ignition source such as pilot lights, other open flames or running electrical appliances that cycle off and on. All human occupants and pets must be removed before treatment. Place cans evenly throughout the area of the greenhouse to be treated, positioned to allow uninhibited release. Low volume horizontal air flow may help optimized performance. Greenhouse must be ventilated according to the requirements of the Worker Protection Standard before re-entry.

TOTAL RELEASE DOSAGE:

Use one 2 oz. can per 3,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 2 oz. can for 1,500 - 3,000 square feet. For smaller greenhouses between 1,500 - 3,000 square feet, use one 2oz. can.

Use one 6 oz. can per 9,000 square feet. In situations where insect control is difficult due to tough to control insects or high crop density, it is permissible to use one 6 oz. can for 4,500 - 9,000 square feet. For smaller greenhouses between 4,500 - 9,000 square feet, use one 6 oz. can.

TO ACTIVATE CANS: Activate each can by pressing tab down and locking it. Leave greenhouse at

once. The entire contents will release automatically. In an application requiring multiple canisters, activate the canisters moving from the interior of the house toward an exit.

AGRICULTURAL USE REQUIREMENTS

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers in farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is: Coveralls, waterproof gloves, shoes plus socks and protective eyewear.

FOR USE IN GREENHOUSES ON .

Bedding plants (such as): impatiens, marigolds, petunias, geraniums, and garden mums.

Cut flowers (such as): roses, chrysanthemums, carnations, snapdragons, and orchids.

Flowering hanging baskets (such as): fuchsia, lantana, New Guinea impatiens, ivy, and geraniums.

Foliage (such as): Boston fern, dracaena, ficus, schefflera, and philodendron.

Potted flowering plants (such as): poinsettia, chrysanthemums, florist's azaleas, lilies, African

violets, geraniums, hibiscus, kalanchoes, and begonias.

Ornamentals (such as): azalea, barberry, cotoneaster, euonymus, ilex, juniper, oak, pine, rhododendron, roses, spiraea, spruce, viburnum and yew.

This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Therefore, before treating a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application. Unintentional consequences such as crop injury or ineffectiveness may result because of certain environmental or growing conditions, manner of use or application, and insect resistance. All risks shall be assumed by the user.

PLANT SAFETY NOTICE: Good greenhouse management must overrule the use of this product when any conditions might be created by tightly closing greenhouses that would harm plant foliage or flowers. Example: Creation of high temperatures or humidity conditions. Do not use this product in greenhouses with unvented or defective gas heating systems or when open combustion exists.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry place away from heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. (DO NOT PUNCTURE!) If recycling is not available, wrap container and discard in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles or face shield while handling. Harmful if swallowed. Wash thoroughly with soap and water after handling. Remove contaminated clothing

and wash clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT: Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical resistance category selection chart.

APPLICATORS AND OTHER HANDLERS MUST WEAR: Long-sleeved shirt and long pants, shoes plus socks and protective eyewear. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish and aquatic invertebrates. Keep out of lakes, streams or ponds. Do not contaminate water when disposing of equipment wash waters. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



Prescription Treatment brand A Micro Total Release Insecticide - Page 4 of 4 (Supplemental Label)
Note: Master Label consists of 2-oz container label, 6-oz container label plus supplemental label

4
4
4