



OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

November 25, 2025

Amy Dugger-Webster
Senior Regulatory Affairs Manager
BASF Agricultural Solutions US LLC
26 Davis Drive
Research Triangle Park, NC 27713

Subject: Label Amendment - Registration Review Mitigation for Cyfluthrin
Product Name: Optashield CS Controlled Released Premise Insecticide
EPA Registration Number: 499-477
Application Date: March 31, 2021
Case Number: 479302

Dear Amy Dugger-Webster:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Cyfluthrin Interim Decision, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must

submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact Lauren Weissenborn via email at weissenborn.lauren@epa.gov.

Sincerely,

A handwritten signature in blue ink, reading "Cathryn Britton". The signature is fluid and cursive, with the first name "Cathryn" and last name "Britton" clearly distinguishable.

Cathryn Britton
Chief, Risk Management and Implementation
Branch V
Pesticide Re-evaluation Division (7508M)
Office of Pesticide Programs

ENCLOSURE: Stamped label

{Note to PM: [Bracketed text is optional text.] Text enclosed in "{ }" is information for the reviewer and not part of the label.}

Cyfluthrin	Group	3A	Insecticide
------------	-------	----	-------------

OPTASHIELD® CS
Controlled Release Premise Insecticide
Microencapsulated Insecticide

{ALTERNATIVE BRAND NAMES:}
[Optashield® CS Controlled Release Insecticide {submitted via notification 04/09/2013}
Prescription Treatment™ brand Optashield® CS Controlled Release Insecticide - AG {submitted via notification 02/03/1999}]

For both indoor and outdoor use

ACCEPTED

11/25/2025

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 499-477

- [Optional Marketing Claims:
- SmartCap™ Technology
 - With SmartCap™ Technology
 - Using SmartCap™ Technology]

For broad spectrum residual control of crawling, flying, and wood infesting insect pests.

This product is intended for use as a surface, spot, **Crack & Crevice™**, or void space application in, on, and around buildings and structures and their immediate surroundings, as well as in trucks, trailers, and other transportation vehicles.

PERMITTED AREAS OF USE INCLUDE: Calf Hutches, Calving Pens and Parlors, Dairy Areas, Dog Kennels, Hog Barns, Homes, Horse Barns, Milk Rooms, Poultry Houses, Trucks/Trailers, Warehouses and Other Commercial and Industrial Buildings

ACTIVE INGREDIENT:	
Cyfluthrin	6.0%
OTHER INGREDIENTS:	94.0%
TOTAL:	100.0%

EPA Reg. No. 499-477 EPA Est. No.

KEEP OUT OF REACH OF CHILDREN
CAUTION/PRECAUCIÓN

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

Refer to full label for **First Aid, Precautionary Statements, Directions For Use, Storage and Disposal, and Conditions of Sale and Warranty.**
In case of an emergency endangering life or property involving this product, call day or night 1-800-832-HELP (4357).

NET CONTENTS:

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 to 20 minutes • Call a poison control center or a doctor for treatment advice.
HOTLINE NUMBER	
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), you may contact BASF Agricultural Solutions US LLC (hereafter "BASF") at 1-800-832-HELP (4357), twenty-four (24) hours per day seven (7) days per week.</p>	

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates.

DO NOT apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. **DO NOT** contaminate water by cleaning of equipment or disposal of wastes. **DO NOT** apply when weather conditions favor drift from treated areas.

Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Apply this product only as specified on this label.

[To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters, or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run-off to water bodies or drainage systems.]

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

Use Restrictions

- **DO NOT** allow children or pets to contact treated surfaces until spray has dried.
- **DO NOT** use on household pets. Remove from premises or tightly cover fish tanks and disconnect aerators when applying indoors where such containers are present.

- **DO NOT** apply the product into fish pools, ponds, streams, or lakes.
- **DO NOT** apply to humans, their clothing, or bedding.
- **DO NOT** apply to classrooms when in use.
- **DO NOT** apply this product in patient rooms while occupied or in any rooms while occupied by the elderly or infirm.
- **DO NOT** contaminate food, feedstuffs, water supply, food preparation surfaces, kitchen utensils, dishes, or feed storage containers. Cover any food/feed contact surfaces and cooking utensils in the treatment area during treatment or thoroughly clean before using.
- **DO NOT** apply this product through any type of irrigation system.
- **DO NOT** spray where electrical short circuits might result (e.g., wall outlets, conduits.)
- **DO NOT** apply water-based sprays of this product to conduits, motor housing, junction and switch boxes, or other electrical equipment because of possible shock hazard.
- **DO NOT** make applications during rain. Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours). Rainfall within 24 hours after application may cause unintended runoff of pesticide application.
- **DO NOT** apply soil or foliar applications by ground within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries, and commercial fish farm ponds.
- **DO NOT** apply or irrigate to the point of run-off.
- **DO NOT** apply directly to impervious horizontal surfaces (e.g., sidewalks, driveways, patios) except as a spot or **Crack & Crevice™** treatment.
- **DO NOT** apply directly to sewers or storm drains, or to any area like a drain or gutter where drainage to sewers, storm drains, water bodies, or aquatic habitats can occur, except as directed by this label.
- **DO NOT** allow to enter indoor or outdoor drains.
No permita la entrada a desagües internos o externos.



- **DO NOT** allow the product to enter any drain during or after application.

- Follow proper disposal procedures on this label.
Siga las indicaciones del etiquetado para el desecho apropiado del producto.

All outdoor applications must be limited to spot or Crack & Crevice™ treatments only, except for the following permitted uses:

1. Application to pervious surfaces (e.g., soil, lawn, turf, other vegetation);
2. Perimeter band treatments of 7 feet wide or less from the base of a man-made structure to pervious surfaces (e.g., soil, mulch, lawn);
3. Applications to the underside of eaves, soffits, doors, or windows permanently protected from rainfall by a covering, overhang, awning, or other structure;
4. Applications around potential exterior pest entry points into man-made structures (e.g., doorways, windows), when limited to a band which should not exceed 1 inch;
5. Applications to vertical surfaces (such as the side of a man-made structure) directly above impervious surfaces (e.g., driveways, sidewalks), up to 2 feet above ground level;
6. Applications to vertical surfaces directly above pervious surfaces (e.g., soil, lawn, turf, mulch, other vegetation) only if the pervious surface does not drain into ditches, storm drains, gutters, or surface waters.

Resistance Management

This product contains a **Group 3** (cyfluthrin) insecticide. Any insect population may contain individuals naturally resistant to this product and other **Group 3** insecticides. The resistant individuals may dominate the insect population if these insecticides are used repeatedly in the same areas. Appropriate resistance management strategies should be followed. For further information or to report suspected resistance contact BASF representatives at 1-800-832-HELP (4357).

STORAGE AND DISPOSAL
<p>DO NOT contaminate water, food, or feed by storage or disposal.</p> <p>Pesticide Storage Store in original container in secured, dry storage area. Prevent cross-contamination with other pesticides or fertilizers. DO NOT store above 122°F for extended periods of time. The preferred storage is above 32°F. Storage below 32°F may result in product solidification. If the product is warmed to above 32°F it will return to original form. Freezing does not adversely affect this product. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.</p>

(continued)

STORAGE AND DISPOSAL (continued)
<p>Pesticide Disposal DO NOT pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.</p> <p>Wastes resulting from use of this product may be disposed of on-site or at an approved waste disposal facility. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance.</p> <p>Container Handling Nonrefillable container. DO NOT reuse or refill this container. Triple rinse or pressure rinse the container (or equivalent) promptly after emptying; then offer for recycling, if available, or reconditioning, if appropriate or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.</p> <p>Triple rinse containers small enough to shake (capacity ≤ 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.</p> <p>Triple rinse containers too large to shake (capacity > 5 gallons) as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip the container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank, or store rinsate for later use or disposal. Repeat this procedure two more times.</p> <p>Pressure rinse as follows: Empty the remaining contents into application equipment or mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank, or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.</p>

In Case of Emergency

In case of large-scale spill of this product, call:

- CHEMTREC 1-800-424-9300
- BASF 1-800-832-HELP (4357)

In case of medical emergency regarding this product, call:

- Your local doctor for immediate treatment
- Your local poison control center (hospital)
- BASF 1-800-832-HELP (4357)

Product Information

This product is a liquid capsule suspension containing 6% cyfluthrin which will provide extended residual control of the pests listed on this label.

This product may be applied using compressed air, backpack, or power spray equipment. This product may be sprayed on any surface which will not be damaged or stained by water. Heavy applications may leave a visible deposit. On some surfaces this deposit can be removed with a damp cloth or sponge.

Mixing Instructions

SHAKE WELL BEFORE USING

Thoroughly clean spray equipment before using this product. When diluting, first add approximately 1/2 the required water to the tank, then add the proper amount of concentrate. Agitate, add the remaining water, and thoroughly agitate the solution again. When emptying the product bottle, triple rinse with water and add the rinsate to the spray tank. Continue to agitate solution occasionally during use to ensure even coverage. Shake or re-agitate solution if spraying is interrupted or if dilution is left in sprayer overnight. If spray screens are used, they should be ≥ 50 mesh. Water may be used at temperatures up to 160°F.

Surface Applications

Use 1.0 to 2.0 fluid ounces of concentrate per 1,000 square feet in sufficient water to adequately cover the area being treated. The higher rate should be used for clean-outs, for longer residual control, or for heavy insect infestations.

Mixing Chart			
Optashield® CS (fluid ounces)	Tank Size (gallons)	Coverage in Square Feet	
		Low Rate	High Rate
1.0	1.0	1,000	500
1.0	2.5	1,000	500
2.0	25.0	2,000	1,000
4.0	50.0	4,000	2,000
8.0	50.0	8,000	4,000
10.0	5.0	10,000	5,000
25.0	50.0	25,000	12,500

Apply as a coarse wet spray without dripping or runoff.

Apply to walls; floors; ceilings; in and around cupboards; between, behind, and beneath equipment and appliances; around floor drains, window and door frames, and light fixtures; and on the underside of shelves, drawers, and in similar areas. Applications may also be made to floor surfaces, along walls, and around air ducts.

Perimeter Spray: treat a band of soil 6 to 7 feet wide around and adjacent to the building or structure. Also treat the building foundation and sides where pests are active and may find entrance, up to a height of 2 feet above impervious surfaces and 2 feet above pervious surfaces. Treat other insect entry points such as doors, windows, and under siding and eaves of structure.

Spot, Crack & Crevice™, or Void Space Applications

Mix 1.0 to 2.0 fluid ounces of concentrate in 1 gallon of water. Use the higher rate for clean-outs, for longer residual control, or for heavy insect infestations. Treat surfaces to ensure thorough coverage but avoid runoff.

	Optashield® CS (fluid ounces)	Finished Spray (gallons)	AI Concentration
Low Rate	1.0	1.0	0.05%
High Rate	2.0	1.0	0.10%

Use a low pressure system with a pin point or variable pattern nozzle to apply the suspension in specific areas including, but not limited to cracks and crevices in or behind baseboards, in floor walls and expansion joints, areas around water and sewer pipes, wall voids, or voids in table legs and equipment where pests can hide as well as other similar areas. Spot treatments may also be made to areas including, but not limited to storage areas, closets, doors and windows, behind and under refrigerators, cabinets, sinks, stoves and other equipment, and the underside of shelves, drawers, and similar areas.

- Spot treatments must not exceed 2 square feet in size (for example, 2 feet by 1 foot or 4 feet by 0.5 foot).
- Applications must be made in a manner to limit dripping and avoid runoff onto untreated structural surfaces and plants.

Indoor Treatments

For indoor pests and occasional invaders, make applications in a manner as previously described under **Surface Applications** and/or **Spot, Crack & Crevice, or Void Space Applications**. Pay particular attention to entry points and harborage areas.

- **DO NOT** use in food/feed areas of food/feed handling establishments, restaurants, or other areas where food/feed is commercially prepared or processed.
- **DO NOT** use in serving areas while food/feed is exposed or facility is in operation. Serving areas include, but are not limited to areas where prepared foods are served (e.g., dining rooms), and exclude areas where foods may be prepared or held.
- In the home, cover all food/feed processing surfaces and utensils during treatment or thoroughly wash before using. Cover or remove exposed food/feed.

Non-food/feed areas include, but are not limited to areas such as garbage rooms, rest rooms, floor drains (to

sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling).

Ants

Inject cracks, crevices, and void spaces where ants may be traveling and/or harboring including, but not limited to around doors, window frames, and other structural cracks, crevices, and void spaces. Spot treatment of trails and feeding areas may also be made.

Flies

Make spot applications on surfaces where flies rest in the dark at night or frequent during the day (e.g., ceilings, screens, trash cans, upper wall surfaces, window frames).

Other Crawling Insects (e.g., Centipedes, Cockroaches, Crickets, Dermestids, Earwigs, Firebrats, Millipedes, Psocids, Silverfish, Sowbugs, Spiders)

Make spot and/or **Crack & Crevice™** treatments into hiding places including, but not limited to cracks and crevices, void space areas, moist areas, openings around pipes and sinks, and under refrigerators. Repeat application as necessary, but not more than twice per week at least 3 days apart.

Ticks

Apply as a spot and/or **Crack & Crevice** treatment in infested and egg laying areas including, but not limited to pet resting quarters, nearby cracks and crevices, behind baseboards, and door and window frames. Replace old pet bedding with clean fresh bedding after treatment.

DO NOT treat pets with this product. Repeat application as necessary, but not more than twice per week at least 3 days apart.

Indoor and Outdoor Treatments

Bees, Wasps, and Yellowjackets

Apply as a preventative or remedial treatment to help prevent these insects from building nests or workers from congregating on structures, follow the **Perimeter Spray** directions under the **Surface Applications** section of label. Pay particular attention to soffit and eave areas.

For treatment of a yellowjacket or wasp nest, liberally treat the nest, including inside the nest for yellowjackets and the surrounding area. For treatment of nests inside wall voids, inject into each nest a sufficient quantity to treat the complete nest. More than one point of application may be required. Most applications should require no more than a 1/2 gallon of diluted material. Pay particular attention to what the dilution may contact (e.g., electrical wiring).

DO NOT use where there is a shock hazard.

THIS PRODUCT DOES NOT PROVIDE INSTANT KNOCKDOWN. THE BEST TIME TO TREAT IS LATE IN THE DAY. COLONY SHOULD BE DEAD IN TWO TO THREE DAYS. DEPENDING ON THE SITUATION, PROTECTIVE EQUIPMENT FOR THE APPLICATOR MAY BE REQUIRED.

Carpenter Ants

Make spot and/or **Crack & Crevice** applications to any trails, inside or outside around doors and windows, and other places where ants enter premises. Areas which may be treated include, but are not limited to atriums, crawl spaces, ceilings, garages, soffits, wall voids, weep holes, and other void space areas. Where possible, treat ant nests or infested wood directly. Repeat application as necessary, but not more than twice per week at least 3 days apart.

Outdoor Treatments

Follow the instructions and restrictions for outdoor applications under **Use Restrictions**. Apply to and around buildings, porches, window frames, eaves, patios, garages, garbage dumps, and other areas where pests congregate or enter premises.

As a perimeter treatment, make applications in a manner previously described under **Surface Applications**.

Crawling Insects (e.g., Ants, Cockroaches, Crickets, Earwigs, Sowbugs, Scorpions, Spiders)

For treatment in outdoor areas which are landscaped, planted, mulched, or unmaintained. For ants, treat mounds and runways. Repeat applications as infestation warrants and as reinfestation occurs. Apply to cracks and crevices where insects may enter premises. Treat areas such as weep holes, under siding, wall voids, soffits, around attic vents, cracks and crevices, openings around windows, doors, and pipes. Treatment of infested fences and tree holes is permitted.

Fleas

Treat infested areas. This product kills fleas on contact but does not provide residual control.

Flies

Treat outside surfaces of screens, doors, window frames, or wherever flies enter. Treat surfaces on porches, in garages, and other places where insects alight or congregate. Treat normal fly resting areas including, but not limited to ceilings, upper corners of the area, around windows and doors, and other surfaces. Treat inside and outside surfaces of dumpsters and other trash holding containers and trash storage areas. Treat so as to lightly moisten the target surface. For best results, begin treatments at the start of the fly season and repeat during periods of heavy fly activity. Repeat treatment as necessary to maintain effectiveness, but not more than twice per week at least 3 days apart.

Mosquitoes: To control adult mosquitoes, use handheld, back-pack, or truck mounted sprayers only. Use up to 150 gallons of diluted spray per acre.

- **DO NOT** use in wide area local, state, or federal mosquito control programs.
- **DO NOT** use with truck mounted cold aerosol ULV sprayers, hand-held cold aerosol ULV sprayers, or thermal fogging devices.
- **DO NOT** apply by aircraft.

- **DO NOT** apply through any kind of irrigation and/or lawn sprinkler systems.

Treat shrubbery, vegetation, and other areas where mosquitoes may rest. Shrubby and vegetation around stagnant pools, marshy areas, ponds, and shorelines may be treated if applied as a wet spray. **DO NOT apply this product directly to any body of water.**

Use In and Around Livestock Housing

For use by pest control operators or livestock producers in livestock housing structures to control flying and crawling insects.

Apply as a surface application and/or spot, **Crack & Crevice™**, or void space application. Make applications with a low pressure sprayer with suitable nozzles to achieve uniform coverage or with fogging or misting equipment.

- **DO NOT** make indoor applications in areas of facility where animals other than cattle or horses are present.
- **DO NOT** apply directly to animal feedstuffs or watering equipment.

Best results are achieved when facilities are cleaned and indoor treatments are supplemented with outdoor perimeter applications.

Fogging or Misting Application

Remove all animals from the facility to be treated. Cover all feeders and waterers, and close all vents, windows, and doors. After application, wait 1/2 hour and ventilate facility before entering.

Flies

For residual control of flies, including house flies and stable flies, on outdoor surfaces and in animal areas (e.g., calf hutches, calving pens and parlors, dairy areas, dairy barns, hog barns, horse barns, kennels, milkrooms, poultry houses). Treat normal fly resting areas including, but not limited to ceilings, screens, upper corners of the areas, around windows, doors and light fixtures, and other surfaces known to attract flies.

For best results, initiate treatments at the beginning of the fly season and repeat during periods of heavy fly activity. Treat no more than twice per week and at least 3 days apart.

Darkling Beetles

For residual control of darkling beetles [and other insects] in poultry houses at cleanouts and in between poultry growout periods.

Use as a general surface application on floors, litter, walls, ceilings, posts, and other surfaces where pests live and cause damage.

Use 1.0 to 2.0 fluid ounces per 1,000 square feet. Use the high rate for heavy infestations.

Pests Controlled by this Product

	Indoor	Outdoor
Crawling	Ants Centipedes Cockroaches Darkling Beetles Dermestids Earwigs Firebrats Millipedes Psocids Silverfish Sowbugs Spiders	Ants Cockroaches Crickets Fire Ants Fleas Scorpions Spiders Ticks
Flying	Flies Gnats Mosquitoes Moths Yellowjackets Wasps	Bees Flies Hornets Mosquitoes Moths Yellowjackets Wasps
Wood-infesting Pests	Carpenter Ants Beetles	Carpenter Ants Beetles

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as environmental conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF Agricultural Solutions US LLC ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** BASF and the Seller offer this product, and the Buyer and User accept it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

PCS915

Crack & Crevice, Prescription Treatment, and SmartCap are trademarks of BASF.

Optashield is a registered trademark of BASF.

© 2025 BASF Agricultural Solutions US LLC
All rights reserved.

000499-00477.20210331c.**NVA 2021-04-435-0054**
Supersedes: NVA 2015-04-435-0098

BASF Agricultural Solutions US LLC
2 TW Alexander Drive
Research Triangle Park, NC 27713


We create chemistry