499-501

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES, AND TOXIC SUBSTANCES

April 16, 2010

Ms. Dana Thomas Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Boulevard St. Louis, MO 63122-6682

Dear Ms. Thomas,

Subject:

Amended labeling in response to Agency letter dated March 22, 2010

Prescription Treatment® Brand PT 224B

EPA Reg. No. 499-501

Your submission dated April 15, 2010

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable. Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>non-refillable</u> containers. The code may appear either on the label or durably marked on the container itself. This information can be added by non-notification per PR Notice 98-10.

A stamped copy is enclosed for your records. Please submit two copies of your final printed labeling before you release the product for shipment. Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). If you have any questions, please contact Julie Chao by phone at: (703) 308-8735, or by email at: chao.julie@epa.gov.

Sincerely,

Kable Bo Davis

Acting Product Manager (07) Insecticide-Rodenticide Branch Registration Division (7505P)

Enclosure

[MASTER LABEL]

v7.0 (4/15/10; dmt)

Prescription Treatment® brand PT 224B

[Alternate Brand Name #1: Prescription Treatment® brand 250 PROPOXUR] {added via Notification 5/15/03} [Alternate Brand Name #2: Prescription Treatment® brand Crack & Crevice II Propoxur] {added via Notification 6/3/05} w\Descriptor: Hand Held Insecticide

[Note: text this color is print restricted from this marketplace label and text this color is currently print restricted from all marketplace labels]

- Stops listed crawling bugs in their tracks!
- o Quick Knockdown!

KILLS: Ants (excluding Carpenter, Fire, Harvester and Pharaoh), Bed Bugs, Booklice, Boxelder Bugs, Brown Dog Ticks, Carpenter Bees, Centipedes, Chocolate Moths, Clover Mites, Cluster Flies, Cockroaches, Crickets, Drugstore Beetles, Earwigs, Elm Leaf Beetles, Flour Beetles, Grain Weevils, Millipedes, Silverfish, Sowbugs, Spiders (excluding Black Widow and Brown Recluse), Termites and Waterbugs

FOR USE IN AND ALONG OUTSIDE PERIMETERS: Hospitals[†], Food Storage Areas, Meat Packing Plants, Food Processing Plants, Nursing Homes[†], Restaurants and Other Food Handling Establishments, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains and Planes^{*}), Warehouses and Other Commercial and Industrial Buildings

- † Do not apply this product in hospital patient rooms while occupied or in any rooms occupied by the elderly or infirm.
- * Do not apply in aircraft cabins.

Do not use in indoor residential use sites, schools, day care facilities, motels, hotels, and other indoor locations where children may be present.

ACTIVE INGREDIENT:	•
Propoxur	1.09
OTHER INGREDIENTS:	<u>99.0</u>
Contains petroleum distillates.	TOTAL: 100.09

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panels for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.

EPA Reg. No. 499-501 • EPA Est. No. 7969-MO-1

NET WEIGHT:

ACCEPTED

APR 1 6 2010

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 499-50

v7.0 (4/15/10; dmt)

FIRST AID

CONTAINS AN ORGANOPHOSPHATE THAT INHIBITS CHOLINESTERASE.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 – 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 min. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-832-HELP for emergency medical treatment information.

NOTE TO PHYSICIAN: Product contains petroleum distillate - vomiting may cause aspiration pneumonia. Product contains an organophosphate that inhibits cholinesterase. If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid contact with skin or clothing. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. **PERSONAL PROTECTIVE EQUIPMENT (PPE):** Applicators and other handlers must wear long-sleeved shirt and long pants, chemical-resistant gloves and shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove protective clothing and equipment immediately after handling this product. Wash the outside of gloves before removing. Keep and wash protective clothing and equipment separately from other laundry.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply as a landscape treatment (to lawns, shrubs, trees or garden plants).

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks, open flame or pilot lights. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not apply this product in a way that will contact any person or pet, either directly or indirectly. Keep people and pets out of the area during application. Do not smoke while using. Provide adequate ventilation of area being treated. Do not apply to humans, pets or plants or contaminate feed, foodstuffs, dishes or utensils. Cover and avoid spraying fish aquariums.

HOW TO USE

SPOT TREATMENT: Apply to surfaces as a spot treatment only. Do not spray up into air. Point spray opening toward surface to be sprayed and press button firmly. Hold about 12" from the surface being sprayed. Spray around baseboards, doors, window sills and plumbing and other places where insects may enter. Spray into inaccessible areas behind and beneath sinks, stoves, cabinets, refrigerators, damp areas, and in and around waste containers. Avoid excessive wetting of asphalt, tile, rubber, and plastic. Will only kill pests present at the time of application. Pests must be directly contacted to be effective. Contact as many pests as possible. Do not treat open floor areas, furniture, beds or bedding. Clean any exposed area where food or people may contact.

CRACK & CREVICE® TREATMENT: Use with the supplied actuator and injection tubes or other Whitmire Micro-Gen equipment. Inject into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings where insects may enter. Spray into inaccessible areas behind and beneath sinks, stoves, cabinets, refrigerators, damp areas and in and around waste containers. Will only kill pests present at the time of application. Pests must be directly contacted to be effective. Contact as many pests as possible.

ENTRY RESTRICTION: Do not allow people or pets to enter the treated area until sprays have dried.

[MASTER LABEL] v7.0 (4/15/10; dmt)

ANTS (excluding Carpenter, Fire, Harvester and Pharaoh): Apply as a spot treatment or Crack & Crevice treatment. Spray into nests, trails, around doors, windows, into structural cracks and crevices, and wherever ants enter house. Spray directly on insects in these locations. Repeat as necessary. Do not treat entire area of floor covering.

CRAWLING PESTS: Cockroaches, Waterbugs, Spiders (exluding Black Widow and Brown Recluse), Brown Dog Ticks, Earwigs, Crickets, Sowbugs, Millipedes and Centipedes – Apply as a spot treatment or Crack & Crevice treatment. Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations. Repeat as necessary.

BOOKLICE & SILVERFISH: Spray cracks and crevices in baseboards, doorframes, bookcases and storage areas. Spray directly on insects in these locations. Repeat as necessary.

GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, DRUGSTORE BEETLES (in exposed adult and larval stages) and hibernating stages of BOXELDER BUGS, ELM LEAF BEETLES, CLUSTER FLIES and CLOVER MITES: Contact as many insects as possible when treating infested areas such as cracks and crevices in wall voids, around windows and doorframes, under siding, in machinery, and in dark, secluded areas. Repeat as necessary.

Localized treatment of wood destroying insects: **CARPENTER BEES** – Locate source of infestation. Inject 5 – 10 sec of spray into insect tunnels and cavities. Seal entrance openings with small pieces of stainless steel wool after spray application.

TERMITES: Locate source of infestation. Apply to voids and channels in damaged wooden members of a structure or to cracks, spaces or bearing joints between wooden members of a structure. Inject 5 – 10 sec spray into insect tunnels and cavities. This application is not a substitute for mechanical alteration, soil treatment or foundation treatment but is merely a supplemental treatment. This product is intended to kill workers or winged reproductive forms which may be present in the treated areas.

BED BUGS: Use only in institutional settings where children do not reside (e.g. adult correctional facilities, military barracks, university dormitories, etc.). Take bed apart. Treat joints and channels if hollow, such as square or round tubing, and see that interior framework is treated. Treat mattresses, especially tufts, folds and edges. Allow mattresses to dry thoroughly and cover with clean bedding before using. Bed bugs may also harbor in areas of the room away from the bed. Apply as a Crack & Crevice or spot treatment to night stands and other furniture in the room, wall voids, behind wall hangings, floor molding, window casings, carpet edge, popcorn ceilings and other cracks and crevices. Will only kill bed bugs present at the time of application. Pests must be directly contacted to be effective. Contact as many bed bugs as possible.

APPLICATIONS IN AIRCRAFT: This product can be applied in cargo areas but not in aircraft cabins.

APPLICATION IN FOOD HANDLING ESTABLISHMENTS

Food handling establishments are places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS - APPLICATION LIMITED TO CRACK & CREVICE TREATMENT ONLY: Includes areas for receiving, storage, packaging, (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups).

Do not use this product in the serving/dining areas of restaurants.

Apply prescribed amounts of product as a Crack & Crevice treatment using the supplied injection tube or other Whitmire Micro-Gen equipment in points between different elements of construction, between equipment and floor, openings leading to voids and hollow spaces in walls, equipment legs and bases where insects hide. Do not allow the product to be deposited onto exposed surfaces or introduced into the air. Do not contaminate food, food utensils or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK & CREVICE TREATMENT IS NOT PERMITTED.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store away from heat or open flames, in an area inaccessible to children.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not puncture or incinerate! Empty container by using the product in accordance with the label directions. Do not reuse or refill this container. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly full, contact your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



/15/10; dmt)

[MASTER LABEL] v7.0 (4/15/10; dmt)

CONDITIONS OF SALE AND WARRANTY

Follow the Directions for Use. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. Whitmire warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) WHITMIRE MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND WHITMIRE'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) WHITMIRE AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Whitmire and the Seller offer this product, and the Buyer accepts it, subject to these Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of Whitmire.

Manufactured for:
Whitmire Micro-Gen Research Laboratories, Inc.
by BASF Corporation
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
Questions? Call 1-800-777-8570
© 2010 Whitmire Micro-Gen Research Laboratories, Inc.