07/31/2006

Form Approved. OMB No. 2070-0060

se read instructions on reverse before completing form.

OPP Identifier Number

\$EPA	United States Environmental Protection Agency						Amend		O' C PROTEIN (ANTINO)		
V		ngton, DC 2046	_	•	į	Х	Other				
		Applicatio	n for	Pestici	de - Sect	íon	1				
1. Company/Product Number			2. EPA Product Men Dan Kenny			ger	ger 3. Pi		roposed Classification		
4. Company/Product (Name)			PM#					[None Restricted		
TC 248 5. Name and Address of Applicant (Include ZIP Code)			6. Expedited Reveiw. In accordance					nce with	FIFRA Section 3(c)(3)		
Whitmire Micro-Gen Research Laboratories Inc. 3568 Tree Court Industrial Blvd. St. Louis, MO 63122-6682			(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No.						mposition and labeling		
Check if this is a new address				Product Name							
			Sec	tion - i							
Amendment - Explain below.			Final printed labels in re Agency letter dated "Me Too" Application.				ed	NOTIFICATION			
Resubmission in response to Agency letter dated X Notification - Explain below.					Other - Expla	•		JUL 3 1 2006			
Explanation: Use addition	al page(s) if necessary	. (For section	I and Se	ction II.)							
Minor label revisions per PRN 9 details. This notification is consistent wi CSF of this product. I understan consistent with the terms of PR under sections 12 and 14 of FIF	th the provisions of PR Ne d that it is a violation of 1 Notice 98-10 and 40 CFR	otice 98-10 and E 8 U.S.C. Sec. 10	PA regul 01 to willf duct may	ations at 4	O CFR 152.46, any false staten tion of FIFRA a	and no	o other chang EPA. I furthe	es have bee er understan	en made to the labeling or the did that if this notification is not		
1. Material This Product Will	Re Peckaged in:		3800	1011 - 11							
Child-Resistant Packaging	Unit Packaging		Water	ar Saluble Packaging 2. Type of Container							
Yes	Yes			Yes			Motal				
No	No			No			Plastic Glass				
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes Packeg		No. per container			Paper Other (S	pecify)		
Lebel Container 4. Size(s) Re			etail Container 5.			5. Loc	Location of Label Directions				
6. Manner in Which Label is	Affixed to Product	Lithogra Paper g Stencile	ph lued d		Other						
			Secti	ion - I\	/						
1. Contact Point	items directly below fo	r identification	of indivi	dual to be	contacted, if	nece	ssary, to pro	ocess this	application.)		
Name Dana Thomas								No. (Include Area Code) 51-4223			
i certify that the stater i acknowledge that any both under applicable i	/ knowlingtly false or n	Certificati this form and a nisleading state	ll attache	ments the sy be pun	reto ere true, ishable by fine	eccu orii	rate and con mprisonment	npleta.	6. Date Application Recrived (Stamped)		
2. Signature			3. Title								
Spara My Shomas			Manager, Product Registrations								
4. түрөб Neme Dana M. Thomas			July 12, 2006								

v1.1 (7/12/06)

TC 248

Alternate Brand Name: Prescription Treatment® brand ADVANCE® Cockroach Gel Bait Reservoir (submitted via Notification 5/25/06)

ACTIVE INGREDIENT: Dinotefuran, N-methyl-N'-nitro-N-[(tetrahydro-3-furanyl)methyl]guanidine	ი 5%
OTHER INGREDIENTS:	
OTHER INGREDIENTS:	100.0%

EPA Reg. No. 499-507

EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN CAUTION

See full label for First Aid, Precautionary and Storage and Disposal Statements.

NET CONTENTS: _____

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

See full label for complete Directions for Use.



A Prescription Treatment® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Loius MO 63122-6682 www.wmmg.com © 2006

TC 248

[Alternate Brand Name: Prescription Treatment® brand ADVANCE® Cockroach Gel Bait Reservoir]

- For Indoor and Outdoor Residential Use
- Continuous Action Formula
- Odorless Bait Formulation
- Easy to Use
- Effective Roach Control

KILLS: Cockroaches

FOR USE IN AND AROUND: Commercial, Institutional and Warehousing Establishments (including computer facilities, food/feed processing plants, hospitals, hotels, laboratories, motels, nursing homes, pet shops, restaurants, schools, supermarkets, sewers, warehouses and zoos), Residences and Transportation Equipment (aircraft, buses, boats/ships and trains)

ACTIVE INGREDIENT:

EPA Reg. No. 499-507

EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 min. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-225-3320 for emergency medical treatment information.

NET CONTENTS: _____



v1.1 (5/25/06)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not store or use near heat or open flame. Do not use this product where a possibility of a shock hazard exists.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

READ ENTIRE LABEL. Use strictly in accordance with Precautionary Statements and Directions and with applicable state and federal regulations.

GENERAL INFORMATION

HOW TC 248 WORKS

- TC 248 cockroach gel bait contains a powerful food based attractant.
- The attractant draws roaches to the bait.
- Roaches eat the bait, then crawl away to die.

USE RESTRICTIONS

- Keep out of sunlight or excess heat.
- Do not apply bait to surfaces which may reach excessive temperatures. Examples include, but are not limited to: portions of stoves, ovens, grills, fume hoods, steam tables, toasters, fryers, dishwashers and hot water pipes.

SPOT TREATMENT

To apply gel, remove cap from tip of applicator tube. Apply gel in a 3-6 mm diameter spot (0.25-0.50 g). Approximately 10 spots per 100 ft² are recommended for use under conditions with low to moderate infestation. For more severe infestations, approximately 20 spots per 100 ft² are recommended. Apply many spots in areas of roach traffic and suspected harborage. Numerous small application spots are preferable to fewer larger application spots. Do not treat food preparation surfaces. Do not apply gel to areas that have been recently sprayed with insecticide. Do not spray insecticide products over gel placements as this may make gel repellent and reduce its effectiveness. Do not place treatments in locations where routine cleaning might remove bait or transfer bait to food or food preparation surfaces. This product will stick to surfaces that are not dusty or greasy. Reapply if gel placements are no longer visible and/or reinfestation occurs. Replace cap when finished dispensing gel. Use paper towel to remove unwanted bait placements and then discard in trash.

CRACK & CREVICE® TREATMENT

This product can be applied as spots or as a line along cracks and crevices. Gel bait should be applied directly into cracks and crevices where insects hide. Place the applicator tip directly into cracks and crevices and deposit gel in small spots or in a continuous bead. Bait should be in the void area and not on open or exposed surfaces.

Application within food areas of food handling establishments is limited to cracks and crevices where insects hide. To apply gel, remove cap from tip of applicator tube. Apply gel in a 3 – 6 mm diameter bead (0.25 – 0.50 g). Approximately 10 bait placements per 100 ft² are recommended for use under conditions with low to moderate infestation. For more severe infestations, approximately 20 bait placements per 100 ft² are recommended. Numerous small applications are preferable to fewer larger applications. Bait should not be used in open areas or on surfaces where contamination of food or food handling equipment may occur. Replace cap when finished dispensing gel. Reapply gel if previous applications are no longer visible and/or reinfestation occurs.

APPLICATIONS IN AIRCRAFT

Application within passenger areas of aircraft is limited to Crack & Crevice treatment only. Apply TC 248 in areas between elements of construction (such as areas under sinks, openings around pipes, under shelving, where shelving meets other shelves or the wall, area between and around microwaves, where support braces attach to the main structure and where seats are attached to the floor). Apply 10 – 20 bait spots per 100 ft² as described above. Do not apply bait to areas where food, utensils or food preparation surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food preparation and food holding surfaces as bait may be removed by washing. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface. During follow-up visits, inspect bait placements and reapply when previous applications are no longer visible and/or reinfestation occurs. Do not apply any bait in cockpit area.

OUTDOOR USE

Use for control of cockroaches. Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and other areas adjacent to structures where cockroaches may find harborage.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Store in a cool dry place away from heat or open flame and inaccessible to children.

CONTAINER DISPOSAL: Do not reuse this container. Empty container by using the product according to label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly filled, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

A Prescription Treatment brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wmmg.com
© 2006 Whitmire Micro-Gen Research Laboratories, Inc.

Page 4 of 4

Hara M. nomes

Dana M. Thomas Manager, Product Registrations

Encl.



July 12, 2006

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

RE:

Notification of minor label revisions per PR Notice 98-10 TC 248, EPA Reg. No. 499-507

Dear Sir/Madam:

Enclosed is a completed application and one copy revised labeling with the following minor revisions:

- Corrected the spelling of the chemical name of the active ingredient "N-methyl-N'-nitro-N-[(tetrahydro-3-furanyl)methyl]guanidine" (it was incorrect on final printed labeling submitted 5/25/06)
- ✓ Alphabetized use sites
- ✓ Revised "Active Ingredients" to read singularly "Active Ingredient"
- Corrected the emergency medical contact telephone number in the First Aid statements as I noticed that we had erroneously included the telephone number for chemical spills
- ✓ Abbreviated words denoting time, i.e. "minutes" to "min" and "hours" to "hr"
- ✓ Changed "sq. ft." to "ft²"

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the CSF of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Also enclosed is a self-addressed, postage paid postcard that, when filled out, would indicate the status of this notification. Please take a moment to fill in the appropriate information and drop it in the mail for our records. Your assistance in this regard is certainly appreciated.

Thank you for your assistance in this matter. Please don't hesitate to contact me at (636) 861-4223 or, via electronic mail at dana.thomas@wmmg.com, should you have any questions or require additional information concerning this action.

Sincerely,

WHITMIRE MICRO-GEN RESEARCH LABORATORIES INC.

Dana M. Thomas

Manager, Product Registrations

Alexa M. Shoma

Encl.