se read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

United So Environmental Prot Weshington, D	X Other		OPP Identifier Number			
Application for Pesticide - Section I						
1. Company/Product Number 499-510		1 .			oposed Classification	
499-510 4. Company/Product (Name)		Venus Eagle None Restricted				
TC 248 PC		1				
5. Name and Address of Applicant (Include ZIP Code) Whitmire Micro-Gen Research Laboratories Inc. 3568 Tree Court Industrial Blvd. St. Louis, MO 63122-6682 Check if this is a new address		6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. MAY 8 2007 Product Name				
Section - II						
Amendment - Explain below. Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Thinal printed labels in repsonse to Agency letter dated "Me Too" Application. Other - Explain below.						
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Minor label revisions/corrections per PRN 98-10 Sec II (E). Please see cover letter for details. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the CSF of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.						
Section - III						
1. Material This Product Will Be Packaged In:		•	· · · · · · · · · · · · · · · · · · ·			
Child-Resistant Packaging Yes No If "Yes" No. p.		Water Soluble Packaging Yes No If "Yes" No, per 2. Type of Container Metal Plastic Glass Paper				
* Certification must be submitted Unit Packaging wgt. contains				Other (S	pecify)	
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions Label Container 6. Manner in Which Label is Affixed to Product Lithograph Other						
6. Manner in Which Label is Affixed to Product Lithograph Peper glued Stenciled Other						
	Secti	on - IV			C C C .	
1. Contact Point Complete items directly below for identification of individual to be contacted, if necessary, to process this application.						
_{Name} Dana Thomas	er, Product Registrations ნემი გენი გენი გენი გენი გენი გენი გენი გენ					
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.						
2. Signature	3. Title	3. Title				
Alara M. Shomes		Manager, Product Registrations				
4. Туреd Name Dana M. Thomas	July	July 26, 2006				

TC 248 PC

[ALTERNATE BRAND NAME: Prescription Treatment® brand ADVANCE® Cockroach Gel Bait Piston Can (added via Notification 7/12/06)]
(Blue text is currently "print restricted"/not included in marketplace label)

- For Indoor and Outdoor Residential Use
- Continuous Action Formula > 7
- Odorless Bait Formulation
- Easy to Use
- Effective Roach Control

MOTIFICATION

MAY 3 200Z

KILLS: Cockroaches

FOR USE IN AND AROUND: Commercial, Institutional and Warehousing Establishments (including computer facilities, food/feed processing plants, hospitals, hotels, laboratories, motels, nursing homes, pet shops, restaurants, schools, supermarkets, sewers, warehouses and zoos), Residences and Transportation Equipment (aircraft, buses, boats/ships and trains)

ACTIVE INGREDIENT:

Dinotefuran, N-methyl-N'-nitro-N-[tetrahydro-3-furanyl)methyl]guanidine 0.5%

OTHER INGREDIENTS: 99.5%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for First Aid and Precautionary Statements. EPA Reg. No. 499-510 EPA Est. No. 499-MO-1

NET CONTENTS: ____



FIRST AID

IF SWALLOWED: Call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 min. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-225-3320 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not use this product where a possibility of a shock hazard exists.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

READ ENTIRE LABEL. Use strictly in accordance with Precautionary Statements and Directions and with applicable state and federal regulations.

GENERAL INFORMATION

HOW TC 248 PC WORKS

- TC 248 PC cockroach gel bait contains a powerful food based attractant.
- The attractant draws roaches to the bait.
- Roaches eat the bait, then crawl away to die.

USE RESTRICTIONS

- Keep out of sunlight or excess heat.
- Do not apply bait to surfaces which may reach excessive temperatures. Examples include, but are not limited to: portions of stoves, ovens, grills, fume hoods, steam tables, toasters, fryers, dishwashers and hot water pipes.

See full label for complete Directions for Use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Store in a cool, dry place away from heat or open flame and inaccessible to children.

CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product according to label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly filled, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor grain.

A Prescription Treatment® brand insecticide from:

Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 www.wmmg.com © 2006 Whitmire Micro-Gen Research Laboratories, Inc.

TC 248 PC

[ALTERNATE BRAND NAME: Prescription Treatment® brand ADVANCE® Cockroach Gel Bait Piston Can]
(added via Notification 7/12/06)

- For Indoor and Outdoor Residential Use
- Continuous Action Formula
- Odorless Bait Formulation
- Easy to Use
- Effective Roach Control

KILLS: Cockroaches

FOR USE IN AND AROUND: Commercial, Institutional and Warehousing Establishments (including computer facilities, food/feed processing plants, hospitals, hotels, laboratories, motels, nursing homes, pet shops, restaurants, schools, supermarkets, sewers, warehouses and zoos), Residences and Transportation Equipment (aircraft, buses, boats/ships and trains)

ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN CAUTION

EPA Reg. No. 499-510

EPA Est. No. 499-MO-1

FIRST AID

IF SWALLOWED: Call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-225-3320 for emergency medical treatment information.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not use this product where a possibility of a shock hazard exists.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

READ ENTIRE LABEL. Use strictly in accordance with Precautionary Statements and Directions and with applicable state and federal regulations.

GENERAL INFORMATION

HOW TC 248 PC WORKS

- TC 248 PC cockroach gel bait contains a powerful food based attractant.
- The attractant draws roaches to the bait.
- Roaches eat the bait, then crawl away to die.

USE RESTRICTIONS

- · Keep out of sunlight or excess heat.
- Do not apply bait to surfaces which may reach excessive temperatures. Examples include, but are not limited to: portions of stoves, ovens, grills, fume hoods, steam tables, toasters, fryers, dishwashers and hot water pipes.

SPOT TREATMENT

To apply gel, insert provided applicator straw into actuator. Apply gel in a 3 – 6 mm diameter spot (0.25 – 0.50 g). Approximately 10 spots per 100 ft² are recommended for use under conditions with low to moderate infestation. For more severe infestations, approximately 20 spots per 100 ft² are recommended. Apply many spots in areas of roach traffic and suspected harborage. Numerous small application spots are preferable to fewer larger application spots. Do not treat food preparation surfaces. Do not apply gel to areas that have been recently sprayed with insecticide. Do not spray insecticide products over gel placements as this may make gel repellent and reduce its effectiveness. Do not place treatments in locations where routine cleaning might remove bait or transfer bait to food or food preparation surfaces. This product will stick to surfaces that are not dusty or greasy. Reapply if gel placements are no longer visible and/or reinfestation occurs. Use paper towel to remove unwanted bait placements and then discard in trash.

CRACK & CREVICE® TREATMENT

This product can be applied as spots or as a line along cracks and crevices. Gel bait should be applied directly into cracks and crevices where insects hide. Place the applicator straw directly into cracks and crevices and deposit gel in small spots or in a continuous bead. Bait should be in the void area and not on open or exposed surfaces.

FOOD HANDLING ESTABLISHMENTS

Application within food areas of food handling establishments is limited to cracks and crevices where insects hide. To apply gel, insert provided applicator straw into actuator. Apply gel in a 3 – 6 mm diameter bead (0.25 – 0.50 g). Approximately 10 bait placements per 100 ft² are recommended for use under conditions with low to moderate infestation. For more severe infestations, approximately 20 bait placements per 100ft² are recommended. Numerous small applications are preferable to fewer larger applications. Bait should not be used in open areas or on surfaces where contamination of food or food handling equipment may occur.

Reapply gel if previous applications are no longer visible and/or reinfestation occurs.

APPLICATIONS IN AIRCRAFT

Application within passenger areas of aircraft is limited to Crack & Crevice treatment only. Apply TC 248 PC in areas between elements of construction (such as areas under sinks, openings around pipes, under shelving, where shelving meets other characters or the wall, area between and around microwaves, where support braces attach to the main structure and where seats are attached to the floor). Apply 10 – 20 bait spots per 100 ft² as described above. Do not apply bait to areas where food, utensils or food preparation surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food preparation and food holding surfaces as bait may be removed by washing. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface. During follow-up visits, inspect bait placements and reapply when previous applications are no longer visible and/or reinfestation occurs. Do not apply any bait in cockpit area.

OUTDOOR USE

Use for control of cockroaches. Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways and other areas adjacent to structures where cockroaches may find harborage.

v1:2 (7/25/06)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Store in a cool, dry place away from heat or open flame and inaccessible to children.

CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product according to label directions. Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If container is partly filled, contact your local solid waste agency or call 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

A Prescription Treatment® brand insecticide from:
Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
www.wmmg.com
© 2006 Whitmire Micro-Gen Research Laboratories, Inc.



July 26, 2006

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202-4501

RE: Notification of minor label revisions/corrections per PR Notice 98-10 § II (E) TC 248 PC, EPA Reg. No. 499-510

Dear Sir/Madam:

Enclosed is a completed application and one (1) copy of revised labeling. Yellow highlights indicate revised text, which include:

- Removal of "Net Contents" from the "complete" label as it only applies to the "container/can" label.
- ✓ Revision (clarification) of the Directions for Use regarding application of product via a piston can rather than a syringe-type reservoir (language that applies to EPA Reg. No. 499-507)
 - Replaced all instances of "remove cap from tip of applicator tube" with "insert provided applicator straw into actuator"
 - Removed all instances of "Replace cap when finished dispensing gel"
 - Replaced "tip" with "straw"

The product packaging of TC 248 PC did not change (dispensed from a piston can; contents under pressure). This notification is merely a correction of verbiage that carried over from the label of TC 248 (EPA Reg. No. 499-507; dispensed from a syringe-type reservoir; <u>not</u> under pressure) when the Agency required us to register the piston can application as a separate product due to differing Physical & Chemical Hazard statements.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the CSF of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Also enclosed is a self-addressed, postage paid postcard that, when filled out, would indicate the status of this notification. Please take a moment to fill in the appropriate information and drop it in the mail for our records. Your o assistance in this regard is certainly appreciated.

Thank you for your assistance in this matter. Should you need to contact me, you may do so by telephone at (636) 861-4223 or, via electronic mail, at dana.thomas@wmmg.com.

Sincerely,

WHITMIRE MICRO-GEN RESEARCH LABORATORIES INC.

Dana M. Thomas

Manager, Product Registrations

Encl