



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460-0001

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

January 14, 2008

Ms. Patricia A. Hodge,
Registration Specialist
Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Boulevard
St. Louis, MO 63122-6682

**Subject: Expedited Review, Rebuttal to Registration Notice
Whitmire Micro-Gen TC 272, EPA Reg. No. 499-512
Your E-mail Submission Dated January 10, 2008**

Dear Ms. Hodge:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable.

Whitmire Micro-Gen Research Laboratories, Inc. should note that a notice of availability of EPA's reregistration eligibility decision (RED) document for products containing pyrethrins was published in the *Federal Register* on July 26, 2006 (Volume 71, Number 143, Pages 42387-42389). Further, EPA's RED for products containing piperonyl butoxide was published in the *Federal Register* on July 26, 2006 (Volume 71, Number 143, Pages 42385-42386). As a result, additional data and/or labeling changes may be required for products containing pyrethrins and piperonyl butoxide.

A copy of your label stamped "Accepted" is enclosed for your records. If you have any questions, please contact Mr. Carmen Rodia at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov.

A handwritten signature in black ink, appearing to read "Richard J. Gebken".

Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7505P)

Enclosure: Label stamped "Accepted"

000499-00512 D388456

284

TC 272

One 6 oz can treats up to 5,000 cu ft of unobstructed space (25' x 25' x 8')

KILLS:

Angoumois Grain Moths, Ants (except Carpenter, Fire and Harvester), Booklice, Carpet Beetles, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cockroaches, Confused Flour Beetles, Crickets, Drug Store Beetles, Earwigs, Fleas, Gnats, Grain Mites, Granary Weevils, Hornets, House Flies, Indianmeal Moths, Mediterranean Flour Moths, Millipedes, Mud Daubers, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Sowbugs, Southern House Mosquitoes, Spiders (except Brown Recluse Spiders) Ticks, Wasps and Yellowjackets

ACTIVE INGREDIENTS:

Pyrethrins, *a botanical insecticide* 0.5%
Piperonyl Butoxide, Technical* 4.0%

OTHER INGREDIENTS: 95.5%

* Equivalent to 3.2% (butylcarbityl)(6-propylpiperonyl) ether and 0.8% related compounds. TOTAL: 100.0%

[Alternate text: See side panel (complete label) for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.]

KEEP OUT OF REACH OF CHILDREN


CAUTION

EPA Reg. No: 499-512 • EPA Est. No: 499-MO-1

NET WEIGHT:



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.
800-777-8570 www.wmmg.com



FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 min. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 – 20 min. Remove contact lenses, if present, after the first 5 min., then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. **For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-225-3320 or the National Pesticide Information Center at 1-800-858-7378.**

PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with plenty of soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Do not contaminate water when disposing of equipment washwaters or rinsate. See Directions for Use for additional precautions and restrictions. Do not apply directly to or near water. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. READ ENTIRE LABEL BEFORE EACH USE.

USE FOR INSECT INFESTATIONS IN: Apartments†, Campgrounds, Food Storage Areas, Homes†, Hospitals†, Hotels, Motels, Nursing Homes†, Resorts, Restaurants† and other Food Handling Establishments†, Schools†, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks and Aircraft--Cargo Areas Only), Utilities, Warehouses and other Commercial and Industrial Buildings.

† Refer to "General Restrictions" section for special instructions for these sites.

GENERAL RESTRICTIONS

- Apply this product only as specified on this label.
- **DO NOT** use more than one fogger per room. **DO NOT** use in a small, enclosed spaces such as closets, cabinets or under counters or tables. **DO NOT** use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).** Call you gas utility or management company if you need assistance with your pilot light.
- **DO NOT** allow adults, children or pets to enter until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated. **DO NOT** remain in treated area. Exit area immediately and remain outside the treated area for at least 2 hours until aerosols, vapors and/or mists have dispersed.
- **DO NOT** apply this product in a way that will contact adults, children or pets, either directly or through drift.
- Remove or cover exposed food and drinking water before application. **In Homes** remove or cover all dishes, utensils and food processing equipment and food preparation surfaces, or wash them before use. **DO NOT** use in serving areas while food is exposed.
- In Food Areas of Food Handling Establishments: **DO NOT** make applications when facility is in operation. Avoid contamination of food or feedstuffs. During applications, cover or remove food, cover food processing surfaces and equipment or clean after treatment with a suitable detergent and rinse with potable water before use. **DO NOT** use in serving areas (dining areas where prepared foods are served) while food is exposed or facility is in operation.

484

CONTAINER LABEL – SIDE PANEL(S)

TC 272 v 1.1 (1/11/2008)

- In Health Care Facilities (hospitals and nursing homes), remove patients prior to treatment and thoroughly ventilate treated area for 2 hours before returning patients.
 - In Schools: **DO NOT** apply to classrooms when in use.
 - Remove pets and birds, cover and turn off fish aquariums before spraying.
1. **OPEN** cabinets, cupboards, drawers, closets and doors in areas to be treated. **REMOVE** or cover exposed foods, dishes, utensils, food processing equipment and surfaces. **REMOVE** pets, birds, cover and cover fish aquariums before application. Turn off air flow systems in fish tanks. **COVER** waxed floors, waxed furniture and stereo or other plastic dust covers in the immediate area surrounding the fogger (newspaper may be used).
 2. **CLOSE** all windows and doors. Place a chair, table or stand in the center of the room to be fogged. Cover with several layers of newspaper, paper towels or plastic tarps. Tilt actuator **AWAY** from face (container sprays straight up). Press tab down in locked position.
 3. Set fogger on covered stand and disperse in all locations contacting as many insects as possible. Immediately leave treated area. Keep treated area closed for at least 2 hr. Open and thoroughly ventilate treated areas for at least 30 min. before reoccupying.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep this product dry in a cool, dry, well ventilated area away from heat or open flame.

PESTICIDE DISPOSAL: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! If Empty: Place in trash and offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances.
Federal regulations prohibit CFC propellants in aerosols.



A Prescription Treatment® brand insecticide from:
 Whitmire Micro-Gen Research Laboratories, Inc.
 3568 Tree Court Industrial Blvd.
 St. Louis MO 63122-6682
 www.wmmg.com
 © 2008 Whitmire Micro-Gen Research Laboratories, Inc.