

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Ms. Dana M. Thomas 3568 Tree Court Industrial Blvd. St. Louis, MO 63122

JAN 17 2013

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Ms. Thomas:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated December 13, 2012 for the following product(s):

ULD™ BP-100 Contact Insecticide II

Alternate Brand Name

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

TC 264

Reg. No. 499-514

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken Product Manager

LACULE

Insecticide Branch

Registration Division (7504P)



OPP Identifier Number

⇔EPA	Environmental Washi	Protection		псу	X	Amend Other			
		Applicati	on for l	Pesticide -	Section	1			
1. Company/Product Number 499-514			2. EPA Product Manager Richard Gebken			3. Proposed Classification None Restricted			
4. Company/Product (Name) TC 264			PM# 10] would	Restricted	
5. Name and Address of App Whitmire Micro-Gen Re 3568 Tree Court Indust St. Louis, MO 63122-6		6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3 (b)(i), my product is similar of identical incomposition and labeling to: EPA Reg. No. AN 17 2013 Product Name							
			Sec	tion - II					
Amendment - Explain Resubmission in resp X Notification - Explain Explanation: Use addition Label Notification to add Alterna This notification is consistent with	below. below. al page(s) if necessar	y. (For section		Age "Me	ncy letter da Too" Applic er - Explain b	ation.		made to the la	beling or the
confidential statement of formula if this notification is not consiste and penalties under sections 12	nt with the terms of PR No	and that it is a v	40 CFR 152	.46, this product	may be in viola	nake any faise and faise attion of FIFRA	statement to and I may be	e subject to er	r understand that inforcement action
1. Material This Product Will	Be Packaged In:								
Child-Resistant Packaging Yes No * Certification must be submitted Unit Packaging Yes No If "Yes" Unit Packaging wgt. No. per Container			If "Yes		No. per		Metal Plastic Glass Paper Other (Specify)		
			etail Container 5. Location of L			cation of Lal	abel Directions		
6. Manner in Which Label is	Affixed to Product	Lithog Paper Stend	reph glued iled		Other				
			Sect	ion - IV	2				
1. Contact Point (Complete	items directly below f	or identification	on of indivi	dual to be con	tacted, if nec	essary, to pi	ocess this	application.	1
Name Patricia A Hodge			Title Product Regulations Specialist Telephone No. (Include A						
I certify that the state I acknowledge that an both under applicable	y knowlingly false or		all attach					6. Onto Ap Received	
2. Signature Ladge			Product Regulations Specialist						
4. Typed Name () Patricia A Hodge			12/13/2012						



December 13, 2012

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S Crystal Drive
Arlington, VA 22202-4501

Re: Label Notification – Addition of Alternate Brand Name per PR Notice 98-10 TC 264, EPA Reg. No. 499-514

Enclosed in support of this action is a completed application (EPA Form 8570-1) and one copy revised labeling. The label is also being submitted in electronic format on a CD (with a signed label certification statement).

We are adding the alternate brand name, ULD® BP-100 Contact Insecticide II.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Thank you for your assistance in this matter. Please do not hesitate to contact me at 636-861-4223 or, via electronic mail at patricia.hodge@basf.com, should you have any questions or require additional information.

Sincerely.

Patricia Hodge

Product Regulations Specialist

icia Hodge

Encl.

BASF Corporation
Pest Control Solutions
3568 Tree Court Industrial Blvd.
St. Louis, MO 63122
Tel: (800) 777-8570

www.PestControl.basf.us

For Dana M. Thomas
Product Regulatory Manager &
Authorized Agent for Whitmire Micro-Gen
Research Laboratories, Inc.

TC 264

[ALTERNATE BRAND NAME: ULD® BP-100 Contact Insecticide II] {added via Notification 12/13/12}

For indoor or outdoor application as a direct, space, area or contact spray. Dependent upon the insects and areas to be treated, this product may be applied through mechanical aerosol (non-metered) or ultra-low volume (ULV) generators, as well as thermal and conventional fogging or spraying equipment.

KILLS: Ants (excluding Harvester & Pharaoh), Bed Bugs, Cockroaches, Fleas, Flies, Scorpions, Spiders, Stored Product Pests (Beetles, Mites, Moths) and Ticks

FOR USE IN: Commercial (including Food Handling Establishments, Food Service, Storage, Preparation and Processing Areas), Institutional and Residential Areas

See inside booklet for additional insects and use sites.

ACTIVE INGREDIENTS:

Pyrethrins*, a botanical insecticide	1.0%
Piperonyl butoxide **	5.0%
OTHER INGREDIENTS:	94.0%
Contains Petroleum Distillate TOTAL: 10	00.0%

^{* 1} gallon contains 0.066 lb of pyrethrins and 0.33 lb piperonyl butoxide

NOTIFICATION

JAN 17 2013

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel/inside booklet for First Aid, Precautionary Statements Directions for Use and Storage and Disposal.

EPA Reg. No. 499-514 • EPA Est. No. 7969-MO-1

ULTRA LOW DOSAGE THROUGH MICRON GENERATION

FIRST AID

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 – 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 min. Call a poison control center for doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-832-HELP, 24 hr a day, 7 days a week.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment (PPE): Mixers, loaders, applicators and other handlers must wear the following: Long-sleeve shirt, long pants, shoes and socks, and chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber or Viton.

- In addition to the above PPE, applicators using a high pressure hand wand in an enclosed area must wear at least a NIOSH-approved respirator with: a dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or Any R, P, or HE filter.
- In addition to the above PPE, applicators fogging this product (applying as a space spray) in an enclosed area must wear a half-face, full-face, or hood-style NIOSH-approved respirator with: A dust/mist filtering cartridge (MSHA/NIOSH approval number prefix TC-21C), or A canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a cartridge or canister with any R, P or HE filter.

USER SAFETY REQUIREMENTS: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

User should:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

^{** (}butylcarbityl)(6-propylpiperonyl) ether and related compounds.

v2.1 (12/13/12; dmt)

Master Label

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

TERRESTRIAL APPLICATIONS: This product toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Except as specified in the directions for use, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

FOR CONTAINERS ≥ 5 GALLONS: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of the National Pollutant Discharge Elimination System (NPDES) permit and permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your state water board or regional office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not apply this product around electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

USE RESTRICTIONS

- Apply this product only as specified on this label.
- Do not apply more than 1 time/day.
- Only protected applicators may be in treatment area during application.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Do not remain in treated area. Exit area immediately and do not enter or allow others to enter treated area until sprays have dried, until vapors, mists and aerosols have dispersed, and the treated area has been thoroughly ventilated.
- Remove pets, birds and cover fish aquariums before spraying.
- When used as a direct or space spray, do not enter or allow others to enter until sprays have dried.
- For space sprays:
 - Do not allow adults, children or pets to enter the treated area for at least 15 min, until vapors, mists and aerosols have dispersed and the
 treated area has been thoroughly ventilated.
 - Do not remain in treated area. Exit area immediately and remain outside the treated area until aerosol, vapors and/or mists and aerosols
 have dispersed and the treated area has been thoroughly ventilated.
- Remove or cover exposed food and drinking water, in the treatment area, before application.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces in the treatment area, or wash them before use.
- Do not apply as a space spray in residences.
- For space spray applications in food handling and processing facilities:
 - Do not make applications when facility is in operation.
 - Cover or remove food, in the treatment area, prior to space spray application.
 - Cover food processing surfaces, in the treatment area, or clean after treatment and before use.
- Except when applying to sewers or drains as instructed on this label, do not apply directly to sewers or drains, or to any area like a gutter where
 drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.
- Do not apply this product in hospital rooms while occupied or in any rooms occupied by the elderly or infirm. Remove patients from prior to treatment and thoroughly ventilate (2 hr) after application. Do not return patients to room until after ventilation.
- Do not use in patient rooms in hospitals and nursing homes for treatment of bed bugs.
- Do not apply to classrooms when in use.
- Do not use in aircraft cabins.
- Do not make outdoor applications during rain.
- Not for use in outdoor residential misting systems.

PRODUCT INFORMATION

Note: Some furniture finishes, particularly plastics, can be damaged by petroleum based insecticides. To avoid damage, cover those items and do not spray directly. If in doubt, test by applying this material to an inconspicuous area before spraying.

USE IN FOOD HANDLING ESTABLISHMENTS

Applications are permitted in food/feed areas of food/feed handling establishments as a contact spray, space spray or Crack & Crévice® freatment, including those operating under the Federal meat, poultry, shell egg grading and egg products inspection programs.

Master Label v2.1 (12/13/12; dmt)

Food handling establishments are places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS: Include areas for receiving, serving, storing (dry, cold, frozen, raw), packing (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups).

NON-FOOD AREAS: Include areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

Apply according to specific directions for pest(s) to be treated under the Indoor Use section below. Do not make space spray applications to food areas when the facility is in operation unless the treatment area is cordoned off, posted and entry prevented. Prior to space spray applications, remove or cover exposed food and drinking water in the treatment area. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces in the treatment area, or wash them before use.

INDOOR USE

SPACE SPRAY – FLYING INSECTS (Flies, Gnats): Use full strength or dilute as desired using the dilution chart below. Prior to treatment, open cabinets, doors and equipment to be treated; turn off air conditioners and fans, extinguish all flames and close windows in the area to be treated. Apply using a mechanical aerosol generator (no droplets > 50 microns in diameter and 80% < 30 microns). Apply undiluted at a rate of approx. 1 fl oz/1,000 ft³ of room space, or apply diluted at the rate of 1-2 fl oz/1,000 ft³ of room space. In commercial operations, subtract the space occupied by stored product or equipment from the cubic footage. Disperse toward areas suspected of harboring the greatest infestations of listed pests. Disperse in all locations (including around equipment, appliances and pallets, if desired) contacting as many insects as possible. Do not remain in treated areas after application. Keep area closed for at least 1 hr. Open and thoroughly ventilate treated areas before reoccupying. Do not apply as a space spray in residences.

DILUTION: Use a white mineral oil conforming to regulation 21 CFR 178.3620(b) or an odorless light petroleum hydrocarbon conforming to 21 CFR 172.882 or 40 CFR 180.910 (Inert ingredients used pre and post-harvest; exemptions from the requirement of a tolerance) and 180.930 (Inert ingredients applied to animals; exemptions from the requirement of a tolerance.) Combine oil and concentrate as directed below and mix well just prior to application.

Pyrethrin	•	Application Rate per 1,000 ft ³	
%Desired	Mixture Rate		
0.50	1 Part Conc. to 1 Part Oil	1 fl oz	
0.30	3 Part Conc. to 7 Parts Oil	1 - 2 fl oz	
0.15	3 Part Conc. to 17 Parts Oil	1 - 2 fl oz	

SPACE SPRAY –CRAWLING INSECTS (Ants, Bed Bugs, Beetles, Earwigs, Cockroaches, Silverfish, Spiders): Use full strength. Prior to treatment, open cabinets, doors and equipment to be treated; turn off air conditioners and fans, extinguish all flames and close windows in the area to be treated. Apply as a space spray using a mechanical aerosol generator (no droplets >50 microns in diameter and 80% <30 microns) at a rate of approx. 1 fl oz/1,000 ft³ of room space. In commercial operations, subtract the space occupied by stored product or equipment from the cubic footage. Disperse toward areas suspected of harboring the greatest infestations of listed pests. Disperse in all locations (including around equipment, appliances and pallets, if desired) contacting as many insects as possible. Do not remain in treated area after application and leave area closed for 1 hr. Ventilate thoroughly before occupants are allowed to reenter. Do not apply as a space spray in residences.

DIRECT SPRAY OR VOID TREATMENTS: Use equipment designed space or mist treatments. Follow the manufacturer's recommendations for proper equipment set up and operation. Place the tip of the applicator at or into the crack or crevice or opening to the void. Apply in short bursts into area being treated. Apply 1 sec of product for every 3 ft³ of void area. For Direct Spray, apply the product in short bursts into the area where insects are to be contacted, such as corners of the room, behind and under furniture or other equipment. Apply from a distance of 18 - 24" away from the surface and allow the material to drift to area to be treated. The amount of product applied is not to exceed 0.33 fl oz /1,000 ft³. For Bed Bugs: Direct application into areas where bed bugs harbor. Do not direct this product at mattresses.

HANDTANK OR PINSTREAM APPLICATION: Direct application into cracks and crevices in elements of construction, walls, floors, underneath sinks, behind pipes and other places where insects harbor. For spot treatments, use a coarse, low-pressure spray. Limit individual spot treatments to an area no larger than 20% of the surface area. Any individual spot treatment shall not exceed 2 ft². Contact as many insects as possible. Before making any application, ensure product will not stain surface or leave an unacceptable residue. The amount of product applied is not to exceed 0.33 fl oz/2 ft².

OUTDOOR USE

OUTDOOR GROUND FOGGING APPLICATION USING HAND HELD EQUIPMENT (Flies, Gnats): Use in open areas near buildings and in campgrounds. Use preferably at a time when temperature is cool (≤ 75°F) and the wind velocity is approx. ≤ 5 mp is Which using ULV equipment, apply at the rate of 4 fl oz/acre. Allow spray drift to penetrate dense foliage.

FOR USE ON DOMESTIC ANIMALS/LIVESTOCK

Use to protect beef cattle, dairy cattle and horses from horn flies, house flies and gnats, apply a light mist sufficient to wet the tips of the hair. To kill stable flies on beef cattle, dairy cattle and horses, apply 2 fl oz/adult animal, sufficient to wet the hair but not to soak the hide. To kill the motile stages of blood sucking lice on beef and dairy cattle, apply the spray to thoroughly wet the hair. Use 2 fl oz or less/animal and repeat every 2 - 3 weeks as required, but do not apply more than 1 time/day. Do not use on dogs and cats.

Space Treatment Over Animals in Barns and Corrals or in Indoor Misting Systems Used in Commercial Barns, Stables and Animal Quarters: Select proper dilution and treat with ULD equipment over animals, or apply through Indoor Misting Systems.

v2.1 (12/13/12; dmt)

USE RESTRICTIONS FOR INDOOR MISTING SYSTEMS

- Not for use in outdoor residential misting systems (indoor or outdoor). Do not apply this product in barns or stables where animals intended for slaughter or human consumption will be maintained.
- Do not apply when food, feed and/or water is present.
- When using this product, installers and service technicians must comply with the license, certification or registration requirements of the state(s), tribe(s) or local authority(ies) where they are installed.
- When applying via a remote activation device, do not apply when people and pets are present. If possible, when applying via automatic timer, set the timing for application when people and pets are unlikely to be present.
- Direct nozzles to spray towards the target area and away from areas where people are typically present.
- Do not use in evaporative cooling system.
- Do not use in misters located within 3 ft of air vents, air conditioner units or windows.
- If used in a system with a reservoir tank for the end use dilution, the system reservoir tank must be locked. Securely attach the end use pesticide label and a dilution statement to the system reservoir tank in a weather protected area or plastic sleeve. The dilution statement must be phrased as follows: this container holds ___ parts [product name] to ___ parts water.
- If used in a direct injection system, the pesticide container must be locked. Securely attach the end use label to the pesticide container in a weather protected area or plastic sleeve.
- This product must only be used in systems that have been calibrated to apply no more than the maximum application rate of 0.0033 lbs/1,000ft³ (no animals present).

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in secured, dry storage area. Do not store above 100°F for extended periods of time. Storage below 32°F may cause freezing. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site, in accordance with the label directions, or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container! Empty container by using the product according to the label directions. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows:

[(\leq 5 gal) Empty the remaining contents into application equipment or a mix tank and drain for 10 sec after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 sec. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 sec after the flow begins to drip. Repeat this procedure 2 more times.]

[(>5 gal) Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 sec. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure 2 more times.]

Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

In addition to sites listed previously, this product is acceptable for use in and around the following sites:

INDOOR:

Animal Areas & Quarters

Auditoriums Bakeries Beverage Plants

Boats

Bottling Plants

Brandy Storage Warehouses

Buildings
Buses
Cabins
Canneries
Cattle Barns
Churches
Closets
Condominiums

Communication Centers Correctional Facilities Dairy & Livestock Barns

Dried Fruit Processing Plants

Drains & Sewers
Dried Fruit Warehouses

Drugstores Dumpsters Dwellings

Egg Processing Plants

Factories Flour Mills

Grain Mills

Food Handling Establishments Food Processing Plants

Freight Containers
Fruit Packing Sheds
Garbage Cans
Garbage Compactors
Grain Elevators

Grain Handling Equipment

Granaries Homes

Horse Stables/Barns

Hospices

Industrial Installations

Institutions
Jails

Libraries Livestock Carns Loafing Sheds Locker Rooms

Mills Mausoleums Meat Packing Plants Milk Rooms

Missions

Master Label

Mobile Homes Museums

Mushroom Processing Plants

Nursing Homes
Offices
Office Buildings
Passenger Rail Cars
Peanut Processing Plant
Peanut Storage Warehouses

Poultry Houses

Poultry Processing Plants

Prisons Public Buildings

Rabbit Processing Plants

Rabbit Houses Railroad Cars Recreational Vehicles Research Animal Areas

Restaurants Restrooms Rice Mills Shade Houses

Ships Shipholds Stables
Stable Bins

Stored Seed Warehouses

Stores Supermarkets Swine Houses

Textile Mills & Warehouses

Theaters
Tobacco Plants
Tobacco Warehouses

Townhouses Trains

Transportation Equipment

Trucks Truck Trailers

USDA Inspected Facilities

Utilities Utility Rooms

Voids (Attics, Walls, Ceilings)

Warehouses Wineries

Wine Storage Warehouses

Zoos

HTDOOR.

v2.1 (12/13/12; dmt)

OUTDOOR: Campgrounds Corrals

Drive-in Restaurants
Drive-in Theaters
Dumpsters
Feedlots
Garbage Dumps
Golf Courses
Junkyards
Kennels
Landscapes
Lath Houses
Manure Piles

Manure Piles
Parks
Plantscapes
Playgrounds
Recreational Areas

Sewers Swineyards

USDA Inspected Facilities

Zoos

This product is also effective against the following insects when used according to label directions:

FLYING INSECTS:

Bees Blow Flies Bottle Flies Cheese Skippers Deer Flies

Flies Fungus Gnats House Flies Hornets

Mushroom Flies Stable Flies Vinegar Flies Yellowjackets

CRAWLING INSECTS:

Bed Bugs
Book Lice
Cabbage Loopers
Cabbage Worms
Cockroaches
Crickets
Fire Ant Workers

Firebrats Millipedes Pillbugs Sowbugs Scorpions **GRAIN BORERS:**

Larger Grain Borers Lesser Grain Borers

FLEAS & TICKS: Brown Dog Ticks

Fleas Ticks LICE: Cattle Lice

SPIDERS & MITES:

Cheese Mites
Clover Mites
Grain Mites
Mites
Spiders
WEEVILS:
Bean Weevils

WEEVILS: Bean Weevils Granary Weevils Maize Weevils Rice Weevils

MOTHS: Almond Moths Chocolate Moths Clothes Moths Cocoa Bean Moths Mediterranean Flour Moths WORMS:

Dark Mealworms Lesser Mealworms Yellow Mealworms

BEETLES:

Black Carpet Beetles
Carpet Beetles
Darkling Beetles
Dermestid Beetles
Dried Fruit Beetles
Drugstore Beetles
Flat Grain Beetles
Foreign Grain Beetles
Fungus Beetles
Ground Beetles
Hide Beetles

Merchants Grain Beetles Mexican Grain Beetles Red Flour Beetles Red Horned Grain Beetles

Red Horned Grain Beetles
Rusty Grain Beetles
Sawtoothed Grain Beetles
Spider Beetles

Trogoderma Beetles White Marked Spider Beetles

939

CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. Whitmire warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) WHITMIRE MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND WHITMIRE'S AND SELLER'S EXCLUSIVE LIABILITY WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) WHITMIRE AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Whitmire and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Whitmire.

Manufactured for:
Whitmire Micro-Gen Research Laboratories, Inc.®
by BASF Corporation
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682
Questions? Call 1-800-777-8570
© 2012 Whitmire Micro-Gen Research Laboratories, Inc.®