499-516

8/6/2013



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460-0001

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

August 6, 2013

Ms. Dana M. Thomas Product Regulatory Manager/Authorized Agent for Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Boulevard St. Louis, MO 63122-6682

Subject: Amended Labeling; Addition of Updated Non-Agricultural Pyrethroid Outdoor Use Restriction Language & Proposed Revisions to Existing Environmental Hazards Statement Whitmire TC 256 PC, EPA Reg. No. 499-516 Your Submission Dated May 2, 2013

Dear Ms. Thomas:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable with the following label revision provision(s):

Precautionary Statements, Hazards to Humans and Domestic Animals subsection comment(s):

1. Revise the 3rd sentence within this subsection to read "Wash hands thoroughly with plenty of soap and water after handling, and before eating, drinking, chewing gum, using tobacco or using the toilet."

Directions for Use, USE RESTRICTIONS subsection comment(s), middle of page 2 of 6:

- 2. In order to facilitate the inclusion of required label language from the REDs for pyrethrins and piperonyl butoxide that was inadvertently left out of the previous SAL dated January 10, 2013, you must make the following changes within the existing "**USE RESTRICTIONS**" subsection:
 - Insert the following new bulleted use restriction immediately following the existing 1st bulleted use restriction to read "Do not apply this product directly to domestic (companion animals) such as dogs, pupples, cats, or kittens."
 - Within the existing 2nd, 3rd, and 4th bulleted use restrictions, revise the words "Except when applying to domestic animals (livestock), ..." to read "Except when applying to livestock, ..."
 - Revise the existing 9th bulleted use restriction to read "Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application."

Directions for Use, BED BUGS subsection comment(s), bottom of page 3 of 6:

3. In order to maintain consistency with many other Whitmire Micro-Gen Research Laboratories, Inc. products, you must revise the existing "**BED BUGS**:" subsection to read as follows:

"BED BUGS: Thoroughly inspect area of suspected bed bug infestation, and note potential harborage sites or actual infestations. Remove and/or pick up clothing and other obstacles that may prevent thorough inspection or treatment. Remove and sanitize infested bedding (pillows and linens), clothing, or other items.

Apply to mattresses as a spot treatment to mattress seams, edges, and tufts of bed only. Do not use directly on pillows, bed linens or clothes. Do not saturate the mattress; and do not treat entire surface area of mattress. Allow mattress to dry thoroughly before replacing pillows and/or bed linens.

Bed bugs may also harbor in areas of the room away from the bed. Apply as a crack & crevice or spot application where evidence of bed bugs occurs. This includes bed frames, box springs, inside empty drawers and clothes closets, night stands and other furniture in the room, carpet edges, high and low wall moldings (such as floor molding or window

casings), wall voids, behind wall hangings and mirrors, wallpaper edges and popcorn ceilings. Remove all clothes and other articles from dressers or closets before application. Take bed apart. Treat joints and channels if hollow, such as square or round tubing, and see that interior framework is treated. Apply as a surface application to carpeting, drapes, and flooring. Allow all treated areas to dry thoroughly before use."

Directions for Use, FOOD HANDLING ESTABLISHMENTS subsection comment(s), middle of page 4 of 6:

4. In order to facilitate the inclusion of required label language from the REDs for pyrethrins and piperonyl butoxide that was inadvertently left out of the previous SAL dated January 10, 2013, you must revise the first two (2) sentences within this subsection to read as follows:

"FOOD HANDLING ESTABLISHMENTS

Crack & crevice, spot, or direct spray treatments are permitted within food/feed areas of food handling and processing facilities when facility is not in operation. Do not apply this product as a space spray treatment within food handling and processing facilities."

Directions for Use, STRUCTURAL PERIMETER TREATMENT subsection comment(s), bottom of page 4 of 6:

5. In order to maintain consistency with the newly added updated non-agricultural pyrethroid outdoor use restriction language, you must revise the existing "STRUCTURAL PERIMETER TREATMENT:" subsection to read as follows:

"STRUCTURAL PERIMETER TREATMENT: To reduce infestations of buildings, treat a band of soil 6 – 10 ft wide around and adjacent to building. Also treat the building foundation up to a maximum height of 3 ft above grade. Applications around potential pest entry points where pests are active and may find entrance into buildings are limited to a surface band not to exceed 1 inch in width. Treat the underside of eaves, soffits, doors, windows, under siding and eaves of structures. This product may be applied in compressed air, backpack or low pressure power spray equipment at the rate of 1 – 4 fl oz of concentrate/1,000 ft² (see chart below). Apply in sufficient water to adequately cover the area being treated. Apply in such a manner to limit dripping and run-off, and do not allow this product to enter or run-off into storm drains, drainage ditches, gutters, or surface waters."

Directions for Use, USE IN AND AROUND LIVESTOCK HOUSING subsection comment(s), middle of page 5 of 6:

- 6. In order to maintain consistency with the revised "USE RESTRICTIONS" subsection, and to facilitate the inclusion of required label language from the REDs for pyrethrins and piperonyl butoxide throughout the subject label, you must make the following changes:
 - Revise the existing "FOR FLEA CONTROL:" subsection heading to read "TO KILL FLEAS:"
 - Revise the existing "FOR TREATMENT OF DOMESTIC ANIMALS:" subsection heading to read "FOR TREATMENT OF LIVESTOCK ANIMALS:"

Storage and Disposal section comment(s), pages 5-6 of 6:

- 7. To facilitate inclusion of required label language from Agency's Label Review Manual and/or PR Notice 2007-4, within the **CONTAINER DISPOSAL:**" subsection, you must make the following changes:
 - Revise the existing "PESTICIDE STORAGE: Store this product in its original container in a cool, dry (preferably locked) place, in an area that is inaccessible to children and animals. Do not store above 100°F for extended periods of time. Storage below 32°F may cause freezing. If container is damaged or if spill occurs, use product immediately, or dispose of product and damaged container as indicated below."
 - Revise the very last statement within the existing "CONTAINER DISPOSAL:" subsection to read "Offer for recycling if available or reconditioning if appropriate, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities."

A copy of your label stamped "Accepted with Comments" is enclosed for your records. Please submit two (2) copies of the final printed labeling, incorporating the above changes, before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA. Your release for shipment of the product bearing amended labeling constitutes accepting of these conditions.

If you have any questions about this label review, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at <u>Rodia.Carmen@epa.gov</u>.

Sincerely yours,

Richard J. Gebken,

Product Manager (10) Insecticide Branch, Registration Division (7504P) 39

Enclosure: 000499-00516 D478686

Label Stamped "Accepted with Comments," dated August 6, 2013

TC 256 PC Controlled Release Pyrethrins Liquid Concentrate

ALTERNATE BRAND NAME: "Microcare® 3% CS" with Descriptor: "Controlled Release Insecticide" {added via Notification 4/18/2013} ALTERNATE BRAND NAME: Prescription Treatment® brand MICROCARE® 3% CS Controlled Release Pyrethrins. (added via Notification 1/11/0)

KILLS ACCESSIBLE STAGES OF: Angoumois Grain Moths, Ants (excluding Harvester Ants), Asian Lady Beetles, Bees, Boxelder Bugs, Cadelles, Carpet Beetles, Carpenter Ants, Carpenter Bees, Centipedes, Cigarette Beetles, Clover Mites, Cockroaches, Confused Flour Beetles, Crickets, Dermestid Beetles, Dried Fruit Beetles, Drugstore Beetles, Firebrats, Fleas, Flies, Fungus Gnats, Fungus Gnat Larvae, Gnats, Grain Mites, Indianneal Moths, Mealworms, Mealybugs, Mediterranean Flour Moths, Millipedes, Mosquitoes, Moths, Red Flour Beetles, Sawtoothed Grain Beetles, Scorpions, Silverfish, Sowbugs, Spiders, Ticks, Trogoderma, Wasps, Weevils (Granary Weevils and Rice Weevils) and Yellowjackets

FOR USE IN AND AROUND: Bakeries: Beverage Plants; Calf Hutches; Canneries; Dairies; Flour Mills; Federally Inspected Meat and Poultry Plants; Food Handling Establishments; Food Processing Plants; Food Storage Areas; Grain Mills; Hog Operations; Homes; Horse Barns; Hospitals and Nursing Homes (except patient rooms while occupied); Hotels; Industrial Installations; Kennels; Landscapes; Loafing Sheds; Meat Packing Plants; Milk Rooms; Milking Parlors; Motels; Office Buildings; Poultry Operations, Residences; Restaurants; Schools; Stables; Supermarkets; Transportation Equipment [Airplanes (cargo areas only), Boats, Buses, Railcars, Ships, Trailers and Trucks]; Warehouses and Zoos ACCEPTED

ACTIVE INGREDIENTS:	With COMMENTS In EPA Letter Dated:
Pyrethrins*, a botanical insecticide	3.0%
Piperonyl Butoxide**	Under the Federal Insecticide, Fungicide 3.0%
OTHER INGREDIENTS:	and Rodenticide Act, As amended, for the
	pesticide Registered under EPA Reg. No: TOTAL: 100.0%
* 1 gal contains 0.25 lb of Pyrethrins and 1.25 lb piperonyl butos	

**(butylcarbityl)(6-propylpiperonyl) ether and related compounds

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 - 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-832-HELP 24 hr/day, 7 days/week.

EPA Reg. No. 499-516 • EPA Est. No. 7969-MO-1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Personal Protective Equipment (PPE): Applicators, mixers and other handlers must wear: Long-sleeved shirt, long pants, socks and shoes.

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent material that have been drenched or heavily contaminated with the product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

v4.0 (5/2/13; pah)

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for run-off for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce run-off that contains this product.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hr. will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

PHYSICAL OR CHEMICAL HAZARDS

Do not spray where electrical short circuits might result, such as wall outlets, conduits, motors, switches, etc. Do not spray directly into any electronic equipment, such as radios, televisions, computers, telephones, etc.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. USE RESTRICTIONS

- Apply this product only as specified on this label.
- Except when applying to domestic animals (livestock), do not apply this product in a way that will contact workers or other persons, either directly or through drift.
- Except when applying to domestic animals (livestock), only protected applicators may be in treated area during application.
- Except when applying to domestic animals (livestock), do not enter or allow others to enter treated area until sprays have dried.
- Do not apply more than 1 time/day.
- Remove pets, birds and cover fish aquariums before spraying.
- Remove or cover exposed food and drinking water, in the treatment area, before application.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces in the treatment area, or wash them before use.
- Except when applying to sewers or drains as instructed on this label, do not apply directly to sewers or drains, or to any area like
 a gutter where drainage to sewers, storm drains, water bodies or aguatic habitat can occur.
- In hospitals and nursing homes, do not use in patient rooms while occupied.
- In schools, do not apply to classrooms when in use.
- Do not use in aircraft cabins.
- Do not make outdoor applications during rain.
- Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways and patios except as a spot or Crack & Crevice treatment. During application, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters.
- All outdoor applications, if permitted elsewhere on this label, must be limited to spot or Crack & Crevice treatments only, except for the following permitted uses, if allowed elsewhere on this label:
 - 1. Applications to soil or vegetation, as listed on this label, around structures;
 - 2. Applications to lawns, turf and other vegetation, as listed on this label;
 - 3. Applications to the side of a building, up to a maximum height of 3 ft above grade;
 - 4. Applications to underside of eaves, soffits, doors or windows permanently protected from rainfall by a covering, overhang, awning or other structure;
 - 5. Applications around potential pest entry points into buildings, when limited to a surface band not to exceed 1" in width;
 - 6. Applications made through the use of a coarse, low pressure spray to only those portions of surfaces that are directly above bare soil, lawn, turf, mulch or other vegetation, as listed on this label, and not over an impervious surface, drainage or other condition that could result in runoff into storm drains, drainage ditches, gutter or surface waters, in order to control occasional invaders or aggregating pests.
- Do not water the treated area to the point of runoff.
- Do not wet plants to point of runoff or drip.

- Do not wet articles to point of runoff or drip.
- Do not use treated articles until spray has dried.
- When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

v4.0 (5/2/13; pah)

MIXING INSTRUCTIONS

Shake container well. Fill spray tank half full with water. Add the appropriate amount of concentrate according to the dilution table. Add remaining water to spray tank and mix well. Agitate material while using. Use 50 mesh screen in sprayer.

APPLICATION INSTRUCTIONS

Apply via Crack & Crevice[®], direct, spot or surface application method(s). Do not apply as a space spray.

HOSE-END SPRAYERS: Dilute, as desired, according to the dilution table or specific directions for use. Shake sprayer to disperse the product and shake occasionally during use to maintain dispersion.

COMPRESSED AIR SPRAYERS: For surface applications, apply as a coarse, wet spray at the rate of 1 gal diluted product/1,000 ft² of surface. For Crack & Crevice applications, inject product at the rate of 1 sec/ft. In long running cracks, move injector tip at the rate of 1 ft/sec.

VOID / CRACK & CREVICE APPLICATION: To treat insects harboring in voids and in cracks and crevices, use equipment designed for void applications. Follow the manufacturer's recommendations for proper equipment setup and operating pressures. Place the tip of the applicator at or into the crack, crevice or void to be treated. Apply product in short bursts while keeping the tip in position. Allow the air stream to push insecticide deep into voids. Apply in such a manner to limit dripping and run-off on structural surfaces and plants

	DILUTION RATES				
	Amount of Concentrate	Amount of Water			
CLEAN OUT:	4 – 5 fl oz	1 gal			
MAINTENANCE:	2 – 3 fl oz	1 gal			
OUTDOOR USE:	1 – 2 fl oz	1 gal			

INDOOR USE

DILUTION RATES			
Amount of Concentrate	% Pyrethrins/Gallon Finished Spray		
5 fl oz	0.10%		
4 fl oz	0.08%		
3 fl oz	0.06%		
2 fl oz	0.04%		
1 fl oz	0.02%		

CRAWLING INSECTS AND SPIDERS: Apply as a Crack & Crevice or spot treatment to hiding places such as macks and crevices, moist areas, openings around pipes and sinks, under refrigerators and manholes. Treat floors, walls, under pallets hering shelves and drawers. Apply directly on insects in these locations where possible.

PERIDOMESTIC COCKROACHES: Apply at the 0.10% rate, as a Crack & Crevice or spot treatment to hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators and manholes. Treat floors, walls, under pallets, behind shelves and drawers. Apply directly on insects in these locations where possible.

ANTS (excluding Harvester Ants): Treat trails, nests and points of entry around doors, bookcases and storage areas. Apply directly on insects in these locations where possible.

CARPENTER ANTS: Locate source of infestation. Inject 5 – 10 sec of product into insect tunnels and cavities.

BED BUGS: Apply to cracks and crevices where evidence of bed bugs occurs. This includes bed frames, mattresses, box springs, inside empty dressers and clothes closets, carpet edges, high and low wall moldings and wallpaper edges. Take bed apart. Treat joints and channels if hollow, such as square or round tubing, and see that the interior framework is treated. Treat mattresses, especially tufts, folds and edges. Allow all treated areas to dry thoroughly before use. Not recommended for use as sole protection against bed bugs. Do not apply more than once every 7 days.

MASTER LABEL

CARPET BEETLES: Apply on and under edge of floor coverings, under carpets and furniture and in closets or other locations where these insects are found. Entire carpets may be treated.

TICKS: Direct product toward pet beds and resting areas. Treat adjacent cracks and crevices such as behind baseboards and edges of carpet and floor coverings. Treat higher cracks such as upper door jams and window framing, behind pictures and other areas where females may crawl to lay eggs. Allow spray to thoroughly dry before allowing pets to return.

Do not treat companion animals, such as dogs, cats, puppies or kittens, with this product.

STORED PRODUCT PESTS: Apply as a Crack & Crevice or spot treatment to localized areas including shelves, cupboards, walls and floors where food products suspected of being infested are stored. Remove or cover food, in the treatment area, before application. This treatment is supplemental to good housekeeping, since it will have no effect on insects inside packaging. Dispose all infested foodstuffs.

FOAM APPLICATION: This product can be converted to a foam and the foam used to treat structural voids to kill insect and arthropod pests in walls, under slabs or in other void areas. Mix 1 part end-use dilution with 25 parts foaming agent. This will provide adequate coverage and expansion without significant wetting to interior wall surfaces. Verify, before treatment, that the foaming agent is compatible with this product.

FOOD HANDLING ESTABLISHMENTS

Applications are permitted in food/feed areas of food/feed handling establishments as a Crack & Crevice, spot or direct spray treatment, including those operating under the Federal meat, poultry, shell egg grading and egg products inspection programs. Do not apply as a space spray.

Food handling establishments are places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS: Include areas for receiving, serving, storing (dry, cold, frozen, raw), packing (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups).

NON-FOOD AREAS: Include areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

Apply according to specific directions for pest(s) to be treated under the Indoor Use section.

OUTDOOR USE

Do not apply this product through any type of irrigation system or sprinkler systems, cold ULV foggers, thermal foggers or handheld, aerosol mister/foggers. Apply only as a surface application by backpack, hose-end sprayer, hydraulic sprayer or compressed air sprayer.

FLYING INSECTS: Treat outside surfaces of screens, doors, window frames or wherever insects may enter indoors. Also treat surfaces around light fixtures on porches, in garages and other places insects alight or congregate.

MOSQUITOES, FLIES AND GNATS: Apply as a wet spray to open areas near homes, buildings and in campgrounds. Treat shrubbery, vegetation and other areas where these pests may rest. Shrubbery and vegetation around stagnant pools, marshy areas, ponds and shorelines may be treated. Treatment of vegetation in water from land is also permitted by allowing wind to move product into vegetation, but application of this product directly to any body of water is prohibited.

CRAWLING INSECTS AND SPIDERS: For treatment of localized infestations of these insects in outdoor areas which are landscaped, planted, mulched or unmaintained, treat infested areas. For ants, wet hills and runways. Repeat applications as infestation warrants and as reinfestations occur. For ants and spiders, apply product to cracks and crevices where insects may enter premises or harbor. Areas to be treated include weep holes, under siding, wall voids, soffits, eaves around attic vents, cracks and crevices, cpening: around windows, doors and pipes. Treatment of infested fences and tree holes is permitted.

PERIDOMESTIC COCKROACHES: Apply at the 0.10% rate, as a Crack & Crevice or spot treatment to hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators and manholes. Treat floors, walls, under pallets, behind shelves and drawers. Apply directly on insects in these locations where possible.

STRUCTURAL PERIMETER TREATMENT: To reduce infestations of buildings, treat a band of soil 6 - 10 ft wide around and adjacent to the building. Also treat the building foundation to a height of 2 - 3 ft where pests are active and may find entrance. Treat other insect entry points and harborages such as doors, windows, under siding and eaves of structure. This product may be applied in compressed air, backpack or power spray equipment. Apply at the rate of 1 - 4 fl oz of concentrate/1,000 ft² (see chart below). Apply in sufficient water to adequately cover the area being treated. Apply in such a manner to limit dripping and run-off on structural surfaces and plants.

Application Rate/1,000 ft ²	Tank Sizes in Gallons (Amount of Concentrate in fl oz)			
(Amount of Concentrate in fl oz)	1	3	15	50
1	1	3	5	10
2	2	6	10	20
3	3	9	15	30
4	4	12	20	40

SUGGESTED MIXING RATES

MASTER LABEL

MOSQUITOES, FLIES AND GNATS: For pests in open areas near homes, buildings and in campgrounds, apply as a surface spray to shrubbery and vegetation, and other areas where these pests may rest. Structural surfaces, shrubbery and vegetation around stagnant pools, marshy areas, ponds and shorelines may be treated. Treatment of vegetation in water from land is also permitted by allowing wind to move product into vegetation, but application of this product directly to any body of water is prohibited.

OUTDOOR RESIDENTIAL MISTING SYSTEMS1: Dilute 0.5 - 1 gal of concentrate in 54 gal of water.

USE RESTRICTIONS

- When using this product, installers and service technicians must comply with the license, certification or registration requirements of the state(s), tribe(s) or local authority(ies) where they are installed.
- If the system works on an automatic timer, set the timing for application when people, pets and food are unlikely to be present.
- If the system works when a person operates a remote activation device, then application of this pesticide when people, pets and food are present is prohibited.
- Do not use in an evaporative cooling system.
- Direct nozzles to spray towards the target area and away from swimming pools, water bodies, or eating and cooking areas.
- Do not set nozzles to direct mist near outside air condition systems or other home air intakes.
- If used in a system with a reservoir tank for the end use dilution, they system reservoir tank must be locked. Securely attach the end use pesticide label and a dilution statement to the system reservoir tank in a weather protected area or plastic sleeve. The dilution statement must be phrased as follows: This container holds ____ parts [product name] to ____ parts water.
- If used in a direct injection system, the pesticide container must be locked. Securely attach the end use label to the pesticide container in a weather protected area or plastic sleeve.
- Contact the system manufacturer for guidance or assistance to ensure compliance with the following requirement:
- This product must only be used in systems that have been calibrated to apply no more than the maximum application rate of 3 fl oz of a 0.02% pyrethrins dilution/1,000 ft³/day.

[†]In New York State [Alternate Text: state name(s)], this product may NOT be applied using residential automated [Alternate Text: urban] misting systems.

USE IN AND AROUND LIVESTOCK HOUSING

FOR FAST KNOCKDOWN OF FLYING INSECTS: Close all windows and doors. Using a mixture of 1 – 2 fl oz of product per gallon of water, direct fog upward in all directions at the rate of 3 fl oz diluted product per 1,000 ft³ of space. Thoroughly ventilate the area after treatment is completed.

TO KILL FLIES IN NON FOOD ANIMAL AREAS SUCH AS DOG KENNELS, HOG BARNS, RABBIT HUTCHES, DAIRY AREAS, MILKROOMS, CALF HUTCHES, CALVING PENS AND PARLORS: Treat normal fly resting areas such as ceilings, screens, upper corners of the area, around windows and doors, light fixtures and other surfaces known to attract flies. Apply as a coarse, wet spray using a mixture of 1.5 fl oz of product per gallon of water. Apply at a rate of 1 gal diluted product per 1,000 ft² of surface. Initiate treatments at the beginning of the fly season and repeat weekly during periods of heavy fly activity.

FOR FLEA CONTROL: Treat animal areas such as dog kennels and runs. Apply as a coarse, wet spray using a mixture of 2 fl oz of product per gallon of water. Apply at a rate of 1 gal diluted product per 1,000 ft² of surface.

FOR TREATMENT OF DOMESTIC ANIMALS: Use 2 fl oz of product per gallon of water (use 4 fl oz for quick knock-down and longer residual control) and apply as a low pressure spray. Lightly mist animals thoroughly, but do not treat to runoff. Do not spray directly toward the face or eyes. Application may be repeated daily.

Do not treat companion animals, such as dogs, cats, puppies or kittens, with this product.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in secured, dry storage area. Do not store above 100°F for extended periods of time. Storage below 32°F may cause freezing. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site, in accordance with the label directions, or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container! Empty container by using the product according to the label directions. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows:

MASTER LABEL

v4.0 (5/2/13; pah)

[(>5 gal) Empty remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 sec. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure 2 more times.]

Then offer for recycling, if available, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. Whitmire warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) WHITMIRE MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND WHITMIRE'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) WHITMIRE AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Whitmire and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Whitmire.

Manufactured for: Whitmire Micro-Gen Research Laboratories, Inc.® by BASF Corporation 3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 Questions? Call 1-800-777-8570

© 2013 Whitmire Micro-Gen Research Laboratories, Inc.®