

499-536

9/3/2009

1/4



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

499-536

Date of Issuance:

SEP 3 2009

NOTICE OF PESTICIDE:

- Registration
- Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

TC 292

Name and Address of Registrant (include ZIP Code):

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Boulevard
St. Louis, MO 63122-6682

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with section 3(c)(7)(A) of FIFRA provided that you:

1. Submit and/or cite all data required for registration of your product under section 3(c)(5) of FIFRA when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under section 4 of FIFRA.

(continued on page 2)

Signature of Approving Official:

See page #3.

Richard J. Gebken, Product Manager (10)
Insecticide Branch, Registration Division (7505P)

Date:

SEP 3 2009

EPA Form 8570-6

2. Make the following change(s) to the label:

- a. Change the product registration number to "EPA Reg. No. 499-536"
- b. Make the following label revision(s):

General Comment:

- 1. Delete all text throughout the subject label marked with "~~strikethrough~~."
- 2. Immediately following the Alternate Brand Name on page 1 of 5, incorporate the following statement in **BOLD/CAPITALIZED TEXT**: "**FOR USE IN RESIDENTIAL AREAS ONLY**"

Efficacy Review comment(s):

- 3. It is difficult to determine if the application rates for EPA Reg. Nos. 499-475 and 499-536 are equivalent due to the general lack of application rates on the cited product. The pests listed on both labels are equivalent, but the cited MRID does not support the efficacy of EPA Reg. No. 499-475 against all of these pests. It is unclear as to what method of support was used to add them to the cited label. You must selectively cite additional data or use the "cite-all" method of support for efficacy data under the selective method for this product.
- 4. This subject label states that the product treats 100 ft²; however, the label use directions state the application rates in terms of 1,000 ft² and acre increments. Revise the listed maximum application rates listed on page 3 of 5 to reflect the amount of product that can be used per 100 ft².

Environmental Hazards section comment(s):

- 5. The section heading "**ENVIRONMENTAL HAZARDS**" should be revised to the same font point size as is used for the "**PRECAUTIONARY STATEMENTS**" section.
- 6. At the beginning of the 4th sentence, replace the word "water" with the word "product."

Phytotoxicity Statement comment(s):

- 7. The section heading "**PHYTOTOXICITY NOTICE**" should be revised to the same font point size as is used for the "**PRECAUTIONARY STATEMENTS**" section and should also be centered, since this statement should be a section of its own and not part of the "**ENVIRONMENTAL HAZARDS**" section.
- 8. At the beginning of this section, delete the words "**IMPORTANT NOTE:**"

Directions for Use section comment(s):

- 9. Within the 4th bulleted statement found within the new "**GENERAL PRECAUTIONS & USE RESTRICTIONS**" subsection, revise the words "adults. Children or pets,..." to read "adults, children or pets,..."
- 10. Within the 10th bulleted statement found within the new "**GENERAL PRECAUTIONS & USE RESTRICTIONS**" subsection, replace the words "For outdoor ornamentals:" with the words "For outdoor ornamentals and lawns:"
- 11. Revise the existing subsection heading "**Outdoor Ornamental**" to read "**Outdoor Ornamentals and Lawns**" and replace the word "rates" with the word "rate."
- 12. Within the "**ADDITIONAL CROPS:**" crop grouping found in the middle of page 4 of 5, replace the word "Including" with the words "Such as:"

Conditional Data Gaps:

- 13. Within one (1) year from the date of approval of this registration, Whitmire Micro-Gen Research Laboratories, Inc. is obligated to submit a One Year Storage Stability (830.6317) study and a Corrosion Characteristics (830.6320) study on this product in support of this registration.¹


¹ For more detailed information, please refer to page 2 of 4 of the product chemistry review for this product.

3/8

3. You must submit two (2) copies of the revised final printed labeling, incorporating the above changes, before releasing the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 6(e) of FIFRA. Your release for shipment of the product bearing amended labeling constitutes accepting of these conditions.

A copy of your label stamped "Accepted with Comments" is enclosed for your records along with hard copies of the acute toxicity, product chemistry and efficacy reviews completed for this product. If you have any questions about this label review, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov.

Sincerely yours,



Richard J. Gebken
Product Manager (10)
Insecticide Branch
Registration Division (7505P)

Enclosures: *Label stamped "Accepted with Comments"*
Acute Toxicity Review, dated July 21, 2009
Product Chemistry Review, dated July 16, 2009
Efficacy Review, dated August 4, 2009

000499-00536 D405879

4/8

TC 292

[Alternate Brand Name: Greenhouse & Garden Solutions™ brand Pyreth-It® RTU
w/Descriptor: Multi-Insect Killer]

(with Site Detail)

[Optional Marketing Claims]

- For hobby greenhouse and residential outdoor use
- Home Lawn and Garden Insect Killer
- For use on growing crops, vegetables, herbs, fruits, tree nuts, ornamental trees, shrubs and flowers
- May be used alone as a pre-harvest spray
- Ready to Use
- Kills Flying and Crawling Insect Pests
- Provides Quick Knockdown of Insects
- Kills insects on contact
- Kills over 100 insects on contact
- Use up to day of harvest
- Vegetable Insect Killer
- Contains pyrethrins, a botanical insecticide derived from chrysanthemums
- ~~Treats up to 100 ft²~~

**ACCEPTED
With COMMENTS
In EPA Letter Dated:
September 3, 2009
Under the Federal Insecticide, Fungicide
and Rodenticide Act, As amended, for the
pesticide Registered under EPA Reg. No:
499-536**

KILLS: Aphids, Fungus Gnats, Thrips, Whiteflies, Beetles, Caterpillars, Mites and many other listed insects

See inside booklet for a complete list of insects and use sites.

ACTIVE INGREDIENTS:

Pyrethrins, a botanical insecticide..... 1.0%
 Piperonyl butoxide, technical*..... 10.0%

OTHER INGREDIENTS:..... 89.0%
 TOTAL: 100.0%

* Equivalent to 8.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.0% related compounds.

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for First Aid, Precautionary Statements and Storage and Disposal. See inside booklet for Directions for Use.

EPA Reg. No. 499-536 • EPA Est. No. 7969-MO-1

NET CONTENTS:

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by poison control center or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 - 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-832-HELP.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and run-off may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through run-off. This water has a potential for run-off for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce run-off that contains this product.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Do not apply to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-water or rinsate. See Directions for Use for additional precautions and restrictions.

~~IMPORTANT NOTE~~ **PHYTOTOXICITY NOTICE:** Plant safety is an important consideration when using insecticides in a garden and around a home; however, it is not possible to evaluate the Phytotoxicity of TC 292 towards numerous plant varieties that may react differently to insecticides in different growth stages or under varying environmental conditions. Before making widespread applications of TC 292, treat a limited number of plants and observe for phytotoxicity (plant burn) over a 10 day period.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING.**

GENERAL PRECAUTIONS & USE RESTRICTIONS

- Apply this product only as specified on this label
- Do not contaminate of food or feedstuffs
- Do not enter or allow others to enter until sprays have dried
- Do not apply this product in a way that will contact adults. Children or pets, either directly or through drift
- Do not apply directly to or near water, storm drains or drainage ditches. To prevent product run-off, do not over-water the treated area(s) or apply prior to heavy rainfall.
- Do not wet plants to the point of run-off or drip
- For food crops grown outdoors, home garden or home greenhouse applications: Do not apply more than 10 times per year. Do not reapply within 3 days except under extreme pest pressure. In case of extreme pest pressure, do not reapply within 24 hours. Do not harvest until spray has dried.
- For post-harvest application to vegetables: Do not reapply within 7 days. Do not apply more than 10 times to sweet potatoes.
- For outdoor ornamentals: Do not apply more than 1 time per day.
- Remove pets, birds and cover fish aquariums before application.

6/8

INSECTS: Ants, Aphids, Apple Maggots, Armyworms, Artichoke Plume Moths, Asparagus Beetles, Beet Armyworms, Bagworms, Bean Beetles, Blister Beetles, Blow Flies, Biting Flies, Boll Weevils, Cabbage Loopers, Cankerworms, Carrot Weevils, Caterpillars, Clover Mites, Clover Weevils, Cockroaches, 12-spotted Cucumber Beetles, Codling Moths, Colorado Potato Beetles, Corn Earworms, Crane Flies, Crickets, Cross-striped Cabbageworms, Cucumber Beetles, Deer Flies, Deer Ticks, Earwigs, Diamondback Larvae, Eastern Tent Caterpillars, Elm Leaf Beetles, European Corn Borers, European Pine Tip Moths, Face Flies, Fall Webworms, Fire Ants, Firebrats, Fireworms, Flea Beetles, Flies, Forest Tent Caterpillars, Fungus Gnats, Fruit Flies, Fruittree Leafrollers, Grape Leafhoppers, Grape Leaf Skeletonizers, Grasshoppers, Green Fruit Worms, Green Peach Aphids, Greenhouse Thrips, Gypsy Moths (adults & larvae), Harlequin Bugs, Heliothis sp, Hornets, Horn Flies, Hornworms, Horse Flies, House Flies, Imported Cabbageworms, Indianmeal Moths, Japanese Beetles, Katydid, Lace Bugs, Leafhoppers, Leafrollers, Leafhoppers, Lice, Loopers, Lygus, Mealy Bugs, Mediterranean Flour Moths, Mexican Bean Beetles, Midges, Millipedes, Mosquitoes, Mushroom Flies, Navel Orangeworms, Onion Maggots, Pear Psylla, Potato Leafhoppers, Psyllids, Rice Weevils, Saw-toothed Grain Beetles, Silverfish, Skippers, Sowbugs, Spiders, Stable Flies, Stink Bugs, Tabanidae, Tarnished Plant Bugs, Thrips, Tomato Hornworms, Vinegar Flies, Wasps, Webworms, Whiteflies and Yellowjackets

APPLICATION DIRECTIONS

Shake Well. Apply to all plant surfaces where insects are feeding or resting. Do not wet plants to point of runoff or drip. Apply every 7 – 14 days when insects are present or as needed to prevent damage. This product can be used up to the day of harvest.

Home Garden or Home Greenhouse Applications

Maximum application rate (greenhouse surface spray): 0.0012 lbs pyrethrins/1,000 ft² or 0.05 lbs (2.22gal/1,000 ft²) pyrethrins/acre.

Outdoor Ornamental

Maximum application rates:

Spot treatment (including applications for fire ant applications or turf aid) – 0.002 lbs pyrethrins/1,000 ft²

FOR USE ON

ORNAMENTALS, VEGETABLES, FRUIT, NUT TREES, HERBS, SPICES – OUTDOOR HOME GARDEN AND HOME GREENHOUSES:

ROOT AND TUBER VEGETABLES: Such as: Arracacha, Arrowroot, Purple Arrowroot, Japanese Artichoke, Jerusalem Artichoke, Garden Beets, Sugar Beets, Edible Burdock, Edible Canna, Carrots, Cassava (bitter or sweet), Celeriac (celery root), Chayote, Chervil (turnip rooted), Chicory, Chufa, Dasheen, Ginger, Ginseng, Horseradish, Leren, Parsley (turnip rooted), Parsnip, Potato, Radish, Japanese Radish (Daikon), Rutabaga, Salsify, Black Salsify, Spanish Salsify, Sklrret, Sweet Potato, Tanier, Turmeric, Turnip, Yam (true), Yam Bean

LEAVES OF ROOT AND TUBER VEGETABLES: Such as: Garden Beet, Sugar Beet, Edible Burdock, Carrot, Cassava (bitter or sweet), Celeriac (celery root), Chervil (Turnip Rooted), Chicory, Dasheen (taro), Parsnip, Radish, Japanese Radish (Daikon), Rutabaga, Black Salsify, Sweet Potato, Tanler, Turnip, Yam (true)

BULB VEGETABLES: (Allium spp.): Such as: Garlic, Great-headed Garlic, Leek, Onion (dry bulb and green), Welch, Shallot

LEAFY VEGETABLES: Such as: Amaranth (leafy Amaranth, Chinese Spinach, Tampala), Arrugula, Cardoon, Celery, Chinese Celery, Celtuce, Chervil, Cilantro, Com Salad, Chrysanthemum (edible leaved), Chrysanthemum (garland), Cress (garden water), Upland Cress (yellow rocket, winter cress), Dandelion, Dock (sorrel), Endive (escarole), Fennel (Florence), lettuce (head and leafy), Orach, Parsley, Purslane (garden & winter), Radicchio, Rhubarb, Spinach, Vine Spinach (Malabar, Indian), Spinach (New Zealand), Swiss Chard

BRASSICA (COLE) LEAFY VEGETABLES: Such as: Broccoli, Chinese Broccoli (Gal Lan), Broccoli raab (Rapini), Brussels Sprouts, Cabbage, Chinese Cabbage (Bok Choy), Chinese Cabbage (Napa), Chinese Mustard Cabbage (Gai Choy), Cauliflower, Cavalo broccolo, Collards, Kale, Kohlrabi, Mizuna, Mustard Greens, Mustard Spinach, Rape Greens

LEGUME VEGETABLES (SUCCULENT OR DRIED): Such as: Adzuki Beans, Field Beans, Kidney Beans, Lima Beans, Moth Beans, Mung Beans, Navy Beans, Pinto Beans, Rice Beans, Runner Beans, Snap Beans, Tepary Beans, Urd Beans, Wax Beans, Asparagus Beans, Black-eyed Peas, Catjang, Chinese Longbeans, Cowpeas, Crowder Peas, Southern Peas, Yardlong Beans, Broad Beans (Fava Beans), Chick Peas (Garbanzo Beans), Guar, Jackbean (Sword Bean), Lablab Bean (Hyacinth Bean), Lentils, Peas (Edible Pod Pea, Garden Peas, Field Peas, Sugar Snap Peas, English Pea, Snow Pea), Pigeon Peas, Soybeans, Sweet Lupin Beans, White Lupin Beans, White Sweet Lupin, Sword Bean

FOLIAGE OF LEGUME VEGETABLES: Such as: Plant parts of any legume vegetable included in the legume vegetable group that will be used as animal feed including any variety of Beans, Field Peas or Soybeans

FRUITING VEGETABLES: Such as: Eggplant, Ground Cherry, Okra, Pepino, Pepper (Bell Pepper, Chili Peppers, Cooking Peppers, Pimentos, Sweet Peppers), Tomatillo, Tomato

CUCURBIT VEGETABLES: Such as: Balsam Apple, Balsam Pear (Bitter Melon), Chayote, Chinese Waxgourd (Chinese preserving melon), Chinese Cucumber, Citron Melon, Cucumber, Gherkin, Edible Gourds, Muskmelons (Including hybrids, Cantaloupe, Casaba, Crenshaw, Golden Pershaw Melon, Honeydew Melons, Honey Balls, Mango Melon, Persian Melon, Pineapple Melon, Santa Claus Melon, Snake Melon), Pumpkin, Squash (summer & winter), Watermelon (Including hybrids)

CITRUS FRUITS: Such as: Calamondin, Citrus Citron, Citrus Hybrids, Grapefruit, Kumquats, Lemons, Limes, Mandarin (Tangerine), Orange (sweet & sour), Pummelo, Satsuma Mandarin (Citrus spp. Includes Chironja, Tangelos, Tangors)

POME FRUITS: Such as: Apple, Crabapple, Loquat, Mayhaw, Pear, Oriental Pear, Quince

STONE FRUITS: Such as: Apricot, Cherry (sweet & sour), Nectarine, Peach, Plum, Prune, Chickasaw Plum, Damson Plum, Japanese Plum, Plumcot

SMALL FRUITS AND BERRIES: Such as: Blackberry, Blueberry, Cranberry, Currant, Dewberry, Elderberry, Gooseberry, Grape, Huckleberry, Loganberry, Olallie Berry, Raspberry (black & red), Strawberry, Youngberry

TREE NUTS: Such as: Almond, Beech Nut, Brazil Nut, Butternut, Cashew, Chestnut, Chinquapin, Filbert (hazelnut), Hickory Nut, Macadamia Nut (Bush Nut), Pecan, Pistachio, Walnut, Black and English (Persian)

ORIENTAL VEGETABLES: Such as: Acerola, Atemoya, Balsam Pear (bitter melon), Carambola, Japanese Artichoke, Chinese Broccoli (Gai Lan), Chinese Cabbage (Bok Choy, Napa), Chinese Mustard Cabbage (Gai Choy), Dasheen, Ginger, Ginseng, Chinese Longbeans, Mung Beans, Citron Melon, Balsam Pear (Bitter Melon), Japanese Radish (Daikon), Chinese Spinach, Chinese Waxgourd, Cilantro, Citron Melon, Rambutan, Water Chestnuts

SUBTROPICAL FRUITS: Avocado, Banana, Carob, Barbados Cherry, Cherimoya, Dates, Durian (Jackfruit), Feijoa, Figs, Guava, Kiwifruit, Lychee Mango, Papaya, Passion Fruit, Paw Paw, Persimmon, Pineapple and Pomegranate

ADDITIONAL CROPS: ~~Including~~ Artichoke, Asparagus, Avocado, Coffee, Cotton, Hops, Jojoba, Mushroom, Okra, Peanuts, Pineapple, Safflowers, Sesame, Sugar Cane, Sunflowers and Tea

HERBS AND SPICES: Such as: Allspice, Angelica, Anise (Anise seed), Annatto, Balm, Basil, Borage, Burnet, Camomile, Caper Buds, Caraway, Black Caraway, Cardamon, Cassia bark, Cassia buds, Catnip, Celery Seed, Chervil dried, Chives, Chinese Chive, Clary, Clove Buds, Coriander (cilantro or Chinese parsley leaf), Coriander (cilantro seed), Costmary, Culantro, Cumin, Curry Leaf, Dill (dill weed), Dill (seed), Fennel (Italian and Sweet), Fenugreek, Grains of Paradise, Horehound, Hyssop, Juniper berry, Lavender, Lemongrass, Lovage (leaf & seed), Mace, Marigold, Sweet Marjoram, Wild Marjoram, Mustard (seed), Nasturtium, Nutmeg, Parsley, Oregano, Mint, Paprika, Parsley, Pennyroyal, Pepper (black & white), Poppy Seed, Rosemary, Rue, Saffron, Sage, Savory, Summer and Winter Savory, Sweet Bay (Bay Leaf), Tansy, Tarragon, Thyme, Vanilla, Wintergreen, Woodruff, Wormwood

ORNAMENTALS, TREES, SHRUBS: Such as: African Violet, Ageratum, Andromeda, Arborvitae, Ash, Aster, Azalea, Beech, Begonia, Birch, Boxwood, Cacti, Calceolaria, Calendula, Calla, Camellia, Carnation, Ceanothus, Cineraria, Chrysanthemum, Coleus, Cotoneaster, Crabapple, Cyclamen, Cypress, Daffodil, Dahlia, Delphinium, Dogwood, Elm, Euonymus, Fern, Ficus, Fir, Firethorn, Foliage Plants, Forsythia, Fuschia, Gardenia, Geranium, Gladiolus, Gloxinia, Gypsophila, Hawthorn, Hemlock, Hickory, Holly, Honey Locust, Horse Chestnut, Hyacinth, Hydrangea, Iris, Lilies, Maidenhair Fern, Juniper, Larch, Laurel, Lilac, Linden, Marigold, Mimosa (Silk Tree), Myrtle, Narcissus, Oak, Palm, Pansy, Pelargonium, Peony, Petunia, Philodendron, Phlox, Pine, Privet, Pyracantha, Rhododendron, Roses, Rubber Plant, Snapdragon, Stock, Sweet Pea, Tulip, Tulip Tree, Viburnum, Wandering Jew, Willow, Yew, Zinnia

OUTDOOR USE AROUND RESIDENCES AND COMMERCIAL BUILDINGS

Apply to home turf areas and around yard borders at a maximum application rate of 0.002 lbs pyrethrins/1,000 ft² in order to kill ticks that may carry Lyme disease.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place away from heat or open flame and inaccessible to children and pets. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill container. **If empty:** Offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. Whitmire warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) WHITMIRE MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND WHITMIRE'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) WHITMIRE AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Whitmire and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Whitmire.

A Greenhouse & Garden Solutions product manufactured for:

Whitmire Micro-Gen Research Laboratories, Inc.®

by BASF Corporation

3568 Tree Court Industrial Blvd.

St. Louis MO 63122-6682

Questions? Call 1-800-777-8570

© 2009 Whitmire Micro-Gen Research Laboratories, Inc.®