

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JUN - 7 2013

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Ms Dana Thomas Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Boulevard St. Louis, MO 63122-6682

Dear Ms. Thomas:

Subject:

Label amendment; additional efficacy claims

TC 303

EPA Registration Number 499-540 Your submission dated 9/21/2012 OPP Decision Number D470090

The amendment referred to above is acceptable in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, subject to the comments and conditions listed below:

- 1. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data. Dinotefuran is subject to Registration Review. EPA's review of data, once complete, and other information in connection with these matters may impact your product.
- 2. Submit one (1) copy of the final printed labeling before you release the product for shipment bearing the amended labeling. Your release for shipment of the product constitutes acceptance of this condition. If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e).

A stamped copy of the label is enclosed for your records. If you have any questions, please contact Rita Kumar at (703) 308-8291 or kumar.rita@epa,gov.

Sincerely,

John Hebert

Product Manager 7

Insecticide Rodenticide Branch Registration Division (7505P)

Enclosure

v2.0.1 (3/19/13; dmt))

TC 303

Pressurized Flea IGR & Adulticide

Alternate Brand Name: Prescription Treatment® brand Alpine® Flea Insecticide with IGR (Submitted via Notification 01/10/11) 7 7 20

KILLS: Adult & Immature fleas, adult bed bugs and adult lone star and brown dog ticks.

- Kills fleas for up to 30 days. Kills hatching flea eggs for up to 7 months.
- Kills bed bugs.
- Aids in preventing bed bug hatch.
- Kills bed bugs when they hatch.
- Kills ticks and bed bugs by contact.

Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide registered under:

EPA. Reg. No: 499-540

TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

Net Contents: 1 lb, 4 oz (20 oz)

[Alternate Text:] See side panel(s) for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.

EPA Reg. No. 499-540

EPA Est. No. 7969-MO-1

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 min. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: May pose an aspiration pneumonia hazard. Contains petroleum distillate.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-800-832-HELP for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Contains Petroleum Distillate. Avoid contact with skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. USER RESTRICTIONS

- Cover aquariums and fish bowls and remove birds from area prior to treating.
- Vacate areas to be treated and do not reoccupy or contact treated surfaces until dry.
- Do not apply in food/feed areas of commercial structures (i.e. food/feed handling facilities). In the home, cover or remove exposed
 food, in the treatment area, prior to application. Cover all food processing surfaces and utensils, in the treatment area, or thoroughly
 wash before use.
- Do not treat pets with this product. Treat pets with a product registered for use for flea control on animals in conjunction with this
 treatment.

v2.0.1 (3/19/13; dmt))

PRODUCT INFORMATION

This product kills fleas and prevents flea infestations for a full season. Adult fleas may be seen in the treated areas when brought in on infested animals or when adults emerge from pupal cases; however, populations will not develop in the treated area. This product may also be used to kill bed bugs and ticks by contact, and aids in preventing bed bug hatch.

In transportation equipment, certain plastics may be whitened or dulled. Apply only to carpets and cloth upholstered areas, or test an inconspicuous area before treating.

NOTICE: This product has been tested on several types of carpet, fabric and other household furnishings without adverse affects. In a few instances, waxed surfaces have been whitened or dulled. Holding the can 36" away from the target surface normally prevents any whitening from occurring. Because of the wide variety of floor types and finishes, treat a small inconspicuous area before treating the entire area. Avoid contact with antique finishes.

APPLICATION INSTRUCTIONS

SHAKE WELL BEFORE USE! Use at the rate of 20 oz [one can] for up to 2,625 ft² (10 oz [half can] for up to 1,300 ft²), applying in a sweeping motion at a speed of 1 ft/sec.

FLEAS: Treat infested areas, or potentially infested areas, including rugs, carpets, upholstered furniture, pet beds, pet resting areas, room edges, around and under furniture or other stored items. Hold can at arm's length and direct spray toward the area to be treated. Use a sweeping motion to apply product and back away from treated area while holding the can 36" away from the surface being treated. An area of 80 – 100 ft² can be treated in approx. 10 sec with this product. When treating upholstered furniture, treat under cushions and areas where flea development occurs.

BED BUGS: Kills bed bugs by contact. Apply where bed bugs harbor or are suspected of traveling. Treat the perimeter of the room at the wall/floor junction, behind, under and/or inside furniture, upholstered furniture, head boards, wall coverings, and box springs. Do not apply directly to mattresses. Allow furniture and box springs to dry before use. When treating furniture (i.e. sofas and chairs), do not apply to areas with prolonged human contact. When treating luggage, apply only to empty luggage. Direct product into pockets, seams, folds and around wheels. Treat the perimeter of the area or room where items are stored. Allow surfaces to dry before use. Check for staining issues before treating by testing a small, inconspicuous area of the item to be treated. Reapply as necessary.

TICKS: Apply to infested nonporous areas and egg laying sites, or other nonporous areas where ticks are suspected.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! **If empty**: Place in trash or offer for recycling if available. **If partly full:** Call your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. Whitmire warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) WHITMIRE MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND WHITMIRE'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) WHITMIRE AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Whitmire and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Whitmire.

v2.0.1 (3/19/13; dmt))

Manufactured for:
Whitmire Micro-Gen Research Laboratories, Inc.®
by BASF Corporation
3568 Tree Court Industrial Blvd.
St. Louis, MO 63122-6682
Questions? Call 1-800-777-8570

© 2013 Whitmire Micro-Gen Research Laboratories, Inc. ®