

499-547

04/26/2011

1/12



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

499-547

Date of Issuance:

APR 26 2011

NOTICE OF PESTICIDE:

X Registration
Reregistration
(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Whitmire Micro-Gen TC-272 GH

Name and Address of Registrant (include ZIP Code):

Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Boulevard
St. Louis, MO 63122-6682

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with section 3(c)(7)(A) of FIFRA provided that you:

- 1. Submit and/or cite all data required for registration of your product under section 3(c)(5) of FIFRA when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under section 4 of FIFRA.

(continued on page 2)

Signature of Approving Official:

Refer to Page #4.

Richard J. Gebken, Product Manager (10)
Insecticide Branch, Registration Division (7504P)

Date:

APR 26 2011

2. Make the following change to the label:

- a. Change the product registration number to "EPA Reg. No. 499-547"
- b. Make the following label revisions:

Efficacy Review comment(s):

- 1. Within the 1<sup>st</sup> optional marketing claim, revise the text placed in the parentheses to read "(approximately 25' x 25' x 8' ceiling)."
- 2. The alternate brand names listed on the proposed label are acceptable.
- 3. The new pictograms for all total release fogger products are not finalized by the Agency as of the date of this Notice of Registration. Once the pictograms have been finalized, EPA will require you to submit a new label with the approved pictograms for review/approval.
- 4. Remove "Bed Bugs" from the subject label. This product should not be used to kill bed bugs.

First Aid section comment(s), page 1 of 8:

- 5. Revise the existing "IF SWALLOWED:" subsection to read "IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person."

Precautionary Statements, Hazards to Humans and Domestic Animals subsection comment(s), page 1 of 8:

- 6. Insert the following text immediately following the last sentence within this subsection: "Remove and wash contaminated clothing before reuse. Wear long-sleeved shirt and long pants, socks, shoes and gloves. Wear protective eyewear."

Directions for Use, USE RESTRICTIONS subsection comment(s), top of page 2 of 8:

- 7. Insert the following text immediately preceding the existing 2<sup>nd</sup> bulletized statement: "This product does not control bed bugs."
- 8. Revise the 3<sup>rd</sup> bulleted statement to read "Do not allow adults, children or pets to enter until vapors, mists and/or aerosols have dispersed, and the treated area has been thoroughly ventilated. Do not remain in treated area. Exit area immediately, and remain outside the treated area for at least 2 hours until aerosols, vapors and/or mists have dispersed."
- 9. Insert the following text immediately following the existing 3<sup>rd</sup> bulleted statement: "When using in homes: Remove or cover exposed food and drinking water, in the treatment area, before application. Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them before use. Do not use in serving areas while food is exposed."
- 10. Revise the 4<sup>th</sup> bulleted statement to read "When using in food areas of food handling establishments: Do not make applications when facility is in operation. Avoid contamination of food or feedstuffs. During applications, cover or remove food. During applications, cover food processing surfaces and equipment or clean after treatment with a suitable detergent and rinse with potable water before use. Do not use in serving areas (dining areas where prepared foods are served) while food is exposed or facility is in operation."

Directions for Use, TO USE THIS PRODUCT CORRECTLY subsection comment(s), middle of page 2 of 8:

- 11. Within the "Before You Fog:" subsection, revise the 2<sup>nd</sup> sentence to read "Remove or cover all exposed food, dishes, utensils, food processing equipment and food preparation surfaces."
- 12. Within the "Airing Out:" subsection, replace the words "then ventilate" with the words "then thoroughly ventilate."

Directions for Use, HOMEOWNER GREENHOUSE & GARDEN CENTER USE RESTRICTIONS subsection comment(s), top of page 3 of 8:

- 13. Insert the following text immediately preceding the existing 2<sup>nd</sup> bulletized statement: "This product does not control bed bugs."
- 14. Within the 3<sup>rd</sup> sentence of the 5<sup>th</sup> bulleted statement, insert the word "thoroughly" immediately preceding "ventilate."
- 15. Revise the 6<sup>th</sup> bulleted statement to read "Do not allow adults, children or pets to enter until vapors, mists and/or aerosols have dispersed, and the treated area has been thoroughly ventilated. Do not remain in treated area. Exit area immediately, and remain outside the treated area for at least 2 hours until aerosols, vapors and/or mists have dispersed."
- 16. Revise the 7<sup>th</sup> and 8<sup>th</sup> bulleted statements to read "When using in homes: Remove or cover exposed food and drinking water, in the treatment area, before application. Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them before use. Do not use in serving areas while food is exposed."

Directions for Use, TO USE THIS PRODUCT CORRECTLY subsection comment(s), middle of page 3 of 8:

- 17. Within the "Before Fogging:" subsection, revise the 1<sup>st</sup> sentence to read "Remove or cover all exposed food, dishes, utensils, food processing equipment and food preparation surfaces."
- 18. Within the "To Start Fogging:" subsection, revise the 7<sup>th</sup> sentence to read "Do not remain in treated area. Exit area immediately and remain outside the treated area for at least 2 hours until aerosols, vapors and/or mists have dispersed."
- 19. Within the 2<sup>nd</sup> sentence of the "Airing Out:" subsection, replace the word "Ventilate" with the words "Thoroughly ventilate."

Data Deficiencies:

- 20. Data deficiencies were identified for storage stability and corrosion characteristics data as part of the product chemistry review completed for this product. Therefore, Whitmire Micro-Gen Research Laboratories, Inc. is obligated to submit a One Year Storage Stability (830.6317) study and a Corrosion Characteristics (830.6320) study on this product in support of this registration within one (1) year from the date of this registration.<sup>1</sup>
3. Submit two (2) copies of the final printed labeling, incorporating the above changes, before releasing the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under section 12(a)(1)(E) of FIFRA. 40 CFR section 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not be substantially differ from those claims approved through the registration process. Therefore, should the Agency find, or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to EPA's Office of Enforcement and Compliance Assurance (OECA). As an alternative, you may refer consumers to the company's phone number or e-mail address.

<sup>1</sup> For more detailed information, please refer to page 5 of 5 of the product chemistry review for this product.

4/12

A copy of your label stamped "Accepted with Comments" as well as hard copies of the efficacy, acute toxicity and product chemistry reviews completed for this product are attached for your reference and file. If you have any questions, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at [Rodia.Carmen@epa.gov](mailto:Rodia.Carmen@epa.gov).

Sincerely yours,



Richard J. Gebken,  
Product Manager (10)  
Insecticide Branch  
Registration Division (7504P)

*Enclosures:*

- Copy of label stamped "Accepted with Comments"*
- Copy of efficacy review, dated March 4, 2011*
- Copy of acute toxicity review, dated March 30, 2011*
- Copy of product chemistry review, dated April 12, 2011*
- Copy of total release fogger letter, dated March 23, 2010*

000499-00547 D382890

7-

5/12

Master Label  
[Text in this color is for the non-commercial horticultural market.]

# TC-272 GH

ALTERNATE BRAND NAME #1: IGC Insect Fogger 1  
ALTERNATE BRAND NAME #2: iGrowIt™ Insect Fogger 1

One 6 oz can treats up to 5,000 ft<sup>3</sup> of unobstructed space.  
(25' x 25' x 8' ceiling)

ACCEPTED  
With COMMENTS 4/19/11; dmt)  
In EPA Letter Dated:  
*April 26, 2011*  
Under the Federal Insecticide, Fungicide  
and Rodenticide Act, As amended, for the  
pesticide Registered under EPA Reg. No:  
499-547

**KILLS:** Angoumois Grain Moths, Ants (except Carpenter, Fire and Harvester), Aphids, Beetles, Booklice, Carpet Beetles, Caterpillars, Chocolate Moths, Cigarette Beetles, Clothes Moths, Clover Mites, Cockroaches, Confused Flour Beetles, Crickets, Drug Store Beetles, Earwigs, Fleas, Fungus Gnats, Gnats, Grain Mites, Granary Weevils, Hornets, House Flies, Indianmeal Moths, Mealy Bugs, Mediterranean Flour Moths, Millipedes, Mites, Moths, Mud Daubers, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Scale, Silverfish, Small Flying Moths, Sowbugs, Southern House Mosquitoes, Spider Mites, Spiders (except Brown Recluse Spiders), Thrips, Ticks, Wasps, Whiteflies and Yellowjackets

<b>ACTIVE INGREDIENTS:</b>	
Pyrethrins, a botanical insecticide .....	0.5%
Piperonyl Butoxide * .....	4.0%
<b>OTHER INGREDIENTS:</b> .....	95.5%
	<b>TOTAL: 100.0%</b>

\*(butylcarbityl)(6-propylpiperonyl) ether and related compounds

## KEEP OUT OF REACH OF CHILDREN CAUTION

EPA Reg. No: 499-LUT • EPA Est. No: 7969-MO-1

NET WEIGHT: 6 oz

### FIRST AID

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 min. Call a poison control center or doctor for treatment advice.

**IF SWALLOWED:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eyes open and rinse slowly and gently with water for 15 – 20 min. Remove contact lenses, if present, after the first 5 min., then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-832-HELP 24 hr/day, 7 days/week.

[Alternate text: See side panel(s)/inside booklet for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.]

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Breathing spray mist may be harmful. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with plenty of soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**Personal Protective Equipment (PPE):** Applicators and other handlers must wear the following: Long-sleeve shirt, long pants, socks and shoes.

### USER SAFETY REQUIREMENTS

Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

### PHYSICAL OR CHEMICAL HAZARDS

**Flammable.** Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.



Highly Flammable Ingredient  
Ingrediente Altamente Inflamable

## DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER  
INCONSISTENT WITH ITS LABELING. READ ENTIRE LABEL BEFORE EACH USE.**

**USE FOR INSECT INFESTATIONS IN:** Apartments†, Campgrounds, Food Storage Areas, Homes†, Hospitals†, Hotels, Motels, Nursing Homes†, Resorts, Restaurants† and other Food Handling Establishments†, Schools†, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks and Aircraft--Cargo Areas Only), Utilities, Warehouses and other Commercial and Industrial Buildings

† Refer to the "Use Restrictions" section for special instructions for these sites.

### USE RESTRICTIONS

- Apply this product only as specified on this label.
- Only protected applicators may initiate application. Exit area immediately after initiating application.
- Do not allow others to enter until sprays have dried and treated areas have been thoroughly ventilated.
- When using in food handling and processing facilities:
  - Do not apply when facility is in operation unless the treatment area is cordoned off, posted and entry prevented.
  - Prior to application, cover or remove food.
  - Prior to application, cover food processing surfaces or clean after treatment and before use.
- Do not apply this product in hospital rooms while occupied or in any rooms occupied by the elderly or infirm. Remove patients from room prior to treatment and thoroughly ventilate (2 hr) after application. Do not return patients to room until after ventilation.
- Do not apply in classrooms.
- Do not apply more than 1 time/day.

### TO USE THIS PRODUCT CORRECTLY

Do not use more than 1 fogger per room. [insert pictogram]

Do not use in small, enclosed spaces such as closets, cabinets or under counters or tables. [insert pictogram] Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property.

Do not use in a room 5 ft x 5 ft or smaller; instead, allow fog to enter from other rooms.

#### **Before You Fog:**

Open cabinets, cupboards, drawers, closets and doors in areas to be treated.

Remove or cover exposed foods, drinking water, dishes, utensils, food processing equipment and surfaces. [insert pictogram]

Remove pets and birds, cover and turn off fish aquariums before spraying. Turn off air flow systems in aquariums.

Cover waxed wood floors, waxed furniture and stereo or other plastic dust covers in the immediate area surrounding the fogger (newspaper may be used).

Close outside doors and windows.

Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerator, thermostats, etc.). [insert pictograms] Call your gas utility or management company if you need assistance with your pilot lights.

#### **To Start Fogging:**

Place a chair, table or stand in the center of the room to be fogged. Cover with several layers of newspaper, paper towels or plastic tarp.

**Shake Well Before Using.** Tilt can AWAY from face (container sprays straight up). Press tab down in locked position to initiate application. Set fogger on covered stand.

**Vacate the treated house, individual apartment unit or other structure immediately. Do no reenter for 2 hr.** [insert pictogram]

#### **Airing Out:**

Wait 2 hr after application (until aerosols and vapors have dispersed), then ventilate the treated area by opening windows, vents and doors for 2 hr. If an odor is still detected, additional ventilation is required.

### FOOD HANDLING ESTABLISHMENTS

Food handling establishments are places other than private residences in which food is held, processed, prepared or served.

**FOOD AREAS:** Include areas for receiving, serving, storing (dry, cold, frozen, raw), packing (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups).

**NON-FOOD AREAS:** Include areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

~~Do not apply in food areas when the facility is in operation unless the treatment area is cordoned off, posted and entry prevented. Prior to application, remove or cover exposed food and drinking water in the treatment area. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces in the treatment area, or wash them before use.~~

7/12

Master Label

v1.0.1 (4/19/11; dmt)

[Text in this color is for the non-commercial horticultural market.]

### HOMEOWNER GREENHOUSE & GARDEN CENTER DIRECTIONS FOR USE

#### USE RESTRICTIONS

- Apply this product only as specified on this label.
- Do not use more than 1 fogger per room.
- Do not use in small, enclosed spaces such as closets, cabinets or under counters or tables. Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property.
- Do not use in a room 5 ft x 5 ft or smaller; instead, allow fog to enter from other rooms.
- Only protected applicators may initiate application. Exit area immediately after initiating application. **Do not reenter for 2 hr after application** (until aerosols and vapors have dispersed), then ventilate the treated area by opening windows, vents and doors for 2 hr. If an odor is still detected, additional ventilation is required.
- Do not allow others to enter until sprays have dried and treated areas have been thoroughly ventilated.
- Remove or cover exposed food and drinking water, in the treatment area, before application.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces in the treatment area, or wash them before use.
- Do not apply more than 1 time/day.

**FOR USE IN:** Homeowner Greenhouses, Garden Centers and Other Indoor Areas where plants are grown or produce is stored.

**FOR USE INDOORS ON:** Bedding Plants, Cut Flowers, Foliage, Hanging Baskets, Ornamentals, Potted Flowering Plants and in Storage Areas where Fruits, Nuts, Grains and Vegetables are stored post-harvest.

#### ALSO ON THESE GROWING CROPS:

**Vegetables:** Carrots, Cucumbers, Garlic, Garden Peas, Lettuce, Onion, Peppers, Potatoes, Pumpkins, Spinach and Tomatoes

**Herbs:** Basil, Chives, Fennel, Oregano, Parsley, Rosemary and Thyme

#### APPLICATION INSTRUCTIONS

##### SHAKE WELL BEFORE USING

**To Use This Product Correctly:** Shut off exhaust fans and close all windows, doors and ventilators. Turn off all ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerator, thermostats, etc.). Do not place cans within 10 ft of running electrical appliances that cycle on and off. Call your gas utility or management company if you need assistance with your pilot lights.

**Before Fogging:** Remove or cover dishes, utensils, food processing equipment and surfaces. Remove pets and birds, cover and turn off fish aquariums prior to application. Turn off air flow systems in aquariums. Cover waxed surfaces (i.e. wood floors, furniture) and plastic dust covers in the immediate treatment area (newspaper may be used).

**To Start Fogging:** Apply during early evening when foliage is dry and temperature is between 60 – 80°F. Place can(s) on an elevated surface such as a stand, chair or table, so that the top of the can(s) is above the plant foliage, and clear a 3 ft area around the can(s). Cover the elevated surface and the 3 ft area with several layers of newspaper. Activate the can(s) by tilting the can away from face (container sprays straight up) and pressing the tab down in locked position. If using more than one can in an area, start with the can farthest away from the exit door. Activate each can moving toward the exit. Immediately vacate the treated structure once all cans have been activated. The entire contents will release automatically.

**Airing Out:** Keep the treated area closed and **do not reenter for 2 hr**, preferably overnight, following treatment. Ventilate the treated area by opening windows, vents and doors for 2 hr. If an odor is still detected, additional ventilation is required.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in a cool, dry, well ventilated area away from heat or open flame.

**PESTICIDE DISPOSAL:** Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Do not puncture or incinerate! **If Empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances.  
Federal regulations prohibit CFC propellants in aerosols.



#### CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. Whitmire warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) WHITMIRE MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND WHITMIRE'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) WHITMIRE AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Whitmire and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Whitmire.

8/12

Master Label

[Text in this color is for the non-commercial horticultural market.]

v1.0.1 (4/19/11; dmt)

Manufactured for:  
Whitmire Micro-Gen Research Laboratories, Inc.®  
by BASF Corporation  
3568 Tree Court Industrial Blvd.  
St. Louis MO 63122-6682  
Questions? Call 1-800-777-8570  
© 2011 Whitmire Micro-Gen Research Laboratories, Inc.®

---



**TC 272 BH**

NOMBRE DE MARCA ALTERNATIVO #1: IGC Insect Fogger 1

NOMBRE DE MARCA ALTERNATIVO #2: iGrowIt™ Insect Fogger 1

**Una lata de 6 onzas trata un espacio sin obstrucciones de hasta 5.000 pies cúbicos.  
(techo de 25' x 25' x 8')**

**ELIMINA:** Polillas de los Cereales, Hormigas (excepto la Hormiga Carpintera, de Fuego y Cosechadora), Piojos de los Libros, Escarabajos de las Alfombras, Polillas del Cacao, Escarabajos del Tabaco, Polillas de la Ropa, Ácaros del Trébol, Cucarachas, Gorgojos Falsos de la Harina, Grillos, Gorgojos del Pan, Tijeretas, Moscas, Mosquitos, Ácaros de la Harina, Gorgojos del Grano, Avispones, Moscas Domésticas, Polillas Indias de la Harina, Polillas Mediterráneas de la Harina, Milpiés, Avispas Alfareras, Escarabajos Rojos de la Harina, Gorgojos del Arroz, Carcomas Dentadas de los Granos, Pececillos de Plata, Pequeñas Polillas Voladoras, Cochinillas, Mosquitos Culex, Arañas (excepto las Arañas Reclusas Pardas), Garrapatas, Avispas y Avispas con Pintas Amarillas.

**INGREDIENTES ACTIVOS:**

Piretrina, un insecticida botánico ..... 0,5%  
Butóxido de piperonilo \* ..... 4,0%

**OTROS INGREDIENTES:** ..... 95,5%

TOTAL: 100,0%

\*(butilcarbtil)(6-propilpiperonil) éter y compuestos relacionados

## MANTENER FUERA DEL ALCANCE DE LOS NIÑOS PRECAUCIÓN

Nº reg. EPA: Nº: 499-LUT • Nº est. EPA: 7969-MO-1

**PESO NETO: 6 onzas**

**PRIMEROS AUXILIOS**

**SI ENTRA EN CONTACTO CON LA PIEL O CON LA ROPA:** Quítese las ropas contaminadas. Lávese la piel inmediatamente con abundante agua durante 15 – 20 min. Llame a un centro de control de productos tóxicos o a un médico para preguntar acerca del tratamiento.

**SI SE INGIERE:** Llame inmediatamente a un centro de control de productos tóxicos o a un médico. No induzca el vómito a menos que se lo indique un médico o un miembro del centro de control de productos tóxicos. No suministre NINGÚN líquido a la persona. No suministre nada por vía oral a una persona inconsciente.

**SI ENTRA EN CONTACTO CON LOS OJOS:** Mantenga los ojos abiertos y aclárelos lenta y suavemente con agua durante 15 – 20 min. Retire sus lentes de contacto, si las lleva, después de los primeros 5 min., después continúe aclarando los ojos. Llame a un centro de control de productos tóxicos o a un médico para preguntar acerca del tratamiento.

Lleve consigo el envase o la etiqueta cuando llame a un centro de control de productos tóxicos o a un médico, o cuando vaya en busca de ayuda médica. **Para obtener información adicional sobre este pesticida (incluidas las inquietudes relacionadas con la salud, emergencias médicas o incidentes con el pesticida), puede llamar al 1-800-832-HELP las 24 horas del día, 7 días a la semana.**

[*Texto alternativo:* Consulte el/los panel(es) lateral(es) o el folleto interno para ver Indicaciones de Precaución y Primeros Auxilios, e Instrucciones de Uso, Almacenamiento y Desecho.]

**INDICACIONES DE PRECAUCIÓN****RIESGO PARA SERES HUMANOS Y ANIMALES DOMÉSTICOS**

**PRECAUCIÓN:** Puede resultar daño si se ingiere o absorbe a través de la piel. Provoca irritación ocular moderada. La inhalación de la neblina procedente del aerosol puede resultar dañina. Evite el contacto con la piel, los ojos o la ropa. Lave minuciosamente sus manos con abundante agua y jabón después de manipular el producto, y antes de ingerir alimentos o bebidas, mascar chicle, usar tabaco o utilizar el lavabo.

**Equipamiento de Protección Personal:** Las personas encargadas de la aplicación y otras personas que manipulen el producto deberán llevar lo siguiente: camisa de manga larga, pantalones largos, medias y zapatos.

**REQUISITOS DE SEGURIDAD PARA EL USUARIO**

Quítese la ropa y el equipamiento de protección personal inmediatamente si el pesticida penetra en el interior de los mismos. A continuación deberá lavarse con cuidado y ponerse ropa limpia.

Siga las instrucciones del fabricante respecto al mantenimiento/la limpieza del equipamiento de protección personal. Si no existen tales instrucciones en cuanto a las prendas lavables, utilice detergente y agua caliente. Mantenga y lave el equipamiento de protección personal separado de otras prendas.

**RIESGOS FÍSICOS O QUÍMICOS**

**Inflamable.** Contenido bajo presión. Mantener alejado del calor, las chispas y las llamas abiertas. No perforar o arrojar al fuego el envase. Su exposición a temperaturas superiores a los 54°C puede provocar su explosión.

Este producto contiene un ingrediente altamente inflamable. Puede provocar un incendio o una explosión si no se usa de forma adecuada. Siga con mucho cuidado las "Instrucciones de Uso" que aparecen en esta etiqueta.



Ingrediente Altamente Inflamable

**INSTRUCCIONES DE USO**

**LA UTILIZACIÓN DE ESTE PRODUCTO DE UN MODO DIFERENTE AL INDICADO EN SU ETIQUETA CONSTITUYE UN DELITO FEDERAL. LEA TODA LA ETIQUETA ANTES DE CADA USO.**

**USO PARA INFESTACIONES DE INSECTOS EN:** Apartamentos†, Lugares de Acampada, Zonas de Almacenamiento de Alimentos, Casas†, Hospitales†, Hoteles, Moteles, Clínicas de Reposo†, Centros Vacacionales, Restaurantes† y otros Establecimientos en que se Manipulan Alimentos†, Colegios†, Supermercados, Equipos para Transporte (Autocares, Barcos, Trenes, Camiones y Aviones –Sólo Zonas de Carga-), Empresas de Servicio Público, Almacenes y otros Edificios Comerciales e Industriales.

† Consulte la sección "Restricciones de Uso" para ver instrucciones especiales para el uso en estas instalaciones.

**RESTRICCIONES DE USO**

- Aplicar este producto sólo como lo especifica esta etiqueta.
- La aplicación sólo se puede comenzar con los aplicadores protegidos. Salga del área inmediatamente una vez comenzada la aplicación.
- No permita que otras personas ingresen hasta que el rocío se haya secado y las zonas tratadas se hayan ventilado por completo.
- Cuando se usa en instalaciones de elaboración y manipulación de alimentos:
  - No aplique el producto cuando la instalación está funcionando salvo que el área de tratamiento esté acordonada, se le hayan colocado señales y se haya restringido el ingreso.
  - Antes de la aplicación, cubra o retire los alimentos.
  - Antes de la aplicación, cubra las superficies de elaboración de alimentos o límpielas después del tratamiento o antes del uso.
- No aplique este producto en habitaciones de hospital cuando están ocupadas ni en habitaciones donde hay personas ancianas o enfermas. Retire a los pacientes de la habitación antes del tratamiento y ventile bien (2 horas) después de la aplicación. No permita el regreso de los pacientes a la habitación hasta después de haberla ventilado.
- No aplique en aulas.
- No aplique más de 1 vez por día.

**PARA USAR CORRECTAMENTE ESTE PRODUCTO**

No use más de 1 aplicador de niebla de agua por habitación. [insert pictogram]

No utilice en espacios pequeños y cerrados tal como armarios o bajo mesadas o mesas. [insert pictogram] El uso de un aplicador de niebla en un espacio cerrado puede causar su explosión, lo que puede ocasionar heridas a las personas y daños a la propiedad.

No utilice en una habitación de 5 pies x 5 pies o más pequeña, en cambio deje que ingrese la niebla proveniente de las otras habitaciones.

**Antes de efectuar el rociado:**

Abra los armarios, despensas, cajones y puertas en las áreas a tratar.

Retire o cubra los alimentos expuestos, el agua potable, la vajilla, los utensilios, los equipos y las superficies de elaboración de alimentos. [insert pictogram]

Retire las mascotas y las aves, cubra y apague los acuarios de peces antes de rociar. Apague los sistemas de circulación de aire en los acuarios.

Cubra los pisos de madera encerados, muebles lustrados y equipos estéreo u otras cubiertas plásticas en la zona próxima que rodea al aplicador de niebla (se puede usar papel de diario).

Cierre todas las ventanas y puertas exteriores.

Apague todas las fuentes de ignición como luces indicadoras (apagar las válvulas de gas), llamas abiertas o aparatos eléctricos en funcionamiento que se enciendan y se apaguen a intervalos (es decir, refrigerador, termostatos, etc.). [insert pictograms] Llame a la empresa de gas o empresa de servicio público si necesita asistencia con las luces indicadoras.

**Para comenzar el rociado:**

Coloque una silla, mesa o soporte en el centro de la habitación a rociar. Cubra con varias capas de papel de diario, toallas de papel o lona plástica.

**Agitar bien antes de usar.** Incline la lata ALEJADA del rostro (el recipiente rocía en posición erguida). Presione la lengüeta en posición de bloqueo para iniciar la aplicación. Apoye el aplicador de rocío sobre el soporte cubierto.

**Desocupe inmediatamente la casa, unidad de departamento individual u otra estructura que ha sido tratada. No vuelva a ingresar hasta que hayan transcurrido 2 hr.** [insert pictogram]

**Ventilación:**

Espere 2 hr después de la aplicación (hasta que se hayan dispersado los aerosoles y vapores), después ventile la zona tratada abriendo las ventanas, conductos de ventilación y puertas durante 2 hr. Si todavía se siente olor, es necesario volver a ventilar.

**ESTABLECIMIENTOS DE MANIPULACIÓN DE ALIMENTOS**

Los establecimientos de manipulación de alimentos son lugares que no son residencias privadas en que los alimentos se almacenan, procesan, preparan o sirven.

**ÁREAS DE ALIMENTOS:** Incluye áreas de recepción, de servicio, almacenamiento (alimentos secos, fríos, congelados, crudos), empaquetado (enlatado, embotellado, empaquetado, envasado en cajas), preparación (limpieza, corte, cocción, molienda), almacenamiento de residuos comestibles y sistemas de procesamiento aislados (molinos, granjas lecheras, aceites comestibles, jarabes).

**ÁREAS DE PRODUCTOS NO ALIMENTICIOS:** Estas áreas incluyen zonas como salas de depósito de basura, baños, desagües (hacia cloacas), entradas y vestíbulos, vestuarios, salas de máquinas, salas de calderas, garajes, armarios de limpieza y almacenamiento (después de enlatado o embotellado).

~~No aplique el producto cuando la instalación está funcionando salvo que el área de tratamiento haya sido acordonada y se le hayan colocado señales impidiendo el ingreso. Antes de la aplicación, retire o cubra los alimentos expuestos o el agua potable que están en el área de tratamiento. Retire o cubra la vajilla, utensilios, equipos de elaboración de alimentos y las superficies de preparación de alimentos en el área de tratamiento, o lávelos antes del uso.~~

**INDICACIONES PARA USO EN INVERNADEROS DE PROPIETARIOS DE VIVIENDA Y VIVEROS****RESTRICCIONES DE USO**

- Aplicar este producto sólo como lo especifica esta etiqueta.
- No use más de 1 aplicador de niebla de agua por habitación.
- No utilice en espacios pequeños y cerrados tal como armarios o bajo mesadas o mesas. El uso de un aplicador de niebla en un espacio cerrado puede causar su explosión, lo que puede ocasionar heridas a las personas y daños a la propiedad.
- No utilice en una habitación de 5 pies x 5 pies o más pequeña, en cambio deje que ingrese la niebla proveniente de las otras habitaciones.
- La aplicación sólo se puede comenzar con los aplicadores protegidos. Salga del área inmediatamente una vez comenzada la aplicación. **Espere 2 hr** después de la aplicación (hasta que se hayan dispersado los aerosoles y vapores), después ventile la zona tratada abriendo las ventanas, conductos de ventilación y puertas durante 2 hr. Si todavía se siente olor, es necesario volver a ventilar.
- No permita que otras personas ingresen hasta que el rocío se haya secado y las zonas tratadas se hayan ventilado por completo.
- Antes de la aplicación, retire o cubra los alimentos expuestos o el agua potable que están en el área de tratamiento.
- Retire o cubra la vajilla, utensilios, equipos de elaboración de alimentos y las superficies de preparación de alimentos en el área de tratamiento, o lávelos antes del uso.
- No aplique más de 1 vez por día.

**PARA USAR EN:** Invernaderos para propietarios de vivienda, viveros y otras áreas interiores donde se cultivan plantas o se almacenan frutos.

**PARA USAR EN INTERIORES EN:** Plantas para trasplantar, flores cortadas, plantas de hoja verde, flores en cestas colgantes, plantas ornamentales, plantas de flores en maceta y en áreas de almacenamiento donde se almacenan frutas, frutos secos, granos y vegetales, posterior a la cosecha.

**Y TAMBIÉN LOS SIGUIENTES CULTIVOS EN CRECIMIENTO:**

**Vegetales:** zanahorias, pepinos, ajo, guisantes de huerta, lechuga, cebolla, pimientos, patatas, calabazas, espinaca y tomates

**Hierbas:** albahaca, cebollinos, hinojo, orégano, perejil, romero y tomillo

**INSTRUCCIONES DE APLICACIÓN****AGITAR BIEN ANTES DE USAR**

**Para utilizar este producto correctamente:** Cierre todos los ventiladores de extracción y cierre todas las ventanas, puertas y aberturas de ventilación. Apague todas las fuentes de ignición como luces indicadoras (apagar las válvulas de gas), otras llamas abiertas o aparatos eléctricos en funcionamiento que se enciendan y se apaguen a intervalos (es decir, refrigerador, termostatos, etc.). No coloque latas dentro de los 10 pies de los aparatos eléctricos en funcionamiento que se enciendan y se apaguen a intervalos. Llame a la empresa de gas o empresa de servicio público si necesita asistencia con las luces indicadoras.

**Antes del rociado:** Retire o cubra platos, utensilios, equipos de elaboración de alimentos y las superficies. Retire las mascotas y las aves, cubra y apague los acuarios de peces antes de iniciar la aplicación. Apague los sistemas de circulación de aire en los acuarios. Cubra superficies enceradas (es decir, pisos de madera, muebles) y cubiertas plásticas en el área de tratamiento inmediata (se puede utilizar papel de diario).

**Para comenzar el rociado:** Aplique a la tardecita cuando el follaje está seco y la temperatura está entre 16°– 27°C. Coloque la(s) lata(s) en una superficie elevada como un soporte, silla o mesa, de modo que la parte superior de la(s) lata(s) se encuentre(n) sobre el follaje de la planta y aclare un área de 3 pies alrededor de la(s) lata(s). Cubra la superficie elevada y el área de 3 pies con varias capas de papel de diario. Active la(s) lata(s) inclinando la lata alejada del rostro (el recipiente rocía en posición erguida) presionando la lengüeta en posición de bloqueo. Si utiliza más de una lata en un área, comience con la lata más alejada de la puerta de salida. Active cada lata moviendo hacia la salida. Desocupe de inmediato la estructura tratada cuando se hayan activado todas las latas. Todo el contenido se liberará automáticamente.

**Ventilación:** Mantenga cerrada el área tratada y **no vuelva a ingresar durante 2 hr**, preferentemente por la noche, después del tratamiento. Ventile el área tratada abriendo ventanas, conductos de ventilación y puertas durante 2 hr. Si todavía se siente olor, es necesario volver a ventilar.

## ALMACENAMIENTO Y DESECHO

No contaminar agua, alimentos, o alimento para animales mediante el almacenamiento o el desecho de este producto.

**ALMACENAMIENTO DEL PESTICIDA:** Mantener este producto seco, en un área bien ventilada, seca y fresca, lejos del calor o la llama abierta.

**DESECHO DEL PESTICIDA:** Los residuos resultantes del uso de este producto pueden desecharse en el mismo lugar o en alguna instalación aprobada para desecho de residuos.

**DESECHO DEL ENVASE:** ¡No perforar o arrojar al fuego! **Si está vacío:** Arroje el envase a la basura o recíclelo si es posible. **Si está parcialmente lleno:** Llame a la agencia de residuos sólidos local para recibir instrucciones para el desecho.

No contiene CFC u otras sustancias perjudiciales para el ozono.  
Las leyes federales prohíben los propelentes a base de CFC en los aerosoles.



### CONDICIONES DE VENTA Y GARANTÍA

**Siga las Instrucciones de Uso.** Debido a que es imposible eliminar todos los riesgos inherentemente relacionados con el uso de este producto, todos los riesgos deben ser asumidos por el Comprador. Whitmire garantiza que este producto corresponde a la descripción química indicada en la etiqueta y es razonablemente apto para los fines mencionados en las **Instrucciones de Uso**, sujeto a los riesgos inherentes mencionados anteriormente. EN LA MEDIDA EN QUE LO PERMITAN LAS LEYES APLICABLES: (A) WHITMIRE NO HACE NINGUNA OTRA GARANTÍA, EXPLÍCITA O IMPLÍCITA. INCLUIDAS LAS GARANTÍAS DE APTITUD PARA UN FIN EN PARTICULAR O COMERCIALIZACIÓN, (B) EL RECURSO EXCLUSIVO DEL COMPRADOR Y LA RESPONSABILIDAD EXCLUSIVA DE WHITMIRE Y EL VENDEDOR, YA SEA POR CONTRATO, EXTRACONTRACTUAL, NEGLIGENCIA, RESPONSABILIDAD OBJETIVA, U OTRA, SE LIMITAN A LA DEVOLUCIÓN DEL PRECIO DE COMPRA DE PRODUCTO, Y (C) WHITMIRE Y EL VENDEDOR DESLINDAN TODA RESPONSABILIDAD POR DAÑOS EMERGENTES, INCIDENTALES, ESPECIALES O INDIRECTOS QUE RESULTEN DEL USO O LA MANIPULACIÓN DE ESTE PRODUCTO. Whitmire y el Vendedor ofrecen este producto, y el Comprador lo acepta, sujeto a estas **Condiciones de Venta y Garantía** que se podrán modificar únicamente mediante un acuerdo escrito firmado por un representante de Whitmire debidamente autorizado.

#### Fabricado para:

Whitmire Micro-Gen Research Laboratories, Inc.  
por BASF Corporation  
3568 Tree Court Industrial Blvd.  
St. Louis MO 63122-6682

¿Tiene alguna pregunta? Llame al 1-800-777-8570

© 2011 Whitmire Micro-Gen Research Laboratories, Inc.

Translation services provided and certified by: TransAtlantic Translations.