UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

05/14/2013

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

MAY 1 4 2013

Ms. Dana M. Thomas Product Regulatory Manager Authorized Agent for Whitmire Micro-Gen Research Laboratories BASF Corporation Pest Control Solutions 3506 Tree Court Industrial Blvd. St. Louis, MO 63122

Subject: Label Amendment (R340) TC-323 EPA Reg. No. 499-550 Submission dated December 18, 2012

Dear Ms. Thomas,

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, is acceptable.

A stamped copy of the label and an efficacy data evaluation record are enclosed for your records. If you have any questions, please contact Kevin Sweeney at (703) 305-5063.

Product Manager 10
Registration Division (7505P)
Insecticides Branch

Enclosure

v2.0 (12/18/12; dmt)

Master Label

[Text in this color may be print-restricted from the marketplace label.]

TC-323

Alternate Brand Name(s): Prescription Treatment[®] brand Wasp-Freeze[®] Wasp & Hornet Killer Formula 2 {added via Notification 6/15/11} Wasp-Freeze[®] Wasp & Hornet Killer Formula 2 {added 12/18/12}

KILLS ON CONTACT FROM 15 FEET AWAY

USE OUTDOORS AND IN ATTICS & CRAWL SPACES ONLY

KILLS: Bees, Hornets, Yellowjackets, Spiders and Wasps

ACTIVE INGREDIENT:

Prallethrin [(RS)-2-Methyl-4-oxo-3-(2-propynyl) cyclopent-2-enyl-(1RS)-cis, trans-chrysanthemate]	%
OTHER INGREDIENTS*	<u>}%</u>
*Contains Petroleum Distillate TOTAL: 100.0)%

KEEP OUT OF REACH OF CHILDREN CAUTION

[Alternate text - all or in part: See side panel(s) for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.]

EPA Reg. No. 499-550 • EPA Est. No. 7969-MO-1

NET WEIGHT: 1 lb, 1.5 oz (17.5 oz)

FIRST AID

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15 - 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 min. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 1-800-832-HELP (4357) for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and launder before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water marko Do not contaminate water by cleaning of equipment or disposal of equipment wash waters.

PHYSICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incine tage ontainer. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

USE RESTRICTIONS

Use outdoors and in attics and crawl spaces only.

When using in an attic, do not contaminate stored items, HVAC systems, water heaters or other non structural iter

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide Registered under EPA Reg. No. 499-55()

000000


Page 1 of 2

Master Label

[Text in this color may be print-restricted from the marketplace label.]

APPLICATION INSTRUCTIONS

[Alternate Text & Pictogram: For optimum performance in overhead treatments, align the actuator opening with the mark on valve cup.] When treating in a downward direction, align the actuator opening directly opposite the mark on valve cup.]



WASPS AND HORNETS: Hold container in upright position. Stand a safe distance, 6 – 15 ft from the nest, and not directly underneath. Align actuator opening with the mark on the valve cup. Aim the actuator opening toward the nest with the wind at your back. Treat the nest until thoroughly wet. Contact wasps and hornets on the nest with spray when possible. The best time of day to treat is in evening or early morning, since wasps and hornets congregate on or in the nest at night.

YELLOWJACKETS AND BEES: Locate nest. Align actuator opening directly opposite the mark on the valve cup. Press down on the actuator and apply, using a sweeping motion, contacting any stimulated or stirred-up yellowjackets and bees around the nest opening. Then move forward to the nest opening and apply for 6 – 8 sec directly into the nest hole.

SPIDERS (including Black Widow and Brown Recluse): Apply directly to spiders and/or webbing. Before applying, consider the surfaces for potential staining or residue that spray may contact.

INDUSTRIAL SPECIFICATIONS

Flame Projection: >18"; no flashback Dielectric Breakdown: 47,400 volts Arcing: TBD

Tested on Polyethylene, Polycarbonate, Noryl®, ABS-T and ABS-SB4500 plastics with no damage. May cause staining (darkening) of asphalt surfaces and shingles.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area away from heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Do not puncture or incinerate! Empty container by using the product in accordance with the label directions. If empty: Offer empty container for recycling, if available, or place in trash if allowed by state and local regulations. If partly full: Contact your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



CONDITIONS OF SALE AND WARRANTY

Follow the Directions for Use. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. Whitmire warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT, WITH APPLICABLE LAW: (A) WHITMIRE MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND WHITMIRE'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE; STRICT LIABILITY, OR OTHERWISE'S SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) WHITMIRE AND THE SELLER DISCLAIM ANY, LABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDEING OF THIS PRODUCT. Whitmire and the Seller offer this product, and the Buyer accepts it, subject to these Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of Whitmires

ိုင်လိုန်နှ	00000	Manufactured for:
o	00000	Whitmire Micro-Gen Research Laboratories, Inc.®
000000		by BASF Corporation
600000		3568 Tree Court Industrial Blvd.
° ° ° °	•	St. Louis MO 63122-6682
	4 ⁷ 4	Questions? Call 1-800-777-8570
		© 2012 Whitmire Micro-Gen Research Laboratories, Inc.®