199-568	(2/18/2014	Ć	
WHEN AL PROTECTO	U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (7505C) Ariel Rios Building 1200 Pennsylvania Ave., NW Washington, D.C. 20460	EPA Reg. Number: 499-568	Date of Issuance: FEB 1 8 2014
<b>_</b> _	Washington, D.C. 20460 NOTICE OF PESTICIDE: <u>x</u> Registration Reregistration (under FIFRA, as amended)	Term of Issuance: Conditional Name of Pesticide Product: PT Alpine Pressurized Fly Bait	
Nome and Address of I	Registrant (include ZIP Code):	•	
Registration Division prior to	ffering in substance from that accepted in connection with this regi use of the label in commerce. In any correspondence on this produ-	uct always refer to the above E	EPA registration number.
Fungicide and Rodenticide Ac to protect health and the envir with the Act. The acceptance	urnished by the registrant, the above named pesticide is hereby reg ct. Registration is in no way to be construed as an endorsement or r ronment, the Administrator, on his motion, may at any time suspende of any name in connection with the registration of a product unde ame or to its use if it has been covered by others.	ecommendation of this produ d or cancel the registration of	ct by the Agency. In order a pesticide in accordance
This product is co you:	onditionally registered in accordance with Fl	IFRA sec. 3(c)(7)(A	) provided that
3(c)(5) when the Ag comply with DCI II	and/or cite all data required for registration of gency requires all registrants of similar prod D# GDCI 044312-1147 issued on 3/1/2013.	ucts to submit such If you have question	data. You must
characteristics (830 made at 0, 3, 6, 9, a	the following data: One year storage stabilit .6320) studies. These studies can be run cound 12 months period and the results must be studies must be submitted within 15 months	ncurrently. Observe e submitted to the A	ation must be Agency upon
3. Make th	e following label change:		
Add the phr	ase "EPA Registration Number 499-568" to	the front panel.	
Signature of Approving Offic	ial:	Date:	
Kent	5	02/14/14	
Meredith Laws, Ch Insecticide Rodenti			
FPA Form 8570-6		<u> </u>	

1/6

EPA Form 8570-

page 2 EPA Reg. No. 499-568

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Submit two copies of the revised final printed label before you release the product for shipment. Your release for shipment of the product constitutes acceptance of these conditions.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>non-refillable</u> containers. The code may appear either on the label or durably marked on the container itself, and can be added by non-notification per PRN 98-10.

A stamped copy of the label is enclosed for your records. If you have any questions, contact Rita Kumar at (703) 308-8291, or <u>kumar.rita@epa.gov</u>.

Sincerely,

Meredith Laws, Chief Insecticide Rodenticide Branch Registration Division (7505P)

Enclosure

ACTIVE INGREDIENT:

v1.0.1 (2/11/14; dmt)

## PT<sup>®</sup> ALPINE<sup>®</sup> **Pressurized Fly Bait**

KILLS: House Flies, Filth Flies, Lesser House Flies, Flesh Flies and Small Fruit or Vinegar Flies FOR USE IN AND AROUND: Commercial, Residential, Industrial Buildings and Other Manmade Structures, Garbage or Refuse Bins and Receptacles, or other areas flies may be a nuisance or health hazard. [Apartments; Bakeries; Campgrounds; Carnivals; Circus; Concert Arenas; Condominiums; Confectionaries; County and State Fair Facilities; Dairy Areas; Farm Houses; Day Care Facilities; Festival Grounds, Food Handling Establishments; Food Processing Plants; Food Storage Areas; Food Vending Structures; Garages; Golf Courses; Grain Mills; Granaries; Homes; Hospitals; Hotels; Housing and Containment Areas (i.e., Arenas, Barns, Cages, Hatcheries, Houses, Hutches, Kennels, Parlors, Pens, Sheds, Shelters, Stables) for Animals (i.e., Avian, Bovine, Canine, Equine, Feline, Hircine, Leporine, Murine, Porcine); Interiorscapes; LEED Buildings (as specified below); Libraries; Marinas; Meat, Poultry & Egg Processing Facilities; Meat Packing Plants; Milk Rooms; Mobile Homes; Motor Homes; Motels; Museums; Nursing Homes; Outdoor Living Areas; Pavilions; Porches; Research Facilities; Resorts; Restaurants; Mobile Food Vendors; Parking Ramps; Poultry Facilities (including: Hatchery, Egg Packaging, Breeding Facilities); Public Picnic Areas; Public Restrooms; Recreational Rest Areas; Residential Backyards; Schools; Supermarkets; Tents or Temporary Shelters; Theme Parks; Terminals; Transportation Equipment (Buses, Barges, Boats, Ships, Trailers, Trains, Trucks); Utilities; Warehouses; Waysides; Wildlife Refuge Areas; Zoos]

# KEEP OUT OF REACH OF CHILDREN

# ACCEPTED

# CAUTION

FEB 1 8 2014 Under the Federal Insecticide, Fungicide,

EPA Reg. No 499-LAI EPA Est. No. 7969-MO-1

and Rodenticide Act, as amended, for the pesticide registered under:

Net Weight: \_\_\_\_\_

EPA. Rec	No:	4	99	-568
EFA. NOU				

Dinotefuran, N-methyl-N'-nitro-N-(tetrahydro-3-furanyl)methylguanidine...... 1.0% Total: 100.0%

#### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this product (including health concerns, medical emergencies or pesticide incidents), you may also call 1-800-832-HELP (4357), 24 hrs/day, 7/days/week.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas.

This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are foraging in the treatment area.

#### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

#### SMART SOLUTIONS FACTS

A ready-to-use solution to kill flies in a broad range of urban environments. Provides attractancy properties which will aid in bringing flies into the treated bait area. Key attributes of this product include:

PT® Alpine® Pressurized Fly	Quick Knockdown
<b>B</b> ait	<ul> <li>Proven attractancy for up to 30 days</li> </ul>
	<ul> <li>Kills flies for up to 30 days on non-porous surfaces.</li> </ul>
<ul> <li>↓</li> <li>↓</li> <li>↓</li> <li>↓</li> </ul>	<ul> <li>May be used in conjunction with a fly light program such as Vector Plasma<sup>®</sup>, Vector Plasma One<sup>®</sup> and Vector<sup>®</sup> Classic<sup>®</sup> for monitoring of results and fly population reduction.</li> </ul>
•	<ul> <li>For best management practices, use the bait as part of an overall Integrated Pest Management (IPM) program utilizing residuals and contact sprays, traps and drain cleaners. For questions or comments, call 1-800-777-8570.</li> </ul>

#### DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

**Read Entire Label.** Use strictly in accordance with Precautionary Statements and Directions for Use, and with applicable state and federal regulations. Apply bait only in areas that are out of reach of children and pets.

#### **USE RESTRICTIONS**

- Do not apply bait to surfaces which may reach excessive temperatures. Examples include portions of stoves, lighting above food preparation areas, ovens, grills, fume hoods, steam tables, toasters, fryers, dishwashers and hot water pipes.
- Do not apply directly on food preparation surfaces or dining surfaces where foods for consumption may come in contact.
- Do not apply bait in areas where animals can ingest product.
- Do not apply directly upon animals.
- Do not apply to milking equipment in dairy areas.
- Do not apply directly into any electronic equipment or areas where electrical short circuit could occur.
- Do not use in aircraft cabins; use in cargo areas only.

#### **APPLICATION INSTRUCTIONS**

**AREA TREATMENT:** Point can toward target area from a distance no further than 12 in (30 cm) and press down actuator. Make a light application at a rate of 2 ln ft/sec and avoid run off or dripping from targeted area. Area treatments are effective where flies congregate, roost and feed, which may include garbage receptacles and lids, refuge containers, under tables and benches, recycling bins, dumpsters, behind vending machines, plant/flower pots, under bars, calf hutch ceilings, eave areas, walls and/or areas where flies are likely to congregate or infest. Do not apply bait in areas that are frequently cleaned. This product will not adhere to surfaces that are dusty or greasy. Reapply when bait placements are no longer visible and/or reinfestation occurs. Use a water-dampened paper towel to remove unwanted bait placements and then discard in trash.

Master Label

#### v1.0.1 (2/11/14; dmt)

**BAND TREATMENT**: Spray from a distance no further away from targeted area than 6 in (15 cm) to create a band application at a rate of 2 ln ft/sec. Band applications may be made to areas such as beam edges, receptacle edges, table or bench edges, around windows and window frames, under narrow eaves and other areas where there is a narrow area where flies land, roost and/or are likely to infest. Reapply when bait placements are no longer visible and/or reinfestation occurs. Use water-dampened paper towel to remove unwanted bait placements and then discard in trash.

**REMOVABLE BAIT PLACEMENTS:** Spray bait on a small object no larger than 24 in<sup>2</sup> and no smaller than 6 in<sup>2</sup> unless it is a rope or twine of at least 6 in long. Object may be made of wood, plastic, cardboard, index cards, nylon, metal or other suitable material. Place in areas of fly activity, and out of reach of children and domestic animals.

**FOOD HANDLING ESTABLISHMENTS:** Food/Feed handling establishments are places other than private residences in which food is held, processed, prepared or served, including those operating under the Federal meat, poultry, shell egg grading and egg products inspection programs.

Use within food preparation and food production areas of food handling establishments is limited to the interior of refuge receptacles, removable bait placements or in stations. For areas outside of the food preparation and food production rooms, spot and/or band applications may be made to areas where flies congregate and rest.

**Food/Feed Areas:** Include areas for receiving, serving, storing (dry, cold, frozen, raw), packing (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups).

All removable bait placements must be clearly marked with the wording "Fly Bait, Do not touch" (written, typed or stickered on it) and must be secured to the surface with an adhesive material or tape. Placements should be recorded and inspected with each service to that area. Do not place removable bait placements over or on food preparation or food processing areas. The use of rope or twine is not allowed in food areas.

**Non-Food/Feed Areas:** Include areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after packaging, canning or bottling).

All removable bait placements must be clearly marked with the wording "Fly Bait, Do not touch". Place in areas conducive to fly activity, and out of reach of children and pets.

Rope & Twine: Hang in areas where flies roost and/or congregate. Place a sticker or label clearly marked with the wording "Fly Bait, Do not touch" (written or typed) at the bottom of the rope or twine. Place in areas out of reach of children, pets and livestock.

**PREVENTATIVE FLY PROGRAMS:** This product may be used as part of a preventative program or in anticipation of a fly problem associated with an event. Event examples include weddings, picnics, birthday parties, family reunions, graduation parties, etc. Apply inside all garbage receptacles, underneath garbage lids, inside recycling bins or receptacles, and other labeled areas that will help prevent flies from being a nuisance.

**LEED (Leadership in Energy and Environmental Design) Buildings or GreenPro Programs:** Apply inside of sealable containers including mouse stations, fly bait stations or handmade containers with access for the flies. Flies must be active within the building for this application. Do not use as a preventative control product.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry area away from heat or open flame and inaccessible to children.

**PESTICIDE DISPOSAL:** Wastes resulting from use of this product may be disposed bf on site, in accordance with the label directions, or at an approved waste disposal facility.

**CONTAINER HANDLING & DISPOSAL:** Do not puncture or incinerate! **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

#### CONDITIONS OF SALE AND WARRANTY

Follow the **Directions for Use**. It is impossible to eliminate all risks inherently associated with use of this product, and therefore all such risk shall be assumed by the Buyer. Whitmire warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions for Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) WHITMIRE MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND WHITMIRE'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) WHITMIRE AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. Whitmire and the Seller offer this product, and the Buyer accepts it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of Whitmire.

Manufactured for: Whitmire Micro-Gen Research Laboratories, Inc.® by BASF Corporation 3568 Tree Court Industrial Blvd. St. Louis MO 63122-6682 Questions? Call 1-800-777-8570

© 2014 Whitmire Micro-Gen Research Laboratories, Inc.®