

ACCEPTED
5-10-68
506-72

Apply when grass leaves are dry. Always repeat at 3-7 day intervals. Continue till plants are dead. This may range from 1-2 treatments for small plants up to 3-4 for mature plants. Plants will be dead 4-5 days after last required treatment.

GRASS APPEARANCE: If correct rate and coverage was employed, crabgrass should start to lighten in color within 3 days and some browning occur at edges of leaf. If not, check rate used and coverage per gallon obtained and consider careful attention on subsequent applications. Severe browning of all grass indicates correct rate was used. Continue applications at lighter rates.

LAWN: Do not treat until after third mowing.

CARE OF EQUIPMENT: If equipment used on flowers, shrubs, plants, etc., 4-D residue removed in 15 minutes by using Lind's Neutralizer. Or use other suggested method.

WARNING: Hazard if swallowed. Wash thoroughly after using. Keep children and animals off treated areas until material is washed into soil. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Avoid contamination of food and feedstuffs. Keep away from children and domestic animals. Keep livestock off treated areas. Use on grass only. Do not use equipment used for domestic purposes or vegetation. Do not allow spray to contact or drift onto trees, shrubs, flowers or vegetable plants. (Crabgrass is less likely to drift. Do not store near fertilizers, seeds, insecticides or fungicides.)

REMARKS: If taken internally, induce vomiting and call physician at once.

DISCLAIMER: Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label directions.

Product patent applied for. Licensed for use in the control of crabgrass according to the method of U.S. Pat. No. 2,679,366 by reason of inclusion in the purchase price of a royalty. A license of the same royalty rate to use if a patented method with unpatented material obtained from any source will be granted upon request by the patent owner.

Made and Packed in U.S.A.

MFD BY O E Linck Div Walco-Linck Corporation Clifton, N.J.

LIQUID
USDA Reg. No. 506-72
di-met
PLUS-2

CRABGRASS AND LAWN WEEDS

CAUTION: KEEP OUT OF REACH OF CHILDREN

See left panel for other cautions.

Contents
1 Liquid Pint

Linck's Liquid Di-Met Plus 2 kills Dallis grass, Bullgrass, Brome, Lemon grass. Selectively kills crabgrass of many of the types in the soil as they germinate for several weeks. May reduce flower. Kills most common lawn weeds such as chickweed, dandelion, plantain, knotweed, purple spotted spurge, large leaf spurge, pennywort, ragwort weed and certain others.
For use on Crabgrass, Dallis Grass, Canada Blue, and other grasses.
Use in lawn only if well watered prior to application and during dry temperatures under 85°.
Do not use on St. Augustine, Carpet, Centipede, Bahia grasses, bent putting greens or Dandelion lawns.

HOW TO CONTROL:
Good soil moisture required for best results. If dry, water 1-24 hours before applying. Resume watering soil moist day after application and especially during hot dry weather if possible. Some temporary browning may develop under drought conditions. During drought, late afternoon applications advisable.

APPROXIMATE LINCK'S LIQUID DI-MET PLUS 2 TO BE USED IN EACH GALLON WATER MEASURED AREAS OF U. S. A.

EQUIPMENT	Late Spring early	Summer/Hot	Summer/Hot	Sq. Ft.
	Summer/Fall	Autumn	Drought	coverage per
	Gal.	Gal.	Gal.	Gal. Water
Watering Can	1 1/4	1	2 1/2	100
Tank Sprayer	3	2 1/2	2	300
Hand Siphoner Coarse Spray	1 1/4	1	2 1/2	100
Hand Siphoner Fine Spray	4	3	2 1/2	400
Large Tank Sprayer	3 1/2 - 100g	2 1/2 - 100g	1 1/2 - 100g	1 acre

SOUTHERN AREAS AND CALIFORNIA				
Watering Can	1	2 1/2	1 1/2	100
Tank Sprayer	2 1/2	1 1/2	1 1/2	300
Hand Siphoner Coarse Spray	1	2 1/2	1 1/2	100
Hand Siphoner Fine Spray	3	2	1 1/2	400
Large Tank Sprayer	2 1/2 - 100g	1 1/2 - 100g	1 1/2 - 100g	1 acre

2 Tablespoons 1 oz 6 Teaspoons 1 oz 1 cup

ACCEPTED
5-10-68
506-72

Apply when grass leaves are dry. Always repeat at 5-7 day intervals. Continue 'til plants are dead. This may range from 1-2 treatments for small plants up to 3-4 for mature plants. Plants will be dead 4-5 days after last required treatment.

TURF APPEARANCE: If correct rate and coverage was employed, crabgrass should start to lighten in color within 3 days and some browning occur at edge of leaf. If not, check rate used and coverage per gallon obtained and make needed correction on subsequent applications. Severe browning of all turf indicates excess rate was used. Continue applications at lighter rates.

NEW LAWN: Do not treat until after third mowing.

CARE OF EQUIPMENT: If equipment used on flowers, shrubs, plants, etc, 2, 4-D residue removed in 15 minutes by using Linck's Neutralizer. Or use other suggested method.

WARNING: Harmful if swallowed. Wash thoroughly after using. Keep children and animals off treated areas until material is washed into soil. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Avoid contamination of feed and foodstuffs. Keep away from children and domestic animals. Keep livestock off treated areas. Use on grass only. Do not contaminate waters used for domestic purposes or irrigation. Do not allow spray to contact or drift into trees, shrubs, flowers or vegetable plants. Coarse sprays are less likely to drift. Do not store near fertilizers, seeds, insecticides or fungicides.

ANTIDOTE: If taken internally, induce vomiting and call physician at once.

DISCLAIMER: Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Product Patent applied for. Licensed for use in the control of crabgrass according to the method of U.S. Pat. No. 2,678,263 by reason of inclusion in the purchase price of a royalty. A license at the same royalty rate to use the patented method with unpatented material obtained from any source will be granted upon request by the patent owner.

Made and Printed in U.S.A.

MFD. BY: O. E. Linck Div., Walco-Linck Corporation, Clifton, N. J.

di

CAUTION: KEEP C
REACH OF CHI

See left panel for other

Contents:

1 Liquid Pint

5-10-68
506-72

Apply when grass leaves are dry. Always repeat at 5-7 day intervals. Continue 'til plants are dead. This may range from 1-2 treatments for small plants up to 3-4 for mature plants. Plants will be dead 4-5 days after last required treatment.

TURF APPEARANCE: If correct rate and coverage was employed, crabgrass should start to lighten in color within 3 days and some browning occur at edge of leaf. If not, check rate used and coverage per gallon obtained and make needed correction on subsequent applications. Severe browning of all turf indicates excess rate was used. Continue applications at lighter rates.

NEW LAWN: Do not treat until after third mowing.

CARE OF EQUIPMENT: If equipment used on flowers, shrubs, plants, etc., 2, 4-D residue removed in 15 minutes by using Linck's Neutralizer. Or use other suggested method.

WARNING: Harmful if swallowed. Wash thoroughly after using. Keep children and animals off treated areas until material is washed into soil. Avoid breathing spray mist. Avoid contact with skin, eyes or clothing. Avoid contamination of feed and foodstuffs. Keep away from children and domestic animals. Keep livestock off treated areas. Use on grass only. Do not contaminate waters used for domestic purposes or irrigation. Do not allow spray to contact or drift into trees, shrubs, flowers or vegetable plants. Coarse sprays are less likely to drift. Do not store near fertilizers, seeds, insecticides or fungicides.

ANTIDOTE: If taken internally, induce vomiting and call physician at once.

DISCLAIMER: Seller makes no warranty, express or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Product patent applied for. Licensed for use in the control of crabgrass according to the method of U.S. Pat. No. 2,678,263 by reason of inclusion in the purchase price of a royalty. A license at the same royalty rate to use the patented method with unpatented material obtained from any source will be granted upon request by the patent owner.

Made and Printed in U.S.A.

L I Q U I D

USDA Reg. No. 506-72

di-met
PLUS-2

CRABGRASS AND
LAWN WEEDS

CAUTION KEEP OUT OF
REACH OF CHILDREN

See left panel for other cautions.

Contents:
1 Liquid Pint

Linck's Liquid Di-Met Plus 2 kills Dallis grass, Bullgrass, Sedge, Lemon grass. Selectively kills crabgrass and many of its seeds in the soil as they germinate for several weeks. May reduce clover.

Kills most common lawn weeds such as chickweed, dandelion, plantain, knotweed, pursley, spotted spurge, large leaf spurge, pennywort, beggar weed and certain others.

For use on Bermuda, Merion Blue, Kentucky Blue, Red Top, Fescue, Zoysia, Bent lawns only if well watered prior to application and average day temperatures under 85.

Do not use on St. Augustine, Carpet, Centipede, Bahia grasses, bent putting greens or Dichondra lawns.

HOW TO CONTROL

Good soil moisture required for best results. If dry, water 1-24 hours before applying. Resume keeping soil moist day after application and especially during hot dry weather if possible. Some temporary browning may develop under drought conditions. During drought, late afternoon applications advisable.

AMOUNT LINCK'S LIQUID DI-MET PLUS 2 TO BE USED IN EACH GALLON WATER NORTHERN AREAS OF U S A.

EQUIPMENT	Late Spring early	Summer Hot	Summer Hot	Sq. Ft. coverage per Gal Water
	Summer-Fall Oz.	Moist Oz.	Drought Oz.	
Watering Can	1 1/4	1	2/3	100
Tank Sprayer	3	2 1/2	2	300
Hose Syphoner Coarse Spray	1 1/4	1	3/4	100
Hose Syphoner Fine Spray	4	3	2 1/2	400
Large Tank Sprayer	3g 100g	2 1/2g 100g.	1 1/2g 100g	1 acre

SOUTHERN AREAS AND CALIFORNIA

Watering Can	1	2/3	1/2	100
Tank Sprayer	2 1/2	1 1/2	1 1/2	300
Hose Syphoner Coarse Spray	1	2/3	1/2	100
Hose Syphoner Fine Spray	3	2	1 3/4	400
Large Tank Sprayer	2 1/2g 100g	1 1/2 1 1/4g 100g.	1 1/3g 100g	1 acre

2 Tablespoons 1 oz 6 Teaspoons 1 oz 1 cup 8 oz.

MFD. BY: O. E. Linck Div., Walco-Linck Corporation, Clifton, N. J.