

12-20-67
506-96

Linck's

CAUTION: KEEP OUT OF REACH OF CHILDREN.
(See left panel for additional cautions)

di-met

SPECIAL WITH AMA

Apply when grass leaves are dry. Always repeat at 5-7 day intervals. Continue till plants are dead. Plants will be dead 4-5 days after last required treatment. If extreme heat prevails, late afternoon applications reduce possible turf discoloration. Soil should be moist before treatment. Resume keeping soil moist day after application and especially during hot dry weather if possible.

TURF APPEARANCE: If correct rate and coverage was employed, Dallis Grass should start to lighten in color within 3 days and some browning occur at edge of leaf. If not, check rate used and coverage per gallon obtained and make needed correction on subsequent applications. Severe browning of all turf indicates excess rate was used. Continue applications at lighter rates.

NEW LAWN: Do not treat until after third mowing.

CAUTION: Avoid breathing spray mist. Avoid contamination of feed and foodstuffs. Keep away from children and domestic animals. Keep livestock off treated areas. Use on grass only. Avoid contact with skin and wash hands after using. Harmful if swallowed. Keep children and animals off treated areas until material is washed into soil. Do not contaminate waters used for domestic purposes or irrigation.

ANTIDOTE: If taken internally induce vomiting and call physician at once.

DISCLAIMER: Above representations are based on tests designed to protect turf from improper use. The Linck Co. makes no express or implied warranties other than specified on the label.

Contents:

USDA Reg. No. 506-96

ACTIVE INGREDIENTS
Octyl ammonium methanesulfonate 1.0%
Dodecyl ammonium methanesulfonate 8.0%

INERT INGREDIENTS
Total 100.0%

Total arsenic, expressed as metallic, as in water soluble form .1%

READ ENTIRE LABEL

USE ACCORDING TO DIRECTIONS

Linck's Di-Met Special with AMA selectively kills Dallis Grass and many of its seeds in the soil as they germinate with little or no injury to turf. Chickweed is killed in warm weather.
FOR LAWNS, PUTTING GREENS, FAIRWAYS, PARKS, CEMETERIES.
For use on Merion Blue, Kentucky Blue, Red Top, Fescue, Creeping Bent, Bermuda, Dichondra and Zoysia. Do not use on St. Augustine, Carpet or Centipede. Bents and Fescue grasses are more sensitive and may be temporarily discolored.
Use rate which applies to your local area. Rates may have to be changed during treatment due to climatic conditions.

AMOUNT LINCK'S DI-MET SPECIAL WITH AMA TO BE USED IN EACH GALLON WATER, NORTHERN AREAS OF U. S. A.

EQUIPMENT	Late Spring-early Summer	Hot	Summer-Moist	Summer-Hot Drought	Sq. Ft Coverage per gal Water
	Summer Fall				
Watering Can	1 1/4	1	1	1	100
Tank Sprayer	2	1 1/2	1 1/2	1 1/2	200
Hose Syphoner	1 1/4	1	1	1	100
Coarse Spray	1 1/4	1	1	1	100
Hose Syphoner Fine Spray	4	3	2	2	100
Power Sprayer	2 gals/100g	2 1/2 gals/100g	1 1/2 gals/100g	1 1/2 gals/100g	100

SOUTHERN AREAS AND CALIFORNIA

Watering Can	1	2 1/2	1 1/2	100	
Tank Sprayer	1 1/4	1	1 1/2	200	
Hose Syphoner	1	2 1/2	1 1/2	100	
Coarse Spray	1	2 1/2	1 1/2	100	
Hose Syphoner Fine Spray	3	2	1 1/2	100	
Power Sprayer	2 1/2 gals/100g	1 1/2 gals/100g	1 1/2 gals/100g	400	
2 Tablespoons	1 oz	6 Teaspoons	1 oz	1 cup	8 oz.