

TAT ROACH BAIT

KILLS


Roaches, Waterbugs, Palmetto Bugs



IN TO FEED



OUT TO DIE



GUARANTEED!
See Details on Back

For use in Homes, Apartment Buildings, Stores, Restaurants,
Warehouses, Campers, Cabins and Trailers

Kills Roaches as Long as Bait Lasts
Round the Clock Killing for Months
Kills Roaches
Clean, Effective, Economical

ACTIVE INGREDIENT:


Propoxur (CAS No. 114-26-1)	2%
OTHER INGREDIENTS	98%
Total	100%

Keep Out of Reach of Children
CAUTION
See back panel for additional
precautionary statements.

CONTAINS ___ ROACH BAITS [TRAYS] [TRAPS]
Net Wt. Each 1/6 oz. Total Net Wt. ___ oz.

EPA Reg. No. 506-125 EPA Est. 506-NY-1

Walco-Linck Company
P.O. Box 598
Valley Cottage, NY 10989
1-800-338-2329



2/3

TAT ROACH BAIT
KILLS: Roaches, Waterbugs, Palmetto Bugs

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

First Aid

If Swallowed	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison center or doctor. • Do not give anything by mouth to an unconscious person.
If on Skin or Clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Immediately rinse skin with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If in Eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-888-740-8712 (the international poison center) for emergency medical treatment information.	
Note to Physician: Propoxur is a reversible cholinesterase inhibitor. Atropine sulfate is antidotal and should be administered only if symptoms persist.	

Environmental Hazards

This product is toxic to wildlife and aquatic invertebrates. Birds and small animals feeding on treated bait may be killed. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[Storage and Disposal]

Storage: Store in a cool, dry (preferably locked) storage area inaccessible to children and pets. Keep pesticide in original containers. **Disposal:** Do not reuse empty containers; wrap and put in trash.

READ ENTIRE LABEL BEFORE USING.
USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.
READ INSTRUCTIONS BEFORE PRESSING IN SEMI-PERFORATED HOLES.

General Precautions and Restrictions

- > Place bait trays [traps] in areas inaccessible to children and domestic animals.
- > Do not contaminate feed, food products, food preparation surfaces, dishes, kitchen utensils or food containers.

Application Instructions

- > Place bait trays [traps] where you have noticed infestation and where roaches are numerous – on shelves, in drawers, baseboards, under sinks, stoves and refrigerators, in bathrooms, etc.
- > Find indented sections on the sides of the can.
- > Simply apply pressure with key until they open (see illustration).
- > For best results use 4 to 6 trays [traps] per 100 square feet of surface area to be treated. More bait trays [traps] may be needed if infestation is great.
- > For continuous good results check regularly and replace every four weeks or as needed. Death occurs soon after feeding. Roaches leave bait tray [traps] and return to hiding places to die.

