

EPA REG # 506-154

EPA EST # 54487-02-1

USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read the entire label and use strictly in accordance with label precautions and directions.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Store in a cool, dry area away from heat or open flame. Do not re-use empty container. After use wrap container and put in trash collection.

IMPORTANT FOR PROPER USE

Use one can for each 5,000 cubic feet (an area 30'x25'x8') of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured.

This product will kill Fleas, Ticks, Roaches, Ants, Spiders, Flying Moths.

To kill Fleas and Ticks: Remove and destroy pet's old bedding. Use product at about 10:00 AM and call with registered tick control product prior to re-entry.

Solvents may soften some finished surfaces, asphalt tile. Drape newspaper over any item to avoid possible staining of finish like waxed wood floors and waxed furniture. Some plastic items may be affected by the solvent and if questionable cover with paper.

Place can in center of area to be fogged. Unfold several layers of newspaper and place in middle of paper on floor. Open cabinets and doors to areas to be treated and tagged REMOVE PETS. Cover fish tanks or bowls and shut off heaters. Shut off fans and air conditioner. Put out all open flames and pilot lights. Close doors and windows. Keep at arms length when releasing. Faint can away from face when releasing.

TO START FOGGING: Push down securely on valve actuator and force valve into locked position. Place can in upright position in middle of newspapers and leave area at once. Leave undisturbed for at least four hours. Then open doors and windows and allow to air for 30 minutes. Heavy Flea infestation may necessitate repeat fogging in 8-10 days to kill newly hatched Fleas, or as necessary.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Avoid contamination of food and feedstuffs.

STATEMENT OF PRACTICAL TREATMENT

If swallowed—Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit is clear. Call a physician immediately. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled—Remove victim to fresh air. Apply respiration if indicated.

If on skin—Remove contaminated clothing and wash affected areas with soap and water.

If in eyes—Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

Do not use in commercial food processing, handling, serving, storage or preparation area. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. KEEP OUT OF REACH OF CHILDREN.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams & ponds.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130° may cause bursting.

MANUFACTURED IN THE U.S.A. FOR
MAGDO-LINDS CO.
P.O. Box 100
CLIFTON, NJ 07011

TAT

AREA

FOGGER

Kills: ROACHES
FLEAS
TICKS, ANTS,
SPIDERS, FLYING MOTHS

TREATS UP TO
6,000 CUBIC FEET

ACTIVE INGREDIENTS:	
2,2-dichlorovinyl dimethyl phosphate	0.470%
Residual Compound	0.530%
2(1-methylheptyl) phenyl methacrylate	0.970%
INERT INGREDIENTS	98.030%

Net Wt. 7.5 oz.

KEEP OUT OF REACH OF CHILDREN

CAUTION..:

Read Additional Precautionary Statements on Back Panel.

ACCEPTED
SEP - 2 1988
Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
product registered under
EPA Reg. No. 506-154